

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Narendra Chaudhry (ID No. 252024960)
HSK8MW42LI

Your Score: 295.00/720.00 (40.97%)
Rank: 23
Percentile: 45.18

Max Score: 653.00
Min Score: 12.00
Avg Score: 376.71

TEST: NEET Conquer-Gujarati_Part Test-06_24-08-2025 (ID: 130 DT: 24-Aug-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.06	85.29	11.76	PHY	DEMO	4.00	1.00	A	A	R	4.00
2	94.12	85.29	8.82	PHY	DEMO	4.00	1.00	A	A	R	4.00
3	82.35	73.53	8.82	PHY	DEMO	4.00	1.00	A	C	W	-1.00
4	91.18	70.59	20.59	PHY	DEMO	4.00	1.00	B	A	W	-1.00
5	88.24	67.65	20.59	PHY	DEMO	4.00	1.00	D		L	0.00
6	85.29	73.53	11.76	PHY	DEMO	4.00	1.00	B		L	0.00
7	91.18	79.41	11.76	PHY	DEMO	4.00	1.00	D		L	0.00
8	85.29	64.71	20.59	PHY	DEMO	4.00	1.00	B		L	0.00
9	94.12	88.24	5.88	PHY	DEMO	4.00	1.00	C	A	W	-1.00
10	76.47	55.88	20.59	PHY	DEMO	4.00	1.00	B		L	0.00
11	61.76	35.29	26.47	PHY	DEMO	4.00	1.00	C	A	W	-1.00
12	38.24	29.41	8.82	PHY	DEMO	4.00	1.00	A		L	0.00
13	58.82	47.06	11.76	PHY	DEMO	4.00	1.00	A	C	W	-1.00
14	61.76	41.18	20.59	PHY	DEMO	4.00	1.00	D		L	0.00
15	67.65	47.06	20.59	PHY	DEMO	4.00	1.00	A		L	0.00
16	55.88	35.29	20.59	PHY	DEMO	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
18	50.00	47.06	2.94	PHY	DEMO	4.00	1.00	B		L	0.00
19	50.00	26.47	23.53	PHY	DEMO	4.00	1.00	D	B	W	-1.00
20	26.47	20.59	5.88	PHY	DEMO	4.00	1.00	A		L	0.00
21	23.53	14.71	8.82	PHY	DEMO	4.00	1.00	A		L	0.00
22	35.29	29.41	5.88	PHY	DEMO	4.00	1.00	D	C	W	-1.00
23	76.47	41.18	35.29	PHY	DEMO	4.00	1.00	D	B	W	-1.00
24	55.88	50.00	5.88	PHY	DEMO	4.00	1.00	C		L	0.00
25	67.65	50.00	17.65	PHY	DEMO	4.00	1.00	B	D	W	-1.00
26	50.00	23.53	26.47	PHY	DEMO	4.00	1.00	C		L	0.00
27	61.76	47.06	14.71	PHY	DEMO	4.00	1.00	D	D	R	4.00
28	58.82	23.53	35.29	PHY	DEMO	4.00	1.00	B	B	R	4.00
29	20.59	17.65	2.94	PHY	DEMO	4.00	1.00	C		L	0.00
30	35.29	8.82	26.47	PHY	DEMO	4.00	1.00	B		L	0.00
31	55.88	26.47	29.41	PHY	DEMO	4.00	1.00	D	A	W	-1.00
32	73.53	50.00	23.53	PHY	DEMO	4.00	1.00	D	D	R	4.00
33	29.41	20.59	8.82	PHY	DEMO	4.00	1.00	A	B	W	-1.00
34	64.71	35.29	29.41	PHY	DEMO	4.00	1.00	D	D	R	4.00
35	23.53	17.65	5.88	PHY	DEMO	4.00	1.00	A		L	0.00
36	70.59	52.94	17.65	PHY	DEMO	4.00	1.00	D	B	W	-1.00
37	50.00	23.53	26.47	PHY	DEMO	4.00	1.00	C		L	0.00
38	55.88	23.53	32.35	PHY	DEMO	4.00	1.00	A	B	W	-1.00
39	41.18	11.76	29.41	PHY	DEMO	4.00	1.00	A		L	0.00
40	35.29	14.71	20.59	PHY	DEMO	4.00	1.00	B	C	W	-1.00
41	11.76	8.82	2.94	PHY	DEMO	4.00	1.00	B		L	0.00
42	50.00	20.59	29.41	PHY	DEMO	4.00	1.00	B	D	W	-1.00
43	17.65	5.88	11.76	PHY	DEMO	4.00	1.00	C		L	0.00
44	17.65	0.00	17.65	PHY	DEMO	4.00	1.00	C		L	0.00
45	41.18	26.47	14.71	PHY	DEMO	4.00	1.00	A		L	0.00
46	73.53	64.71	8.82	CHEM	DEMO	4.00	1.00	B	B	R	4.00
47	85.29	64.71	20.59	CHEM	DEMO	4.00	1.00	D	D	R	4.00
48	85.29	73.53	11.76	CHEM	DEMO	4.00	1.00	B	B	R	4.00
49	82.35	73.53	8.82	CHEM	DEMO	4.00	1.00	B	B	R	4.00
50	79.41	61.76	17.65	CHEM	DEMO	4.00	1.00	D	D	R	4.00
51	82.35	70.59	11.76	CHEM	DEMO	4.00	1.00	C	C	R	4.00
52	70.59	50.00	20.59	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
53	76.47	64.71	11.76	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
54	76.47	73.53	2.94	CHEM	DEMO	4.00	1.00	A	A	R	4.00
55	67.65	47.06	20.59	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
56	73.53	50.00	23.53	CHEM	DEMO	4.00	1.00	D	D	R	4.00
57	70.59	44.12	26.47	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
58	94.12	35.29	58.82	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
59	79.41	58.82	20.59	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
60	79.41	73.53	5.88	CHEM	DEMO	4.00	1.00	D	D	R	4.00
61	85.29	55.88	29.41	CHEM	DEMO	4.00	1.00	D	D	R	4.00
62	67.65	32.35	35.29	CHEM	DEMO	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Narendra Chaudhry (ID No. 252024960)
HSK8MW42LI

Your Score: 295.00/720.00 (40.97%)
Rank: 23
Percentile: 45.18

Max Score: 653.00
Min Score: 12.00
Avg Score: 376.71

TEST: NEET Conquer-Gujarati_Part Test-06_24-08-2025 (ID: 130 DT: 24-Aug-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	88.24	88.24	0.00	CHEM	DEMO	4.00	1.00	D	D	R	4.00
64	55.88	38.24	17.65	CHEM	DEMO	4.00	1.00	B		L	0.00
65	91.18	79.41	11.76	CHEM	DEMO	4.00	1.00	A	A	R	4.00
66	52.94	29.41	23.53	CHEM	DEMO	4.00	1.00	D		L	0.00
67	73.53	52.94	20.59	CHEM	DEMO	4.00	1.00	A	A	R	4.00
68	70.59	47.06	23.53	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
69	58.82	29.41	29.41	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
70	82.35	73.53	8.82	CHEM	DEMO	4.00	1.00	C		L	0.00
71	85.29	67.65	17.65	CHEM	DEMO	4.00	1.00	D	D	R	4.00
72	58.82	50.00	8.82	CHEM	DEMO	4.00	1.00	D		L	0.00
73	61.76	38.24	23.53	CHEM	DEMO	4.00	1.00	C		L	0.00
74	73.53	41.18	32.35	CHEM	DEMO	4.00	1.00	C		L	0.00
75	88.24	70.59	17.65	CHEM	DEMO	4.00	1.00	C	C	R	4.00
76	88.24	64.71	23.53	CHEM	DEMO	4.00	1.00	D	D	R	4.00
77	79.41	55.88	23.53	CHEM	DEMO	4.00	1.00	D	D	R	4.00
78	85.29	70.59	14.71	CHEM	DEMO	4.00	1.00	B	B	R	4.00
79	76.47	55.88	20.59	CHEM	DEMO	4.00	1.00	B		L	0.00
80	70.59	38.24	32.35	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
81	85.29	70.59	14.71	CHEM	DEMO	4.00	1.00	D	D	R	4.00
82	52.94	29.41	23.53	CHEM	DEMO	4.00	1.00	B		L	0.00
83	67.65	44.12	23.53	CHEM	DEMO	4.00	1.00	C		L	0.00
84	70.59	35.29	35.29	CHEM	DEMO	4.00	1.00	B	B	R	4.00
85	41.18	20.59	20.59	CHEM	DEMO	4.00	1.00	D		L	0.00
86	76.47	67.65	8.82	CHEM	DEMO	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	DEMO	4.00	1.00	C	C	R	4.00
88	76.47	50.00	26.47	CHEM	DEMO	4.00	1.00	C		L	0.00
89	82.35	64.71	17.65	CHEM	DEMO	4.00	1.00	D		L	0.00
90	70.59	41.18	29.41	CHEM	DEMO	4.00	1.00	D		L	0.00
91	79.41	50.00	29.41	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
92	85.29	64.71	20.59	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
93	85.29	73.53	11.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
94	82.35	70.59	11.76	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
95	52.94	26.47	26.47	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
96	73.53	52.94	20.59	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
97	82.35	76.47	5.88	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
98	67.65	55.88	11.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
99	97.06	76.47	20.59	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
100	61.76	20.59	41.18	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
101	97.06	85.29	11.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
102	52.94	29.41	23.53	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
103	76.47	44.12	32.35	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
104	82.35	76.47	5.88	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
105	91.18	64.71	26.47	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
106	100.00	91.18	8.82	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
107	79.41	67.65	11.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
108	100.00	85.29	14.71	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	91.18	73.53	17.65	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
110	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00			C	4.00
111	91.18	88.24	2.94	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
112	79.41	55.88	23.53	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
113	85.29	82.35	2.94	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
114	88.24	76.47	11.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
115	52.94	14.71	38.24	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
116	91.18	32.35	58.82	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
117	91.18	88.24	2.94	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
118	85.29	79.41	5.88	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
119	85.29	61.76	23.53	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
120	91.18	55.88	35.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
121	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		B	C	4.00
122	94.12	91.18	2.94	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
123	85.29	44.12	41.18	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
124	88.24	64.71	23.53	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Narendra Chaudhry (ID No. 252024960)
HSK8MW42LI

Your Score: 295.00/720.00 (40.97%)

Max Score: 653.00

Rank: 23

Min Score: 12.00

TEST: NEET Conquer-Gujarati_Part Test-06_24-08-2025 (ID: 130 DT: 24-Aug-2025)

Percentile: 45.18

Avg Score: 376.71

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	85.29	61.76	23.53	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
126	85.29	76.47	8.82	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
127	91.18	73.53	17.65	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
128	91.18	55.88	35.29	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
129	91.18	58.82	32.35	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
130	79.41	64.71	14.71	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
131	85.29	64.71	20.59	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
132	94.12	79.41	14.71	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
133	97.06	61.76	35.29	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
134	79.41	76.47	2.94	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
135	91.18	67.65	23.53	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
136	88.24	47.06	41.18	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
137	91.18	76.47	14.71	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
138	97.06	76.47	20.59	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
139	100.00	55.88	44.12	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
140	100.00	94.12	5.88	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
141	100.00	94.12	5.88	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
142	97.06	85.29	11.76	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
143	91.18	73.53	17.65	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
144	94.12	61.76	32.35	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
145	94.12	82.35	11.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
146	91.18	52.94	38.24	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
147	100.00	79.41	20.59	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
148	88.24	61.76	26.47	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
149	97.06	94.12	2.94	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
150	94.12	61.76	32.35	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
151	85.29	64.71	20.59	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
152	100.00	88.24	11.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
153	97.06	82.35	14.71	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
154	88.24	73.53	14.71	BIOLOGY	DEMO	4.00	1.00	A	AD	W	-1.00
155	94.12	64.71	29.41	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
156	94.12	85.29	8.82	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
157	91.18	73.53	17.65	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
158	85.29	38.24	47.06	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
159	88.24	76.47	11.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
160	85.29	79.41	5.88	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
161	88.24	52.94	35.29	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
162	94.12	70.59	23.53	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
163	91.18	67.65	23.53	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
164	91.18	61.76	29.41	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
165	88.24	67.65	20.59	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
166	82.35	76.47	5.88	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
167	88.24	64.71	23.53	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
168	82.35	58.82	23.53	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
169	67.65	61.76	5.88	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
170	73.53	44.12	29.41	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
171	79.41	67.65	11.76	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
172	88.24	67.65	20.59	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
173	64.71	26.47	38.24	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
174	82.35	64.71	17.65	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
175	85.29	52.94	32.35	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
176	91.18	82.35	8.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
177	88.24	64.71	23.53	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
178	85.29	55.88	29.41	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
179	70.59	29.41	41.18	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
180	82.35	73.53	8.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 137 (**Correct:** 84 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 295.00

Total Positive Marks: 348.00 **Total Negative Marks:** 53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
13.00		79.00	203.00	295.00