

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Krisha Maniar (ID No. 252001906)
419VZS7PYK
TEST: NEET Growth_Minor Test-04_21-09-2025 (ID: 145 DT: 21-Sep-2025)

Your Score: 399.00/720.00 (55.42%)
Rank: 42
Percentile: 58.25

Max Score: 685.00
Min Score: 126.00
Avg Score: 369.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.92	41.12	45.79	PHY	DEMO	4.00	1.00	D	C	W	-1.00
2	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		B	C	4.00
3	52.34	14.02	38.32	PHY	DEMO	4.00	1.00	D	B	W	-1.00
4	85.98	35.51	50.47	PHY	DEMO	4.00	1.00	C	B	W	-1.00
5	47.66	11.21	36.45	PHY	DEMO	4.00	1.00	D		L	0.00
6	57.94	30.84	27.10	PHY	DEMO	4.00	1.00	C		L	0.00
7	72.90	37.38	35.51	PHY	DEMO	4.00	1.00	C	C	R	4.00
8	80.37	16.82	63.55	PHY	DEMO	4.00	1.00	C	D	W	-1.00
9	45.79	31.78	14.02	PHY	DEMO	4.00	1.00	B	B	R	4.00
10	60.75	28.04	32.71	PHY	DEMO	4.00	1.00	A	B	W	-1.00
11	84.11	49.53	34.58	PHY	DEMO	4.00	1.00	B	C	W	-1.00
12	76.64	29.91	46.73	PHY	DEMO	4.00	1.00	D	D	R	4.00
13	71.96	33.64	38.32	PHY	DEMO	4.00	1.00	D	C	W	-1.00
14	60.75	24.30	36.45	PHY	DEMO	4.00	1.00	A	A	R	4.00
15	40.19	22.43	17.76	PHY	DEMO	4.00	1.00	D		L	0.00
16	59.81	29.91	29.91	PHY	DEMO	4.00	1.00	C	A	W	-1.00
17	64.49	39.25	25.23	PHY	DEMO	4.00	1.00	C	B	W	-1.00
18	59.81	48.60	11.21	PHY	DEMO	4.00	1.00	B	B	R	4.00
19	67.29	37.38	29.91	PHY	DEMO	4.00	1.00	D	D	R	4.00
20	46.73	23.36	23.36	PHY	DEMO	4.00	1.00	B	B	R	4.00
21	54.21	29.91	24.30	PHY	DEMO	4.00	1.00	A	A	R	4.00
22	66.36	48.60	17.76	PHY	DEMO	4.00	1.00	D	B	W	-1.00
23	70.09	16.82	53.27	PHY	DEMO	4.00	1.00	B	A	W	-1.00
24	59.81	40.19	19.63	PHY	DEMO	4.00	1.00	B	D	W	-1.00
25	37.38	13.08	24.30	PHY	DEMO	4.00	1.00	D	C	W	-1.00
26	85.98	21.50	64.49	PHY	DEMO	4.00	1.00	A	D	W	-1.00
27	85.05	77.57	7.48	PHY	DEMO	4.00	1.00	B	C	W	-1.00
28	78.50	46.73	31.78	PHY	DEMO	4.00	1.00	A	A	R	4.00
29	72.90	40.19	32.71	PHY	DEMO	4.00	1.00	A	A	R	4.00
30	78.50	66.36	12.15	PHY	DEMO	4.00	1.00	C	C	R	4.00
31	91.59	73.83	17.76	PHY	DEMO	4.00	1.00	C	C	R	4.00
32	87.85	45.79	42.06	PHY	DEMO	4.00	1.00	B	B	R	4.00
33	84.11	77.57	6.54	PHY	DEMO	4.00	1.00	A	A	R	4.00
34	78.50	43.93	34.58	PHY	DEMO	4.00	1.00	B	C	W	-1.00
35	63.55	43.93	19.63	PHY	DEMO	4.00	1.00	B	B	R	4.00
36	59.81	30.84	28.97	PHY	DEMO	4.00	1.00	D		L	0.00
37	64.49	19.63	44.86	PHY	DEMO	4.00	1.00	C	A	W	-1.00
38	68.22	42.99	25.23	PHY	DEMO	4.00	1.00	C	C	R	4.00
39	48.60	28.97	19.63	PHY	DEMO	4.00	1.00	B	C	W	-1.00
40	78.50	31.78	46.73	PHY	DEMO	4.00	1.00	B	C	W	-1.00
41	66.36	53.27	13.08	PHY	DEMO	4.00	1.00	C		L	0.00
42	55.14	33.64	21.50	PHY	DEMO	4.00	1.00	C	A	W	-1.00
43	66.36	39.25	27.10	PHY	DEMO	4.00	1.00	C		L	0.00
44	39.25	17.76	21.50	PHY	DEMO	4.00	1.00	C		L	0.00
45	77.57	36.45	41.12	PHY	DEMO	4.00	1.00	A	C	W	-1.00
46	85.98	64.49	21.50	CHEM	DEMO	4.00	1.00	A	A	R	4.00
47	88.79	28.04	60.75	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
48	80.37	57.01	23.36	CHEM	DEMO	4.00	1.00	C	C	R	4.00
49	83.18	37.38	45.79	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
50	47.66	13.08	34.58	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
51	52.34	14.02	38.32	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
52	89.72	82.24	7.48	CHEM	DEMO	4.00	1.00	B	B	R	4.00
53	49.53	26.17	23.36	CHEM	DEMO	4.00	1.00	D	D	R	4.00
54	63.55	28.04	35.51	CHEM	DEMO	4.00	1.00	C	C	R	4.00
55	79.44	61.68	17.76	CHEM	DEMO	4.00	1.00	A	A	R	4.00
56	81.31	65.42	15.89	CHEM	DEMO	4.00	1.00	B	B	R	4.00
57	71.96	37.38	34.58	CHEM	DEMO	4.00	1.00	B	B	R	4.00
58	71.03	32.71	38.32	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
59	68.22	56.07	12.15	CHEM	DEMO	4.00	1.00	C	C	R	4.00
60	68.22	6.54	61.68	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
61	77.57	54.21	23.36	CHEM	DEMO	4.00	1.00	B	B	R	4.00
62	78.50	57.94	20.56	CHEM	DEMO	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Krisha Maniar (ID No. 252001906)
419VZS7PYK
TEST: NEET Growth_Minor Test-04_21-09-2025 (ID: 145 DT: 21-Sep-2025)

Your Score: 399.00/720.00 (55.42%)
Rank: 42
Percentile: 58.25

Max Score: 685.00
Min Score: 126.00
Avg Score: 369.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	63.55	11.21	52.34	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
64	49.53	6.54	42.99	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
65	58.88	14.02	44.86	CHEM	DEMO	4.00	1.00	A	A	R	4.00
66	61.68	28.97	32.71	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
67	71.96	45.79	26.17	CHEM	DEMO	4.00	1.00	D	D	R	4.00
68	71.03	30.84	40.19	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
69	45.79	26.17	19.63	CHEM	DEMO	4.00	1.00	C		L	0.00
70	70.09	40.19	29.91	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
71	63.55	45.79	17.76	CHEM	DEMO	4.00	1.00	C		L	0.00
72	37.38	17.76	19.63	CHEM	DEMO	4.00	1.00	A		L	0.00
73	76.64	49.53	27.10	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
74	27.10	12.15	14.95	CHEM	DEMO	4.00	1.00	B		L	0.00
75	92.52	79.44	13.08	CHEM	DEMO	4.00	1.00	D	D	R	4.00
76	81.31	67.29	14.02	CHEM	DEMO	4.00	1.00	C	C	R	4.00
77	74.77	47.66	27.10	CHEM	DEMO	4.00	1.00	A	A	R	4.00
78	77.57	60.75	16.82	CHEM	DEMO	4.00	1.00	B	B	R	4.00
79	66.36	42.06	24.30	CHEM	DEMO	4.00	1.00	A	A	R	4.00
80	86.92	51.40	35.51	CHEM	DEMO	4.00	1.00	D	D	R	4.00
81	91.59	71.03	20.56	CHEM	DEMO	4.00	1.00	B	B	R	4.00
82	84.11	72.90	11.21	CHEM	DEMO	4.00	1.00	B	B	R	4.00
83	76.64	17.76	58.88	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
84	55.14	29.91	25.23	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
85	55.14	32.71	22.43	CHEM	DEMO	4.00	1.00	A		L	0.00
86	71.03	35.51	35.51	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
87	77.57	28.97	48.60	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
88	53.27	40.19	13.08	CHEM	DEMO	4.00	1.00	C		L	0.00
89	46.73	16.82	29.91	CHEM	DEMO	4.00	1.00	B	B	R	4.00
90	79.44	31.78	47.66	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
91	98.13	52.34	45.79	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
92	99.07	86.92	12.15	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
93	98.13	75.70	22.43	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
94	87.85	67.29	20.56	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
95	93.46	52.34	41.12	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
97	69.16	28.97	40.19	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
98	98.13	87.85	10.28	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
99	96.26	84.11	12.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
100	80.37	48.60	31.78	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
101	98.13	93.46	4.67	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
102	100.00	94.39	5.61	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
103	92.52	58.88	33.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
104	97.20	81.31	15.89	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
105	97.20	15.89	81.31	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
106	99.07	86.92	12.15	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
107	95.33	70.09	25.23	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
108	87.85	45.79	42.06	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
109	99.07	63.55	35.51	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
110	86.92	73.83	13.08	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
111	97.20	79.44	17.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
112	88.79	49.53	39.25	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
113	96.26	69.16	27.10	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
114	92.52	75.70	16.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
115	93.46	86.92	6.54	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
116	100.00	98.13	1.87	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
117	95.33	75.70	19.63	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
118	91.59	85.05	6.54	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
119	96.26	95.33	0.93	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
120	97.20	70.09	27.10	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
121	97.20	96.26	0.93	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
122	96.26	84.11	12.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
123	92.52	42.99	49.53	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
124	82.24	54.21	28.04	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Krisha Maniar (ID No. 252001906)
419VZS7PYK
TEST: NEET Growth_Minor Test-04_21-09-2025 (ID: 145 DT: 21-Sep-2025)

Your Score: 399.00/720.00 (55.42%)
Rank: 42
Percentile: 58.25

Max Score: 685.00
Min Score: 126.00
Avg Score: 369.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	95.33	47.66	47.66	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
126	94.39	67.29	27.10	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
127	99.07	99.07	0.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
128	89.72	72.90	16.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
129	100.00	90.65	9.35	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
130	97.20	92.52	4.67	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
131	92.52	74.77	17.76	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
132	99.07	81.31	17.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
133	98.13	70.09	28.04	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
134	100.00	85.05	14.95	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
135	85.98	43.93	42.06	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
136	96.26	82.24	14.02	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
137	99.07	82.24	16.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
138	95.33	86.92	8.41	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
139	98.13	93.46	4.67	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
140	97.20	95.33	1.87	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
141	97.20	91.59	5.61	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
142	98.13	90.65	7.48	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
143	98.13	86.92	11.21	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
144	87.85	76.64	11.21	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
145	96.26	74.77	21.50	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
146	95.33	89.72	5.61	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
147	90.65	63.55	27.10	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
148	90.65	69.16	21.50	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
149	99.07	85.05	14.02	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
150	93.46	82.24	11.21	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
151	98.13	92.52	5.61	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
152	100.00	95.33	4.67	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
153	94.39	70.09	24.30	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
154	99.07	68.22	30.84	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
155	89.72	57.94	31.78	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
156	99.07	98.13	0.93	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
157	92.52	23.36	69.16	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
158	92.52	89.72	2.80	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
159	96.26	89.72	6.54	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
160	98.13	92.52	5.61	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
161	96.26	65.42	30.84	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
162	97.20	90.65	6.54	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
163	95.33	65.42	29.91	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
164	99.07	95.33	3.74	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
165	85.98	65.42	20.56	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
166	85.05	71.03	14.02	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
167	92.52	72.90	19.63	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
168	91.59	24.30	67.29	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
169	96.26	94.39	1.87	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
170	100.00	93.46	6.54	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
171	78.50	59.81	18.69	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
172	98.13	89.72	8.41	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
173	94.39	85.98	8.41	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
174	99.07	96.26	2.80	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
175	93.46	75.70	17.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
176	90.65	79.44	11.21	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
177	94.39	78.50	15.89	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
178	92.52	71.96	20.56	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
179	98.13	88.79	9.35	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
180	100.00	96.26	3.74	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 165 (**Correct:** 112 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00
Total Positive Marks: 452.00 **Total Negative Marks:** 53.00

Total: 399.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
47.00		66.00	286.00	399.00