## **QUESTION RESPONSE ANALYSIS**

NAME: Nityam Patel (ID No. 242006337)

1F8B6VLQ7Z

**TEST**: NEET\_Excel All\_PartTest-07\_05-10-2025 ( **ID**: 153 **DT**:

05-Oct-2025)

Your Score: 629.00/720.00 (87.36%) Max Score: 700.00 Rank: 14 Min Score: 69.00

 Rank: 14
 Min Score: 69.00

 Percentile: 89.86
 Avg Score: 425.11

05-O	ct-2025)	)									
QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	82.58	51.52	31.06	PHY	DEMO	4.00	1.00	D	D	R	4.00
2	83.33	73.48	9.85	PHY	DEMO	4.00	1.00	A	A	R	4.00
3	68.94	43.94	25.00	PHY	DEMO	4.00	1.00	С	С	R	4.00
4	68.94	54.55	14.39	PHY	DEMO	4.00	1.00	В	В	R	4.00
5	74.24	46.97	27.27	PHY	DEMO	4.00	1.00	С	С	R	4.00
6	74.24	52.27	21.97	PHY	DEMO	4.00	1.00	С	В	W	-1.00
7	64.39	57.58	6.82	PHY	DEMO	4.00	1.00	В	В	R	4.00
8	63.64	43.94	19.70	PHY	DEMO	4.00	1.00	Α	A	R	4.00
9	72.73	53.79	18.94	PHY	DEMO	4.00	1.00	С	С	R	4.00
10	66.67	49.24	17.42	PHY	DEMO	4.00	1.00	С	С	R	4.00
11	77.27	34.09	43.18	PHY	DEMO	4.00	1.00	В	В	R	4.00
12	71.21	54.55	16.67	PHY	DEMO	4.00	1.00	С	В	W	-1.00
13	86.36	72.73	13.64	PHY	DEMO	4.00	1.00	D	D	R	4.00
14	65.15	59.85	5.30	PHY	DEMO	4.00	1.00	В	В	R	4.00
15	74.24	65.15	9.09	PHY	DEMO	4.00	1.00	С	С	R	4.00
16	81.06	68.94	12.12	PHY	DEMO	4.00	1.00	Α	Α	R	4.00
17	74.24	41.67	32.58	PHY	DEMO	4.00	1.00	В	В	R	4.00
18	74.24	53.03	21.21	PHY	DEMO	4.00	1.00	С	С	R	4.00
19	82.58	34.09	48.48	PHY	DEMO	4.00	1.00	С	С	R	4.00
20	52.27	30.30	21.97	PHY	DEMO	4.00	1.00	С	С	R	4.00
21	52.27	33.33	18.94	PHY	DEMO	4.00	1.00	С		L	0.00
22	42.42	22.73	19.70	PHY	DEMO	4.00	1.00	В	В	R	4.00
23	73.48	45.45	28.03	PHY	DEMO	4.00	1.00	С	С	R	4.00
24	59.85	34.09	25.76	PHY	DEMO	4.00	1.00	В	В	R	4.00
25	59.09	38.64	20.45	PHY	DEMO	4.00	1.00	В	В	R	4.00
26	37.12	28.03	9.09	PHY	DEMO	4.00	1.00	D	С	W	-1.00
27	36.36	27.27	9.09	PHY	DEMO	4.00	1.00	D	D	R	4.00
28	54.55	28.79	25.76	PHY	DEMO	4.00	1.00	С	В	W	-1.00
29	66.67	40.15	26.52	PHY	DEMO	4.00	1.00	В	A	W	-1.00
30	63.64	31.82	31.82	PHY	DEMO	4.00	1.00	D	D	R	4.00
31	46.97	31.06	15.91	PHY	DEMO	4.00	1.00	В	В	R	4.00
32	46.21	16.67	29.55	PHY	DEMO	4.00	1.00	С		L	0.00
33	34.85	25.76	9.09	PHY	DEMO	4.00	1.00	A	A	R	4.00
34	90.15	87.12	3.03	PHY	DEMO	4.00	1.00	D	A	W	-1.00
35	38.64	25.00	13.64	PHY	DEMO	4.00	1.00	С	С	R	4.00
36	39.39	12.88	26.52	PHY	DEMO	4.00	1.00	D	В	W	-1.00
37	25.76	11.36	14.39	PHY	DEMO	4.00	1.00	С		L	0.00
38	59.85	53.03	6.82	PHY	DEMO	4.00	1.00	D	D	R	4.00
39	68.94	54.55	14.39	PHY	DEMO	4.00	1.00	С	С	R	4.00
40	40.15	29.55	10.61	PHY	DEMO	4.00	1.00	C	C	R	4.00
41	62.12	41.67	20.45	PHY	DEMO	4.00	1.00	A	A	R	4.00
42	59.85	40.91	18.94	PHY	DEMO	4.00	1.00	A	A	R	4.00
43	33.33	15.15	18.18	PHY	DEMO	4.00	1.00	A	<u> </u>	L	0.00
44	50.76	28.03	22.73	PHY	DEMO	4.00	1.00	D	D	R	4.00
45	47.73	22.73	25.00	PHY	DEMO DEMO	4.00	1.00	A B	A B	R	4.00
46	90.15	71.21	18.94	CHEM	DEMO	4.00	1.00			R	4.00
47	93.18	88.64	4.55	CHEM CHEM	DEMO	4.00	1.00	A A	A A	R R	4.00
48	71.21	50.00	21.21 59.85	CHEM	DEMO	4.00	1.00	D D	D D	R	4.00
50	83.33	23.48		CHEM	DEMO	4.00	1.00	C	C	R	4.00
51	90.15	70.45 43.94	19.70 30.30	CHEM	DEMO	4.00	1.00	В	В	R	4.00
52	79.55	55.30	24.24	CHEM	DEMO	4.00	1.00	D D	D D	R	4.00
53	90.91	78.79	12.12	CHEM	DEMO	4.00	1.00	В	В	R	4.00
54	82.58	64.39	18.18	CHEM	DEMO	4.00	1.00	В	В	R	4.00
55	85.61	65.15	20.45	CHEM	DEMO	4.00	1.00	A	A	R	4.00
56	90.91	73.48	17.42	CHEM	DEMO	4.00	1.00	A	A	R	4.00
57	79.55	57.58	21.97	CHEM	DEMO	4.00	1.00	В	В	R	4.00
58	75.00	51.52	23.48	CHEM	DEMO	4.00	1.00	D	D	R	4.00
59	80.30	70.45	9.85	CHEM	DEMO	4.00	1.00	C	C	R	4.00
60	89.39	76.52	12.88	CHEM	DEMO	4.00	1.00	В	A	W	-1.00
61	77.27	58.33	18.94	CHEM	DEMO	4.00	1.00	D	D	R	4.00
62	84.09	81.06	3.03	CHEM	DEMO	4.00	1.00	D	D	R	4.00
	5 1.00	51.00	3.00	J							

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

## **QUESTION RESPONSE ANALYSIS**

NAME: Nityam Patel (ID No. 242006337)

1F8B6VLQ7Z

TEST: NEET\_Excel All\_PartTest-07\_05-10-2025 ( ID: 153 DT:

05-Oct-2025)

Your Score: 629.00/720.00 (87.36%) Max Score: 700.00 Rank: 14 Min Score: 69.00

Percentile: 89.86 Avg Score: 425.11

05-0	t-2025)	)				1					
QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	81.06	52.27	28.79	CHEM	DEMO	4.00	1.00	А	С	W	-1.00
64	64.39	43.18	21.21	CHEM	DEMO	4.00	1.00	D	D	R	4.00
65	82.58	74.24	8.33	CHEM	DEMO	4.00	1.00	А	A	R	4.00
66	82.58	68.18	14.39	CHEM	DEMO	4.00	1.00	С	С	R	4.00
67	69.70	50.76	18.94	CHEM	DEMO	4.00	1.00	В	В	R	4.00
68	85.61	63.64	21.97	CHEM	DEMO	4.00	1.00	В	В	R	4.00
69	72.73	53.79	18.94	CHEM	DEMO	4.00	1.00	А	A	R	4.00
70	82.58	69.70	12.88	CHEM	DEMO	4.00	1.00	С	С	R	4.00
71	78.03	56.82	21.21	CHEM	DEMO	4.00	1.00	В	В	R	4.00
72	73.48	34.85	38.64	CHEM	DEMO	4.00	1.00	В	В	R	4.00
73	90.91	48.48	42.42	CHEM	DEMO	4.00	1.00	С	С	R	4.00
74	72.73	52.27	20.45	CHEM	DEMO	4.00	1.00	В	В	R	4.00
75	68.94	58.33	10.61	CHEM	DEMO	4.00	1.00	С	С	R	4.00
76	86.36	75.76	10.61	CHEM	DEMO	4.00	1.00	Α	A	R	4.00
77	81.82	60.61	21.21	CHEM	DEMO	4.00	1.00	Α	A	R	4.00
78	84.85	73.48	11.36	CHEM	DEMO	4.00	1.00	В	В	R	4.00
79	78.79	69.70	9.09	CHEM	DEMO	4.00	1.00	С	С	R	4.00
80	87.88	68.94	18.94	CHEM	DEMO	4.00	1.00	С	С	R	4.00
81	80.30	61.36	18.94	CHEM	DEMO	4.00	1.00	С	С	R	4.00
82	81.82	42.42	39.39	CHEM	DEMO	4.00	1.00	В	В	R	4.00
83	75.00	53.03	21.97	CHEM	DEMO	4.00	1.00	В	В	R	4.00
84	65.91	49.24	16.67	CHEM	DEMO	4.00	1.00	В	В	R	4.00
85	78.79	64.39	14.39	CHEM	DEMO	4.00	1.00	С	С	R	4.00
86	77.27	61.36	15.91	CHEM	DEMO	4.00	1.00	В	В	R	4.00
87	81.82	57.58	24.24	CHEM	DEMO	4.00	1.00	В	В	R	4.00
88	68.18	42.42	25.76	CHEM	DEMO	4.00	1.00	D	D	R	4.00
89	68.94	46.21	22.73	CHEM	DEMO	4.00	1.00	В	В	R	4.00
90	87.12	68.94	18.18	CHEM	DEMO	4.00	1.00	D	D	R	4.00
91	98.48	90.15	8.33	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
92	98.48	92.42	6.06	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
93	100.00	90.15	9.85	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
94	94.70	49.24	45.45	BIOLOGY	DEMO	4.00	1.00	Α	D	W	-1.00
95	98.48	67.42	31.06	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
96	95.45	78.03	17.42	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
97	98.48	80.30	18.18	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
98	92.42	78.79	13.64	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
99	96.21	90.15	6.06	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
100	98.48	90.15	8.33	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	92.42	85.61	6.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
102	99.24	91.67	7.58	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
103	93.94	62.88	31.06	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
104	87.88	63.64	24.24	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
105	100.00	95.45	4.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
106	94.70	76.52	18.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
107	99.24	84.85	14.39	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	94.70	87.12	7.58	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	96.97	85.61	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
110	100.00	86.36	13.64	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
111	90.15	83.33	6.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
112	100.00	97.73	2.27	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
113	95.45	75.76	19.70	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
114	87.88	62.12	25.76	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
115	94.70	48.48	46.21	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
116	93.94	65.15	28.79	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
117	96.21	76.52	19.70	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
118	98.48	87.12	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	94.70	78.03	16.67	BIOLOGY	DEMO	4.00	1.00	D B	D	R	4.00
120	91.67	75.00	16.67	BIOLOGY	DEMO	4.00	1.00		В	R	4.00
121	99.24	97.73	1.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
122	96.97	86.36	10.61	BIOLOGY	DEMO DEMO	4.00	1.00	D	D	R	4.00
123	93.18	71.97	21.21					A	A	R	4.00
124	99.24	82.58	16.67	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

### **QUESTION RESPONSE ANALYSIS**

Percentile: 89.86

Avg Score: 425.11

Total: 629.00

 NAME: Nityam Patel (ID No. 242006337)
 Your Score: 629.00/720.00 (87.36%)
 Max Score: 700.00

 1F8B6VLQ7Z
 Rank: 14
 Min Score: 69.00

TEST: NEET\_Excel All\_PartTest-07\_05-10-2025 ( ID: 153 DT:

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	96.21	92.42	3.79	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
26	95.45	59.85	35.61	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
27	93.18	63.64	29.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
28	99.24	92.42	6.82	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
29	91.67	62.12	29.55	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
130	81.06	55.30	25.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
131	97.73	97.73	0.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
132	96.21	88.64	7.58	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
133	98.48	96.97	1.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
134	93.94	65.91	28.03	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
135	99.24	97.73	1.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
136	97.73	89.39	8.33	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
137	93.94	77.27	16.67	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
138	95.45	82.58	12.88	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
139	93.94	62.12	31.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
140	96.21	86.36	9.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
141	92.42	46.97	45.45	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
142	98.48	50.76	47.73	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
143				BIOLOGY	DEMO	4.00	1.00	D	В D	R	
	95.45	53.79	41.67								4.00
144	88.64	71.97	16.67	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
145	81.82	40.91	40.91	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
146	91.67	57.58	34.09	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
147	99.24	93.18	6.06	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
148	96.97	89.39	7.58	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
49	90.91	55.30	35.61	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
150	96.21	86.36	9.85	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
151	98.48	91.67	6.82	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
152	92.42	53.79	38.64	BIOLOGY	DEMO	4.00	1.00	В	D	W	-1.00
153	86.36	47.73	38.64	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
154	99.24	87.88	11.36	BIOLOGY	DEMO	4.00	1.00	Α	Α	R	4.00
155	87.12	80.30	6.82	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
156	97.73	86.36	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
157	97.73	73.48	24.24	BIOLOGY	DEMO	4.00	1.00	А	A	R	4.00
158	100.00	98.48	1.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
159	94.70	63.64	31.06	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
160	99.24	98.48	0.76	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
161	95.45	62.88	32.58	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
62	95.45	80.30	15.15	BIOLOGY	DEMO	4.00	1.00	Α	D	W	-1.00
163	95.45	88.64	6.82	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
64	99.24	98.48	0.76	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
65	94.70	81.06	13.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
66	93.94	81.06	12.88	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
67	95.45	77.27	18.18	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
68	92.42	73.48	18.94	BIOLOGY	DEMO	4.00	1.00	D		R	4.00
69	93.94	83.33	10.94	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
70				BIOLOGY	DEMO	4.00	1.00	A		R	
	93.18	59.85	33.33				1.00				4.00
71	93.94	89.39	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
72	92.42	34.09	58.33	BIOLOGY	DEMO	4.00		В	B	R	4.00
73	89.39	68.18	21.21	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
74	96.21	93.18	3.03	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
175	96.97	88.64	8.33	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
76	96.97	89.39	7.58	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
77	90.15	71.97	18.18	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
178	92.42	34.09	58.33	BIOLOGY	DEMO	4.00	1.00	А	А	R	4.00
179	94.70	60.61	34.09	BIOLOGY	DEMO	4.00	1.00	А	D	W	-1.00
180	98.48	86.36	12.12	BIOLOGY	DEMO	4.00	1.00	Α	Α	R	4.00

Total Question: 180 Attempted: 176 (Correct: 161 Incorrect: 15) Score Rate: 0.00 Strike Rate: 0.00

Total Positive Marks: 644.00 Total Negative Marks: 15.00

### **QUESTION RESPONSE ANALYSIS**

NAME: Nityam Patel (ID No. 242006337) Your Score: 629.00/720.00 (87.36%) Max Score: 700.00 1F8B6VLQ7Z Rank: 14 Min Score: 69.00

t-2025)		est-07_05-10-2		Percentile: 89.86	Score: 425
PHY	CHEM	BIOLOGY	Total		
129.00	170.00	330.00	629.00		