

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Krisha S Patel (ID No. 232041912)
DINL7UHBEL

Your Score: 467.00/720.00 (64.86%)

Max Score: 685.00

Rank: 58

Min Score: 22.00

TEST: NEET Excel_Minor Test-06_21-09-2025 (ID: 146 DT: 21-Sep-2025)

Percentile: 68.18

Avg Score: 400.27

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	38.22	19.11	19.11	PHY	DEMO	4.00	1.00	D		L	0.00
2	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		A	C	4.00
3	68.79	12.74	56.05	PHY	DEMO	4.00	1.00	D		R	4.00
4	87.26	73.25	14.01	PHY	DEMO	4.00	1.00	A	A	R	4.00
5	85.99	47.13	38.85	PHY	DEMO	4.00	1.00	D	D	R	4.00
6	83.44	74.52	8.92	PHY	DEMO	4.00	1.00	C	C	R	4.00
7	84.08	36.31	47.77	PHY	DEMO	4.00	1.00	D	B	W	-1.00
8	42.68	14.65	28.03	PHY	DEMO	4.00	1.00	A		L	0.00
9	71.34	36.94	34.39	PHY	DEMO	4.00	1.00	A	A	R	4.00
10	50.96	18.47	32.48	PHY	DEMO	4.00	1.00	D		L	0.00
11	68.15	42.04	26.11	PHY	DEMO	4.00	1.00	C	D	W	-1.00
12	91.72	14.65	77.07	PHY	DEMO	4.00	1.00	D	C	W	-1.00
13	84.08	45.86	38.22	PHY	DEMO	4.00	1.00	B	A	W	-1.00
14	54.78	29.94	24.84	PHY	DEMO	4.00	1.00	A		L	0.00
15	52.87	44.59	8.28	PHY	DEMO	4.00	1.00	B		L	0.00
16	67.52	41.40	26.11	PHY	DEMO	4.00	1.00	B		L	0.00
17	64.97	29.94	35.03	PHY	DEMO	4.00	1.00	B	A	W	-1.00
18	58.60	46.50	12.10	PHY	DEMO	4.00	1.00	D	D	R	4.00
19	70.70	38.85	31.85	PHY	DEMO	4.00	1.00	D	A	W	-1.00
20	70.06	43.31	26.75	PHY	DEMO	4.00	1.00	D	D	R	4.00
21	59.24	29.30	29.94	PHY	DEMO	4.00	1.00	B	C	W	-1.00
22	68.79	46.50	22.29	PHY	DEMO	4.00	1.00	D	C	W	-1.00
23	59.87	29.94	29.94	PHY	DEMO	4.00	1.00	B	B	R	4.00
24	49.68	25.48	24.20	PHY	DEMO	4.00	1.00	A	D	W	-1.00
25	38.85	25.48	13.38	PHY	DEMO	4.00	1.00	A		L	0.00
26	50.32	10.19	40.13	PHY	DEMO	4.00	1.00	B		L	0.00
27	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		D	C	4.00
28	45.86	14.01	31.85	PHY	DEMO	4.00	1.00	C		L	0.00
29	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		D	C	4.00
30	49.68	32.48	17.20	PHY	DEMO	4.00	1.00	A		L	0.00
31	52.23	28.66	23.57	PHY	DEMO	4.00	1.00	B	A	W	-1.00
32	69.43	49.68	19.75	PHY	DEMO	4.00	1.00	B	B	R	4.00
33	85.35	73.25	12.10	PHY	DEMO	4.00	1.00	D	D	R	4.00
34	70.06	43.95	26.11	PHY	DEMO	4.00	1.00	C	B	W	-1.00
35	54.14	25.48	28.66	PHY	DEMO	4.00	1.00	B	C	W	-1.00
36	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
37	80.25	68.79	11.46	PHY	DEMO	4.00	1.00	A	A	R	4.00
38	73.25	36.94	36.31	PHY	DEMO	4.00	1.00	A		L	0.00
39	25.48	1.27	24.20	PHY	DEMO	4.00	1.00	A		L	0.00
40	73.89	42.68	31.21	PHY	DEMO	4.00	1.00	A	A	R	4.00
41	50.96	28.03	22.93	PHY	DEMO	4.00	1.00	C	A	W	-1.00
42	38.22	24.20	14.01	PHY	DEMO	4.00	1.00	A		L	0.00
43	64.33	45.22	19.11	PHY	DEMO	4.00	1.00	B		L	0.00
44	44.59	24.84	19.75	PHY	DEMO	4.00	1.00	C		L	0.00
45	56.69	35.03	21.66	PHY	DEMO	4.00	1.00	A		L	0.00
46	80.89	55.41	25.48	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
47	71.34	56.05	15.29	CHEM	DEMO	4.00	1.00	D	D	R	4.00
48	89.17	77.07	12.10	CHEM	DEMO	4.00	1.00	A	A	R	4.00
49	82.80	78.34	4.46	CHEM	DEMO	4.00	1.00	A	A	R	4.00
50	75.80	55.41	20.38	CHEM	DEMO	4.00	1.00	C	C	R	4.00
51	85.99	78.34	7.64	CHEM	DEMO	4.00	1.00	B	B	R	4.00
52	91.72	48.41	43.31	CHEM	DEMO	4.00	1.00	A	A	R	4.00
53	76.43	31.21	45.22	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
54	69.43	54.14	15.29	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
55	74.52	64.33	10.19	CHEM	DEMO	4.00	1.00	B	B	R	4.00
56	73.25	53.50	19.75	CHEM	DEMO	4.00	1.00	D	D	R	4.00
57	84.08	52.87	31.21	CHEM	DEMO	4.00	1.00	A	A	R	4.00
58	77.07	9.55	67.52	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
59	75.80	50.96	24.84	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
60	54.78	41.40	13.38	CHEM	DEMO	4.00	1.00	A		L	0.00
61	82.17	43.31	38.85	CHEM	DEMO	4.00	1.00	D	D	R	4.00
62	61.78	47.77	14.01	CHEM	DEMO	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Krisha S Patel (ID No. 232041912)
DINL7UHBEL

Your Score: 467.00/720.00 (64.86%)

Max Score: 685.00

Rank: 58

Min Score: 22.00

TEST: NEET Excel_Minor Test-06_21-09-2025 (ID: 146 DT: 21-Sep-2025)

Percentile: 68.18

Avg Score: 400.27

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	67.52	52.23	15.29	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
64	63.69	42.68	21.02	CHEM	DEMO	4.00	1.00	D	D	R	4.00
65	84.71	54.78	29.94	CHEM	DEMO	4.00	1.00	D	D	R	4.00
66	63.06	20.38	42.68	CHEM	DEMO	4.00	1.00	A	A	R	4.00
67	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00		D	C	4.00
68	56.05	30.57	25.48	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
69	71.34	65.61	5.73	CHEM	DEMO	4.00	1.00	C	C	R	4.00
70	68.15	50.96	17.20	CHEM	DEMO	4.00	1.00	C	C	R	4.00
71	57.32	43.31	14.01	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
72	61.15	52.23	8.92	CHEM	DEMO	4.00	1.00	A	A	R	4.00
73	82.17	66.88	15.29	CHEM	DEMO	4.00	1.00	A	A	R	4.00
74	79.62	50.96	28.66	CHEM	DEMO	4.00	1.00	A	A	R	4.00
75	65.61	50.96	14.65	CHEM	DEMO	4.00	1.00	C	C	R	4.00
76	64.33	51.59	12.74	CHEM	DEMO	4.00	1.00	B	B	R	4.00
77	55.41	35.67	19.75	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
78	53.50	35.03	18.47	CHEM	DEMO	4.00	1.00	B	B	R	4.00
79	67.52	45.22	22.29	CHEM	DEMO	4.00	1.00	C	C	R	4.00
80	71.34	62.42	8.92	CHEM	DEMO	4.00	1.00	D	D	R	4.00
81	67.52	60.51	7.01	CHEM	DEMO	4.00	1.00	A	A	R	4.00
82	62.42	35.03	27.39	CHEM	DEMO	4.00	1.00	C	C	R	4.00
83	74.52	64.33	10.19	CHEM	DEMO	4.00	1.00	A	A	R	4.00
84	70.06	49.68	20.38	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
85	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00		C	C	4.00
86	83.44	70.06	13.38	CHEM	DEMO	4.00	1.00	D	D	R	4.00
87	72.61	46.50	26.11	CHEM	DEMO	4.00	1.00	C	C	R	4.00
88	70.06	56.69	13.38	CHEM	DEMO	4.00	1.00	B	B	R	4.00
89	64.97	49.68	15.29	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
90	63.06	50.32	12.74	CHEM	DEMO	4.00	1.00	B	B	R	4.00
91	88.54	56.69	31.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
92	93.63	74.52	19.11	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
93	96.18	72.61	23.57	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
94	98.09	86.62	11.46	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
95	89.17	62.42	26.75	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
96	95.54	90.45	5.10	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
97	88.54	73.89	14.65	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
98	84.71	43.31	41.40	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
99	98.73	91.08	7.64	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
100	99.36	92.36	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	96.82	90.45	6.37	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
102	100.00	91.72	8.28	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
103	98.09	94.90	3.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
104	99.36	95.54	3.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
105	98.73	94.27	4.46	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
106	98.09	91.72	6.37	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
107	98.09	91.08	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	92.99	82.17	10.83	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
109	92.99	78.34	14.65	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
110	97.45	85.35	12.10	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
111	89.17	58.60	30.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
112	98.73	71.97	26.75	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
113	69.43	45.86	23.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
114	89.81	72.61	17.20	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
115	93.63	78.34	15.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
116	96.82	74.52	22.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
117	94.90	85.99	8.92	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
118	96.82	81.53	15.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	96.82	80.89	15.92	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
120	96.82	94.27	2.55	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
121	94.90	68.15	26.75	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
122	97.45	73.25	24.20	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
123	81.53	66.88	14.65	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
124	95.54	73.89	21.66	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Krisha S Patel (ID No. 232041912)
DINL7UHBEL

Your Score: 467.00/720.00 (64.86%)

Max Score: 685.00

Rank: 58

Min Score: 22.00

TEST: NEET Excel_Minor Test-06_21-09-2025 (ID: 146 DT: 21-Sep-2025)

Percentile: 68.18

Avg Score: 400.27

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	97.45	93.63	3.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
126	93.63	78.98	14.65	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
127	75.80	68.15	7.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
128	81.53	63.69	17.83	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
129	97.45	90.45	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
130	98.09	92.36	5.73	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
131	91.08	56.05	35.03	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
132	96.18	86.62	9.55	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
133	95.54	87.90	7.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
134	90.45	80.25	10.19	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
135	90.45	79.62	10.83	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
136	98.73	94.27	4.46	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
137	98.73	91.08	7.64	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
138	75.16	47.13	28.03	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
139	89.17	58.60	30.57	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
140	96.82	49.04	47.77	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
141	91.08	71.34	19.75	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
142	92.99	45.22	47.77	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
143	96.82	73.25	23.57	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
144	98.09	89.81	8.28	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
145	70.06	33.12	36.94	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
146	47.77	6.37	41.40	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
147	92.99	77.07	15.92	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
148	99.36	92.36	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
149	74.52	46.50	28.03	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
150	100.00	90.45	9.55	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
151	94.90	75.16	19.75	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
152	95.54	73.25	22.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
153	96.18	85.99	10.19	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
154	74.52	40.13	34.39	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
155	98.73	93.63	5.10	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
156	85.99	55.41	30.57	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
157	97.45	88.54	8.92	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
158	93.63	79.62	14.01	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
159	76.43	44.59	31.85	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
160	94.27	87.90	6.37	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
161	97.45	87.90	9.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
162	96.18	89.17	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
163	77.71	43.95	33.76	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
164	98.09	91.08	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
165	95.54	92.36	3.18	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
166	91.08	77.07	14.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
167	92.99	72.61	20.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
168	60.51	44.59	15.92	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
169	95.54	73.25	22.29	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
170	69.43	41.40	28.03	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
171	89.17	82.80	6.37	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
172	98.73	82.80	15.92	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
173	93.63	66.88	26.75	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
174	96.18	75.80	20.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
175	97.45	82.17	15.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
176	82.80	60.51	22.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
177	92.36	85.35	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
178	96.18	57.32	38.85	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
179	87.26	58.60	28.66	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
180	91.08	54.14	36.94	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 157 (**Correct:** 120 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 467.00

Total Positive Marks: 504.00 **Total Negative Marks:** 37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
51.00		116.00	300.00	467.00