### **QUESTION RESPONSE ANALYSIS**

Avg Score: 400.27

NAME: Darshilraj Sodha (ID No. 242007707) Your Score: 557.00/720.00 (77.36%) Max Score: 685.00 **JKUSBVKWQN Rank: 25** Min Score: 22.00

TEST: NEET Excel\_Minor Test-06\_21-09-2025 ( ID: 146 DT: Percentile: 81.31

DNO   DNO	25	5)		_	`					_	
2	%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	2	19.11	19.1	1 PHY	DEMO	4.00	1.00	D	D	R	4.00
4   0726   73.25   14.01   PHY   DEMO	)(	100.00	0.00	PHY	DEMO	4.00	1.00		С	С	4.00
5	9	12.74	56.0	PHY	DEMO	4.00	1.00	D	D	R	4.00
6 8 344 7452 892 PHY DEMO 400 100 C C C C C C C C C C C C C C C C C	6	73.25	14.0	1 PHY	DEMO	4.00	1.00	A	A	R	4.00
To   Add   Add	9	47.13	38.8	PHY	DEMO	4.00	1.00	D	С	W	-1.00
7	4	74.52	8.92	PHY	DEMO	4.00	1.00	С	С	R	4.00
8	8	36.31	47.7	7 PHY	DEMO	4.00	1.00	D	D	R	4.00
9 17.34 88.94 33.39 PHY DEMO 4.00 1.00 A A A A A A A B   10 50.95 84.7 32.48 PHY DEMO 4.00 1.00 D D D D D D D D D D D D D D D D D D	_		28.0	3 PHY	DEMO	4.00	1.00	Α	D	W	-1.00
10	_	_	_						A	R	4.00
11	_				DEMO	4.00	1.00			R	4.00
12   19.172   14.65   7.707   PPHY   DEMO	_									R	4.00
13   84.08   85.06   83.22   PHY   DEMO										W	-1.00
14   54.78   29.94   24.64   PHY   DEMO	_									R	4.00
15		_								R	
16	_									R	4.00
17											4.00
18	_	_								R	4.00
19										W	-1.00
20	_									R	4.00
21   59,24   29,30   29,94   PHY   DEMO   4.00   1.00   B   B   B   A										R	4.00
22	_									R	4.00
23   59.87   29.94   29.94   PHY   DEMO   4.00   1.00   B   A   A	4		_	*						R	4.00
24	9	46.50	22.2	PHY	DEMO	4.00	1.00	D	С	W	-1.00
25   38.85   25.48   13.38   PHY   DEMO   4.00   1.00   A   A   A	7	29.94	29.9	4 PHY	DEMO	4.00	1.00	В	А	W	-1.00
26   50.32   10.19   40.13   PHY   DEMO   4.00   1.00   B   C	8	25.48	24.2	) PHY	DEMO	4.00	1.00	A	A	R	4.00
27	5	25.48	13.3	3 PHY	DEMO	4.00	1.00	A	A	R	4.00
28	2	10.19	40.1	3 PHY	DEMO	4.00	1.00	В	С	W	-1.00
100.00   100.00   00.00   0.00   PHY   DEMO   4.00   1.00   A   A   A   A   A   A   A   A   A	)(	100.00	0.00	PHY	DEMO	4.00	1.00			С	4.00
29	6	14.01	31.8	PHY	DEMO	4.00	1.00	С	С	R	4.00
30	)(		0.00	PHY	DEMO	4.00	1.00			С	4.00
31   52.23   28.66   23.57   PHY   DEMO   4.00   1.00   B   B   B   B			_		DEMO	4.00	1.00	A	A	R	4.00
32 69.43 49.68 19.75 PHY DEMO 4.00 1.00 B B B B S   33 85.35 73.25 12.10 PHY DEMO 4.00 1.00 D D D D D D D D D D D D D D D D D D										R	4.00
33	_									R	4.00
34   70.06   43.95   26.11   PHY   DEMO   4.00   1.00   C   C   C		_								R	4.00
35	_									R	
36		_								R	4.00
37   80.25   68.79   11.46   PHY   DEMO   4.00   1.00   A   A   A	_		_					ь			4.00
38         73.25         36.94         36.31         PHY         DEMO         4.00         1.00         A         A         D           39         25.48         1.27         24.20         PHY         DEMO         4.00         1.00         A         D           40         73.89         42.68         31.21         PHY         DEMO         4.00         1.00         A         A           41         50.96         28.03         22.93         PHY         DEMO         4.00         1.00         A         A           42         38.22         24.20         14.01         PHY         DEMO         4.00         1.00         B         B         B           44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         C         C         C           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         A           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         C         C         C           47         71.34         56.05 <t< td=""><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td>C</td><td>C</td><td>4.00</td></t<>			_						C	C	4.00
39   25.48   1.27   24.20   PHY   DEMO   4.00   1.00   A   A   A	_	_								L	0.00
40         73.89         42.68         31.21         PHY         DEMO         4.00         1.00         A         A         A           41         50.96         28.03         22.93         PHY         DEMO         4.00         1.00         C         C         C           42         38.22         24.20         14.01         PHY         DEMO         4.00         1.00         A         A         A           43         64.33         45.22         19.11         PHY         DEMO         4.00         1.00         B         B         B           44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         A         A         A           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         A           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         D         D           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         A           49         82.80	-								_	R	4.00
41         50.96         28.03         22.93         PHY         DEMO         4.00         1.00         C         C           42         38.22         24.20         14.01         PHY         DEMO         4.00         1.00         A         A         A           43         64.33         45.22         19.11         PHY         DEMO         4.00         1.00         B         B         B           44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         C         C         C           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         A           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         D         C         C         C           47         77.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D         A         A         A           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         A         A         A <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>W</td> <td>-1.00</td>	-									W	-1.00
42         38.22         24.20         14.01         PHY         DEMO         4.00         1.00         A         A           43         64.33         45.22         19.11         PHY         DEMO         4.00         1.00         B         B           44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         C         C         C           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         A           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         D         C         C           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D         D										R	4.00
43 64.33 45.22 19.11 PHY DEMO 4.00 1.00 B B B B 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 C C C C C C C C C C C C C C C C C C	6	28.03	22.9							R	4.00
44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         C         C           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         C         C           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         A           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         B         B           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         A           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D <td>2</td> <td>24.20</td> <td>14.0</td> <td>-</td> <td>DEMO</td> <td>4.00</td> <td>1.00</td> <td></td> <td></td> <td>R</td> <td>4.00</td>	2	24.20	14.0	-	DEMO	4.00	1.00			R	4.00
45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         D           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         A           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         C           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         D         D           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         B	_		19.1							R	4.00
46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         C         C           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         A           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         C           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         A         A           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         C           55         74.52         64.33         10.19         CHEM         DEMO         4.00 <t< td=""><td>9</td><td>24.84</td><td>19.7</td><td></td><td></td><td>4.00</td><td>1.00</td><td>С</td><td>С</td><td>R</td><td>4.00</td></t<>	9	24.84	19.7			4.00	1.00	С	С	R	4.00
47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         A           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         C           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         A           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         A         A <td>9</td> <td>35.03</td> <td>21.6</td> <td>6 PHY</td> <td>DEMO</td> <td>4.00</td> <td>1.00</td> <td>A</td> <td>A</td> <td>R</td> <td>4.00</td>	9	35.03	21.6	6 PHY	DEMO	4.00	1.00	A	A	R	4.00
48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         A           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         A           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         C           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         A         A           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4	9	55.41	25.4	3 CHEM	DEMO	4.00	1.00	С	С	R	4.00
49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         A           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         C           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         A         A           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         D           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C         C           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         A         A           58         77.07         9.55         67.52         CHEM <td>4</td> <td>56.05</td> <td>15.2</td> <td>CHEM</td> <td>DEMO</td> <td>4.00</td> <td>1.00</td> <td>D</td> <td></td> <td>L</td> <td>0.00</td>	4	56.05	15.2	CHEM	DEMO	4.00	1.00	D		L	0.00
49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         A           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         C           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         A         A           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         D           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C         C           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         A         A           58         77.07         9.55         67.52         CHEM <td>_</td> <td></td> <td></td> <td>CHEM</td> <td>DEMO</td> <td>4.00</td> <td>1.00</td> <td>A</td> <td></td> <td>L</td> <td>0.00</td>	_			CHEM	DEMO	4.00	1.00	A		L	0.00
50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         C           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         A         A           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         D           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C         C           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         D         D           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         A         A           59         75.80         50.96         24.84	_					4.00	1.00		A	R	4.00
51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         A           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         D           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         A           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         D           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         A <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>R</td> <td>4.00</td>	_									R	4.00
52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         A           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         D           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         A           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         D           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         A           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         D	_									R	4.00
53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         D           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         A           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         D           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D	_									R	4.00
54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         D           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         A           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         D           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D			_						,	L	0.00
55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         B           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         D           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         A         A           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         D           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D										L	0.00
56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         D           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         A           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         D           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D	_								D	R	
57       84.08       52.87       31.21       CHEM       DEMO       4.00       1.00       A       A         58       77.07       9.55       67.52       CHEM       DEMO       4.00       1.00       A       D         59       75.80       50.96       24.84       CHEM       DEMO       4.00       1.00       D         60       54.78       41.40       13.38       CHEM       DEMO       4.00       1.00       A         61       82.17       43.31       38.85       CHEM       DEMO       4.00       1.00       D       D			_								4.00
58     77.07     9.55     67.52     CHEM     DEMO     4.00     1.00     A     D       59     75.80     50.96     24.84     CHEM     DEMO     4.00     1.00     D       60     54.78     41.40     13.38     CHEM     DEMO     4.00     1.00     A       61     82.17     43.31     38.85     CHEM     DEMO     4.00     1.00     D     D	_		_							R	4.00
59     75.80     50.96     24.84     CHEM     DEMO     4.00     1.00     D       60     54.78     41.40     13.38     CHEM     DEMO     4.00     1.00     A       61     82.17     43.31     38.85     CHEM     DEMO     4.00     1.00     D     D			_							R	4.00
60     54.78     41.40     13.38     CHEM     DEMO     4.00     1.00     A       61     82.17     43.31     38.85     CHEM     DEMO     4.00     1.00     D     D									ט	W	-1.00
61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D			_							L	0.00
	_	_								L	0.00
60   64 70   47 77   44 04   CHEM   DEMO   4 00   4 00   D										R	4.00
62   61.78   47.77   14.01   CHEM   DEMO   4.00   1.00   B   B	8	47.77	14.0	1 CHEM	DEMO	4.00	1.00	В	В	R	4.00

### **QUESTION RESPONSE ANALYSIS**

Avg Score: 400.27

NAME: Darshilraj Sodha (ID No. 242007707) Your Score: 557.00/720.00 (77.36%) Max Score: 685.00 **JKUSBVKWQN Rank: 25** Min Score: 22.00

TEST: NEET Excel\_Minor Test-06\_21-09-2025 ( ID: 146 DT: Percentile: 81.31

21-Se	p-2025	)									
QNo	ATT%	R%	<b>W</b> %	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	67.52	52.23	15.29	CHEM	DEMO	4.00	1.00	В	В	R	4.00
64	63.69	42.68	21.02	CHEM	DEMO	4.00	1.00	D	D	R	4.00
65	84.71	54.78	29.94	CHEM	DEMO	4.00	1.00	D	D	R	4.00
66	63.06	20.38	42.68	CHEM	DEMO	4.00	1.00	A	В	W	-1.00
67	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00			С	4.00
68	56.05	30.57	25.48	CHEM	DEMO	4.00	1.00	В		L	0.00
69	71.34	65.61	5.73	CHEM	DEMO	4.00	1.00	С	С	R	4.00
70	68.15	50.96	17.20	CHEM	DEMO	4.00	1.00	С		L	0.00
71	57.32	43.31	14.01	CHEM	DEMO	4.00	1.00	В		L	0.00
72	61.15	52.23	8.92	CHEM	DEMO	4.00	1.00	Α	A	R	4.00
73	82.17	66.88	15.29	CHEM	DEMO	4.00	1.00	А	A	R	4.00
74	79.62	50.96	28.66	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
75	65.61	50.96	14.65	CHEM	DEMO	4.00	1.00	С	С	R	4.00
76	64.33	51.59	12.74	CHEM	DEMO	4.00	1.00	В	В	R	4.00
77	55.41	35.67	19.75	CHEM	DEMO	4.00	1.00	D		L	0.00
78	53.50	35.03	18.47	CHEM	DEMO	4.00	1.00	В	A	W	-1.00
79	67.52	45.22	22.29	CHEM	DEMO	4.00	1.00	С		L	0.00
80	71.34	62.42	8.92	CHEM	DEMO	4.00	1.00	D		L	0.00
81	67.52	60.51	7.01	CHEM	DEMO	4.00	1.00	A	A	R	4.00
82	62.42	35.03	27.39	CHEM	DEMO	4.00	1.00	С		L	0.00
83	74.52	64.33	10.19	CHEM	DEMO	4.00	1.00	A	A	R	4.00
84	70.06	49.68	20.38	CHEM	DEMO	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00	0		C	4.00
86	83.44	70.06	13.38	CHEM	DEMO	4.00	1.00	D	D	R	4.00
87	72.61	46.50	26.11	CHEM	DEMO	4.00	1.00	С	С	R	4.00
88	70.06	56.69	13.38	CHEM	DEMO	4.00	1.00	В	0	L	0.00
89	64.97		15.29	CHEM	DEMO	4.00	1.00	D	D	R	
90		49.68	12.74	CHEM	DEMO	4.00	1.00	В	Б	L	4.00 0.00
91	63.06	50.32		BIOLOGY	DEMO	4.00	1.00	A	A	R	
92	88.54	56.69	31.85	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
	93.63	74.52	19.11		DEMO			С	С		4.00
93	96.18	72.61	23.57	BIOLOGY		4.00	1.00			R	4.00
94	98.09	86.62	11.46	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
95	89.17	62.42	26.75	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
96	95.54	90.45	5.10	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
97	88.54	73.89	14.65	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
98	84.71	43.31	41.40	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
99	98.73	91.08	7.64	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
100	99.36	92.36	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	96.82	90.45	6.37	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
102	100.00	91.72	8.28	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
103	98.09	94.90	3.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
104	99.36	95.54	3.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
105	98.73	94.27	4.46	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
106	98.09	91.72	6.37	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
107	98.09	91.08	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	92.99	82.17	10.83	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
109	92.99	78.34	14.65	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
110	97.45	85.35	12.10	BIOLOGY	DEMO	4.00	1.00	А	A	R	4.00
111	89.17	58.60	30.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
112	98.73	71.97	26.75	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
113	69.43	45.86	23.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
114	89.81	72.61	17.20	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
115	93.63	78.34	15.29	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
116	96.82	74.52	22.29	BIOLOGY	DEMO	4.00	1.00	А	A	R	4.00
117	94.90	85.99	8.92	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
118	96.82	81.53	15.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	96.82	80.89	15.92	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
120	96.82	94.27	2.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
121	94.90	68.15	26.75	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
122	97.45	73.25	24.20	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
123	81.53	66.88	14.65	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
124	95.54	73.89	21.66	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
	55.54	, 5.55	21.00	2.32001	DE0	1.50		^			7.00

#### **QUESTION RESPONSE ANALYSIS**

 NAME: Darshilraj Sodha ( ID No. 242007707 )
 Your Score: 557.00/720.00 (77.36%)
 Max Score: 685.00

 JKUSBVKWQN
 Rank: 25
 Min Score: 22.00

Percentile: 81.31

Avg Score: 400.27

Total: 557.00

**TEST:** NEET Excel\_Minor Test-06\_21-09-2025 ( **ID:** 146 **DT:** 

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	97.45	93.63	3.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
126	93.63	78.98	14.65	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
127	75.80	68.15	7.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
128	81.53	63.69	17.83	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
129	97.45	90.45	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
130	98.09	92.36	5.73	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
131	91.08	56.05	35.03	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
132	96.18	86.62	9.55	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
133	95.54	87.90	7.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
134	90.45	80.25	10.19	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
135	90.45	79.62	10.83	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
136	98.73	94.27	4.46	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
137	98.73	91.08	7.64	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
138	75.16	47.13	28.03	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
139	89.17	58.60	30.57	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
140	96.82	49.04	47.77	BIOLOGY	DEMO	4.00	1.00	В	D	W	-1.00
141	91.08	71.34	19.75	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
142	92.99	45.22	47.77	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
143	96.82	73.25	23.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
144	98.09	89.81	8.28	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
145	70.06	33.12	36.94	BIOLOGY	DEMO	4.00	1.00	В	C	W	-1.00
146	47.77	6.37	41.40	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
147	92.99	77.07	15.92	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
148	99.36	92.36	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
149	74.52	46.50	28.03	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
150	100.00	90.45	9.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
151	94.90	75.16	19.75	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
152	95.54	73.25	22.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
153	96.18	85.99	10.19	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
154	74.52	40.13	34.39	BIOLOGY	DEMO	4.00	1.00	D	, , , , , , , , , , , , , , , , , , ,	L	0.00
155	98.73	93.63	5.10	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
156	85.99	55.41	30.57	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
157	97.45	88.54	8.92	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
158	93.63	79.62	14.01	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
159	76.43	44.59	31.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
160	94.27	87.90	6.37	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
161	97.45	87.90	9.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
162	96.18	89.17	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
163	77.71	43.95	33.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
164	98.09	91.08	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
165	95.54	92.36	3.18	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
166	91.08	77.07	14.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
167	92.99	72.61	20.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
168	60.51	44.59	15.92	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
169	95.54	73.25	22.29	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
170				BIOLOGY	DEMO	4.00	1.00	С	A	W	
	69.43	41.40	28.03 6.37	BIOLOGY	DEMO		1.00		A	R	-1.00
171 172	89.17	82.80 82.80	15.92	BIOLOGY	DEMO	4.00	1.00	A C	C	R	4.00
173	98.73		15.92 26.75	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
	93.63	66.88		BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
174	96.18	75.80	20.38		DEMO			D D			4.00
175	97.45	82.17	15.29	BIOLOGY		4.00	1.00		D	R	4.00
176	82.80	60.51	22.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
177	92.36	85.35	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
178	96.18	57.32	38.85	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
179	87.26	58.60	28.66	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
180	91.08	54.14	36.94	BIOLOGY	DEMO	4.00	1.00	С	D	W	-1.00

Total Question: 180 Attempted: 157 (Correct: 138 Incorrect: 19) Score Rate: 0.00 Strike Rate: 0.00

Total Positive Marks: 576.00 Total Negative Marks: 19.00

#### **QUESTION RESPONSE ANALYSIS**

NAME: Darshilraj Sodha (ID No. 242007707) Your Score: 557.00/720.00 (77.36%) Max Score: 685.00 JKUSBVKWQN Rank: 25 Min Score: 22.00

**TEST:** NEET Excel\_Minor Test-06\_21-09-2025 ( **ID:** 146 **DT:** Percentile: 81.31 Avg Score: 400.27

p-2025)	CI_IVIIIIOI TCC	51-00_21-09-202	-5 ( <b>ID</b> . 140	, DI.	Torontine. 01.01	,9	
PHY	CHEM	BIOLOGY	Total				
136.00	100.00	321.00	557.00				
			polyg d s com		 NEG : Positivo / Nogativo marks		