

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Rudra S Patel (ID No. 252022347)
YYLEYKBP9A
TEST: NEET Conquer 1_Part Test-08_21-09-2025 (ID: 147 DT: 21-Sep-2025)

Your Score: 301.00/720.00 (41.81%)
Rank: 44
Percentile: 50.00

Max Score: 602.00
Min Score: 104.00
Avg Score: 361.83

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	92.42	78.79	13.64	PHY	DEMO	4.00	1.00	C	C	R	4.00
2	71.21	65.15	6.06	PHY	DEMO	4.00	1.00	B	B	R	4.00
3	71.21	69.70	1.52	PHY	DEMO	4.00	1.00	C	C	R	4.00
4	66.67	36.36	30.30	PHY	DEMO	4.00	1.00	B	A	W	-1.00
5	78.79	74.24	4.55	PHY	DEMO	4.00	1.00	B	B	R	4.00
6	68.18	65.15	3.03	PHY	DEMO	4.00	1.00	C	C	R	4.00
7	43.94	27.27	16.67	PHY	DEMO	4.00	1.00	A	B	W	-1.00
8	65.15	46.97	18.18	PHY	DEMO	4.00	1.00	D	D	R	4.00
9	50.00	34.85	15.15	PHY	DEMO	4.00	1.00	A	A	R	4.00
10	60.61	54.55	6.06	PHY	DEMO	4.00	1.00	A	A	R	4.00
11	42.42	24.24	18.18	PHY	DEMO	4.00	1.00	B	B	R	4.00
12	53.03	13.64	39.39	PHY	DEMO	4.00	1.00	A	C	W	-1.00
13	87.88	69.70	18.18	PHY	DEMO	4.00	1.00	A	A	R	4.00
14	48.48	40.91	7.58	PHY	DEMO	4.00	1.00	B	B	R	4.00
15	50.00	36.36	13.64	PHY	DEMO	4.00	1.00	D	D	R	4.00
16	78.79	57.58	21.21	PHY	DEMO	4.00	1.00	C	C	R	4.00
17	60.61	25.76	34.85	PHY	DEMO	4.00	1.00	A	A	R	4.00
18	46.97	33.33	13.64	PHY	DEMO	4.00	1.00	C	C	R	4.00
19	43.94	39.39	4.55	PHY	DEMO	4.00	1.00	A	A	R	4.00
20	34.85	24.24	10.61	PHY	DEMO	4.00	1.00	D	D	R	4.00
21	27.27	16.67	10.61	PHY	DEMO	4.00	1.00	A	B	W	-1.00
22	36.36	30.30	6.06	PHY	DEMO	4.00	1.00	C	C	R	4.00
23	39.39	18.18	21.21	PHY	DEMO	4.00	1.00	D	D	R	4.00
24	45.45	21.21	24.24	PHY	DEMO	4.00	1.00	B		L	0.00
25	54.55	39.39	15.15	PHY	DEMO	4.00	1.00	C	B	W	-1.00
26	43.94	24.24	19.70	PHY	DEMO	4.00	1.00	D	B	W	-1.00
27	56.06	48.48	7.58	PHY	DEMO	4.00	1.00	A	A	R	4.00
28	69.70	39.39	30.30	PHY	DEMO	4.00	1.00	D	B	W	-1.00
29	54.55	43.94	10.61	PHY	DEMO	4.00	1.00	A	A	R	4.00
30	68.18	34.85	33.33	PHY	DEMO	4.00	1.00	D	D	R	4.00
31	57.58	34.85	22.73	PHY	DEMO	4.00	1.00	D		L	0.00
32	25.76	22.73	3.03	PHY	DEMO	4.00	1.00	D	B	W	-1.00
33	51.52	33.33	18.18	PHY	DEMO	4.00	1.00	C	D	W	-1.00
34	57.58	27.27	30.30	PHY	DEMO	4.00	1.00	D		L	0.00
35	34.85	16.67	18.18	PHY	DEMO	4.00	1.00	B	B	R	4.00
36	69.70	37.88	31.82	PHY	DEMO	4.00	1.00	B	B	R	4.00
37	57.58	46.97	10.61	PHY	DEMO	4.00	1.00	A		L	0.00
38	48.48	42.42	6.06	PHY	DEMO	4.00	1.00	D	D	R	4.00
39	54.55	27.27	27.27	PHY	DEMO	4.00	1.00	D		L	0.00
40	30.30	21.21	9.09	PHY	DEMO	4.00	1.00	D	B	W	-1.00
41	50.00	10.61	39.39	PHY	DEMO	4.00	1.00	A		L	0.00
42	40.91	36.36	4.55	PHY	DEMO	4.00	1.00	A	C	W	-1.00
43	54.55	30.30	24.24	PHY	DEMO	4.00	1.00	B		L	0.00
44	56.06	50.00	6.06	PHY	DEMO	4.00	1.00	A	A	R	4.00
45	66.67	45.45	21.21	PHY	DEMO	4.00	1.00	A		L	0.00
46	69.70	40.91	28.79	CHEM	DEMO	4.00	1.00	B	B	R	4.00
47	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00			C	4.00
48	72.73	56.06	16.67	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
49	77.27	43.94	33.33	CHEM	DEMO	4.00	1.00	D		L	0.00
50	62.12	42.42	19.70	CHEM	DEMO	4.00	1.00	D	D	R	4.00
51	53.03	40.91	12.12	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
52	66.67	59.09	7.58	CHEM	DEMO	4.00	1.00	A		L	0.00
53	60.61	37.88	22.73	CHEM	DEMO	4.00	1.00	B	B	R	4.00
54	57.58	33.33	24.24	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
55	57.58	45.45	12.12	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
56	46.97	33.33	13.64	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
57	77.27	54.55	22.73	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
58	69.70	57.58	12.12	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
59	65.15	46.97	18.18	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
60	57.58	51.52	6.06	CHEM	DEMO	4.00	1.00	A		L	0.00
61	74.24	68.18	6.06	CHEM	DEMO	4.00	1.00	B	B	R	4.00
62	83.33	56.06	27.27	CHEM	DEMO	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Rudra S Patel (ID No. 252022347)
YYLEYKBP9A

Your Score: 301.00/720.00 (41.81%)

Max Score: 602.00

Rank: 44

Min Score: 104.00

TEST: NEET Conquer 1_Part Test-08_21-09-2025 (ID: 147 DT: 21-Sep-2025)

Percentile: 50.00

Avg Score: 361.83

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	56.06	24.24	31.82	CHEM	DEMO	4.00	1.00	B		L	0.00
64	54.55	25.76	28.79	CHEM	DEMO	4.00	1.00	A	A	R	4.00
65	78.79	57.58	21.21	CHEM	DEMO	4.00	1.00	B		L	0.00
66	89.39	75.76	13.64	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
67	68.18	34.85	33.33	CHEM	DEMO	4.00	1.00	B	B	R	4.00
68	28.79	6.06	22.73	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
69	86.36	77.27	9.09	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
70	51.52	22.73	28.79	CHEM	DEMO	4.00	1.00	A	A	R	4.00
71	71.21	45.45	25.76	CHEM	DEMO	4.00	1.00	A		L	0.00
72	80.30	43.94	36.36	CHEM	DEMO	4.00	1.00	A	A	R	4.00
73	74.24	18.18	56.06	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
74	77.27	59.09	18.18	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
75	60.61	33.33	27.27	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
76	92.42	63.64	28.79	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
77	80.30	27.27	53.03	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
78	80.30	66.67	13.64	CHEM	DEMO	4.00	1.00	C	C	R	4.00
79	75.76	40.91	34.85	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
80	80.30	48.48	31.82	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
81	66.67	33.33	33.33	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
82	39.39	22.73	16.67	CHEM	DEMO	4.00	1.00	C		L	0.00
83	63.64	31.82	31.82	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
84	77.27	51.52	25.76	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
85	84.85	62.12	22.73	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
86	77.27	50.00	27.27	CHEM	DEMO	4.00	1.00	B		L	0.00
87	80.30	57.58	22.73	CHEM	DEMO	4.00	1.00	B		L	0.00
88	80.30	63.64	16.67	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
89	89.39	50.00	39.39	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
90	86.36	65.15	21.21	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
91	98.48	89.39	9.09	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
92	100.00	81.82	18.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
93	100.00	95.45	4.55	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
94	92.42	65.15	27.27	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
95	96.97	92.42	4.55	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
96	96.97	66.67	30.30	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
97	96.97	90.91	6.06	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
98	100.00	98.48	1.52	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
99	86.36	48.48	37.88	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
100	90.91	72.73	18.18	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
101	95.45	78.79	16.67	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
102	92.42	63.64	28.79	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
103	96.97	90.91	6.06	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
104	89.39	63.64	25.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
105	98.48	93.94	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
106	92.42	51.52	40.91	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
107	98.48	83.33	15.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	93.94	92.42	1.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	95.45	80.30	15.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
110	86.36	63.64	22.73	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
111	96.97	84.85	12.12	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
112	81.82	56.06	25.76	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
113	68.18	48.48	19.70	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
114	96.97	77.27	19.70	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
115	83.33	54.55	28.79	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
116	89.39	69.70	19.70	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
117	96.97	80.30	16.67	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
118	93.94	72.73	21.21	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
119	86.36	51.52	34.85	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
120	96.97	87.88	9.09	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
121	100.00	96.97	3.03	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
122	90.91	59.09	31.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
123	93.94	63.64	30.30	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
124	93.94	62.12	31.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Rudra S Patel (ID No. 252022347)
YYLEYKBP9A

Your Score: 301.00/720.00 (41.81%)

Max Score: 602.00

Rank: 44

Min Score: 104.00

TEST: NEET Conquer 1_Part Test-08_21-09-2025 (ID: 147 DT: 21-Sep-2025)

Percentile: 50.00

Avg Score: 361.83

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	96.97	89.39	7.58	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
126	95.45	60.61	34.85	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
127	90.91	78.79	12.12	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
128	83.33	68.18	15.15	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
129	89.39	63.64	25.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
130	98.48	71.21	27.27	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
131	92.42	87.88	4.55	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
132	89.39	80.30	9.09	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
133	74.24	30.30	43.94	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
134	80.30	60.61	19.70	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
135	90.91	68.18	22.73	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
136	98.48	93.94	4.55	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
137	92.42	71.21	21.21	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
138	98.48	54.55	43.94	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
139	98.48	86.36	12.12	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
140	84.85	54.55	30.30	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
141	93.94	42.42	51.52	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
142	100.00	87.88	12.12	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
143	86.36	74.24	12.12	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
144	95.45	84.85	10.61	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
145	98.48	78.79	19.70	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
146	90.91	83.33	7.58	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
147	90.91	57.58	33.33	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
148	93.94	75.76	18.18	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
149	100.00	96.97	3.03	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
150	90.91	78.79	12.12	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
151	68.18	43.94	24.24	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
152	77.27	43.94	33.33	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
153	95.45	60.61	34.85	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
154	98.48	90.91	7.58	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
155	95.45	69.70	25.76	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
156	75.76	27.27	48.48	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
157	95.45	95.45	0.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
158	65.15	56.06	9.09	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
159	92.42	69.70	22.73	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
160	72.73	36.36	36.36	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
161	95.45	66.67	28.79	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
162	98.48	84.85	13.64	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
163	84.85	66.67	18.18	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
164	84.85	43.94	40.91	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
165	84.85	4.55	80.30	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
166	89.39	4.55	84.85	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
167	80.30	46.97	33.33	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
168	93.94	66.67	27.27	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
169	71.21	10.61	60.61	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
170	95.45	87.88	7.58	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
171	81.82	78.79	3.03	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
172	46.97	27.27	19.70	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
173	92.42	80.30	12.12	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
174	90.91	56.06	34.85	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
175	86.36	66.67	19.70	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
176	56.06	18.18	37.88	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
177	95.45	92.42	3.03	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
178	92.42	84.85	7.58	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
179	96.97	90.91	6.06	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
180	87.88	60.61	27.27	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 148 (**Correct:** 89 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 301.00

Total Positive Marks: 360.00 **Total Negative Marks:** 59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
93.00		19.00	189.00	301.00