

# Unacademy

## QUESTION RESPONSE ANALYSIS

**NAME:** Diya Mistry ( ID No. 252028973 )  
Sandeep Mistry

**Your Score:** 102.00/720.00 (14.17%)  
**Rank:** 11  
**Percentile:** 17.26

**Max Score:** 591.00  
**Min Score:** 71.00  
**Avg Score:** 277.57

**TEST:** NEET\_Conquer-3\_Part Test-02\_21092025 ( ID: 149 DT: 21-Sep-2025 )

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.29	14.29	50.00	PHY	DEMO	4.00	1.00	B		L	0.00
2	71.43	28.57	42.86	PHY	DEMO	4.00	1.00	C		L	0.00
3	57.14	28.57	28.57	PHY	DEMO	4.00	1.00	D		L	0.00
4	50.00	35.71	14.29	PHY	DEMO	4.00	1.00	B		L	0.00
5	64.29	35.71	28.57	PHY	DEMO	4.00	1.00	A		L	0.00
6	35.71	14.29	21.43	PHY	DEMO	4.00	1.00	C		L	0.00
7	50.00	35.71	14.29	PHY	DEMO	4.00	1.00	D		L	0.00
8	64.29	35.71	28.57	PHY	DEMO	4.00	1.00	B		L	0.00
9	57.14	42.86	14.29	PHY	DEMO	4.00	1.00	D		L	0.00
10	57.14	21.43	35.71	PHY	DEMO	4.00	1.00	D		L	0.00
11	50.00	28.57	21.43	PHY	DEMO	4.00	1.00	C		L	0.00
12	57.14	35.71	21.43	PHY	DEMO	4.00	1.00	B		L	0.00
13	42.86	21.43	21.43	PHY	DEMO	4.00	1.00	C		L	0.00
14	50.00	28.57	21.43	PHY	DEMO	4.00	1.00	A		L	0.00
15	50.00	21.43	28.57	PHY	DEMO	4.00	1.00	C		L	0.00
16	42.86	28.57	14.29	PHY	DEMO	4.00	1.00	A		L	0.00
17	42.86	21.43	21.43	PHY	DEMO	4.00	1.00	B		L	0.00
18	42.86	35.71	7.14	PHY	DEMO	4.00	1.00	A		L	0.00
19	57.14	42.86	14.29	PHY	DEMO	4.00	1.00	C		L	0.00
20	57.14	42.86	14.29	PHY	DEMO	4.00	1.00	C		L	0.00
21	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
22	50.00	35.71	14.29	PHY	DEMO	4.00	1.00	A		L	0.00
23	28.57	21.43	7.14	PHY	DEMO	4.00	1.00	C		L	0.00
24	50.00	21.43	28.57	PHY	DEMO	4.00	1.00	B		L	0.00
25	50.00	21.43	28.57	PHY	DEMO	4.00	1.00	C		L	0.00
26	57.14	35.71	21.43	PHY	DEMO	4.00	1.00	A		L	0.00
27	35.71	21.43	14.29	PHY	DEMO	4.00	1.00	C		L	0.00
28	50.00	28.57	21.43	PHY	DEMO	4.00	1.00	A		L	0.00
29	42.86	28.57	14.29	PHY	DEMO	4.00	1.00	D		L	0.00
30	50.00	42.86	7.14	PHY	DEMO	4.00	1.00	D		L	0.00
31	42.86	42.86	0.00	PHY	DEMO	4.00	1.00	B		L	0.00
32	50.00	21.43	28.57	PHY	DEMO	4.00	1.00	D		L	0.00
33	50.00	35.71	14.29	PHY	DEMO	4.00	1.00	C		L	0.00
34	42.86	28.57	14.29	PHY	DEMO	4.00	1.00	D		L	0.00
35	42.86	28.57	14.29	PHY	DEMO	4.00	1.00	B		L	0.00
36	35.71	7.14	28.57	PHY	DEMO	4.00	1.00	C		L	0.00
37	35.71	21.43	14.29	PHY	DEMO	4.00	1.00	D		L	0.00
38	42.86	14.29	28.57	PHY	DEMO	4.00	1.00	B		L	0.00
39	35.71	28.57	7.14	PHY	DEMO	4.00	1.00	C		L	0.00
40	57.14	7.14	50.00	PHY	DEMO	4.00	1.00	C		L	0.00
41	64.29	57.14	7.14	PHY	DEMO	4.00	1.00	B		L	0.00
42	57.14	21.43	35.71	PHY	DEMO	4.00	1.00	D		L	0.00
43	57.14	35.71	21.43	PHY	DEMO	4.00	1.00	B		L	0.00
44	50.00	21.43	28.57	PHY	DEMO	4.00	1.00	D		L	0.00
45	64.29	42.86	21.43	PHY	DEMO	4.00	1.00	B		L	0.00
46	92.86	50.00	42.86	CHEM	DEMO	4.00	1.00	D		L	0.00
47	78.57	71.43	7.14	CHEM	DEMO	4.00	1.00	D		L	0.00
48	50.00	42.86	7.14	CHEM	DEMO	4.00	1.00	C		L	0.00
49	57.14	50.00	7.14	CHEM	DEMO	4.00	1.00	A		L	0.00
50	50.00	42.86	7.14	CHEM	DEMO	4.00	1.00	B		L	0.00
51	57.14	35.71	21.43	CHEM	DEMO	4.00	1.00	B		L	0.00
52	50.00	42.86	7.14	CHEM	DEMO	4.00	1.00	B		L	0.00
53	42.86	35.71	7.14	CHEM	DEMO	4.00	1.00	A		L	0.00
54	57.14	21.43	35.71	CHEM	DEMO	4.00	1.00	A		L	0.00
55	35.71	14.29	21.43	CHEM	DEMO	4.00	1.00	B		L	0.00
56	28.57	14.29	14.29	CHEM	DEMO	4.00	1.00	B		L	0.00
57	50.00	35.71	14.29	CHEM	DEMO	4.00	1.00	D		L	0.00
58	50.00	0.00	50.00	CHEM	DEMO	4.00	1.00	A		L	0.00
59	35.71	21.43	14.29	CHEM	DEMO	4.00	1.00	B		L	0.00
60	35.71	21.43	14.29	CHEM	DEMO	4.00	1.00	D		L	0.00
61	35.71	35.71	0.00	CHEM	DEMO	4.00	1.00	B		L	0.00
62	42.86	28.57	14.29	CHEM	DEMO	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# Unacademy

## QUESTION RESPONSE ANALYSIS

**NAME:** Diya Mistry ( ID No. 252028973 )  
Sandeep Mistry

**Your Score:** 102.00/720.00 (14.17%)

**Max Score:** 591.00

**Rank:** 11

**Min Score:** 71.00

**TEST:** NEET\_Conquer-3\_Part Test-02\_21092025 ( ID: 149 DT: 21-Sep-2025 )

**Percentile:** 17.26

**Avg Score:** 277.57

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	35.71	21.43	14.29	CHEM	DEMO	4.00	1.00	A		L	0.00
64	42.86	28.57	14.29	CHEM	DEMO	4.00	1.00	B		L	0.00
65	35.71	35.71	0.00	CHEM	DEMO	4.00	1.00	D		L	0.00
66	50.00	35.71	14.29	CHEM	DEMO	4.00	1.00	C		L	0.00
67	35.71	35.71	0.00	CHEM	DEMO	4.00	1.00	A		L	0.00
68	42.86	28.57	14.29	CHEM	DEMO	4.00	1.00	A		L	0.00
69	35.71	28.57	7.14	CHEM	DEMO	4.00	1.00	C		L	0.00
70	28.57	28.57	0.00	CHEM	DEMO	4.00	1.00	A		L	0.00
71	35.71	21.43	14.29	CHEM	DEMO	4.00	1.00	C		L	0.00
72	50.00	28.57	21.43	CHEM	DEMO	4.00	1.00	B		L	0.00
73	14.29	7.14	7.14	CHEM	DEMO	4.00	1.00	B		L	0.00
74	35.71	21.43	14.29	CHEM	DEMO	4.00	1.00	B		L	0.00
75	35.71	28.57	7.14	CHEM	DEMO	4.00	1.00	A		L	0.00
76	21.43	0.00	21.43	CHEM	DEMO	4.00	1.00	B		L	0.00
77	42.86	7.14	35.71	CHEM	DEMO	4.00	1.00	D		L	0.00
78	57.14	21.43	35.71	CHEM	DEMO	4.00	1.00	A		L	0.00
79	50.00	28.57	21.43	CHEM	DEMO	4.00	1.00	A		L	0.00
80	57.14	14.29	42.86	CHEM	DEMO	4.00	1.00	B		L	0.00
81	57.14	28.57	28.57	CHEM	DEMO	4.00	1.00	C		L	0.00
82	42.86	35.71	7.14	CHEM	DEMO	4.00	1.00	D		L	0.00
83	50.00	28.57	21.43	CHEM	DEMO	4.00	1.00	D		L	0.00
84	42.86	14.29	28.57	CHEM	DEMO	4.00	1.00	D		L	0.00
85	57.14	21.43	35.71	CHEM	DEMO	4.00	1.00	A		L	0.00
86	50.00	35.71	14.29	CHEM	DEMO	4.00	1.00	A		L	0.00
87	42.86	7.14	35.71	CHEM	DEMO	4.00	1.00	B		L	0.00
88	50.00	42.86	7.14	CHEM	DEMO	4.00	1.00	D		L	0.00
89	42.86	28.57	14.29	CHEM	DEMO	4.00	1.00	B		L	0.00
90	42.86	35.71	7.14	CHEM	DEMO	4.00	1.00	B		L	0.00
91	92.86	64.29	28.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
92	100.00	92.86	7.14	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
93	85.71	50.00	35.71	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
94	85.71	85.71	0.00	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
95	78.57	71.43	7.14	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
96	71.43	57.14	14.29	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
97	85.71	64.29	21.43	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
98	78.57	35.71	42.86	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
99	85.71	71.43	14.29	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
100	78.57	50.00	28.57	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
101	57.14	35.71	21.43	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
102	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00			C	4.00
103	71.43	28.57	42.86	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
104	78.57	21.43	57.14	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
105	78.57	64.29	14.29	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
106	85.71	35.71	50.00	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
107	85.71	85.71	0.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	85.71	71.43	14.29	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
109	85.71	78.57	7.14	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
110	78.57	50.00	28.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
111	92.86	71.43	21.43	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
112	57.14	50.00	7.14	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
113	71.43	64.29	7.14	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
114	92.86	57.14	35.71	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
115	71.43	35.71	35.71	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
116	85.71	57.14	28.57	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
117	85.71	85.71	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
118	71.43	21.43	50.00	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
119	64.29	35.71	28.57	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
120	92.86	85.71	7.14	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
121	78.57	35.71	42.86	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
122	85.71	64.29	21.43	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
123	71.43	42.86	28.57	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
124	78.57	57.14	21.43	BIOLOGY	DEMO	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# Unacademy

## QUESTION RESPONSE ANALYSIS

NAME: Diya Mistry ( ID No. 252028973 )

Sandeep Mistry

Your Score: 102.00/720.00 (14.17%)

Rank: 11

Max Score: 591.00

Min Score: 71.00

TEST: NEET\_Conquer-3\_Part Test-02\_21092025 ( ID: 149 DT: 21-Sep-2025 )

Percentile: 17.26

Avg Score: 277.57

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	57.14	42.86	14.29	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
126	71.43	42.86	28.57	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
127	92.86	85.71	7.14	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
128	92.86	57.14	35.71	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
129	92.86	85.71	7.14	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
130	92.86	92.86	0.00	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
131	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00			C	4.00
132	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
133	71.43	64.29	7.14	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
134	92.86	92.86	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
135	92.86	78.57	14.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
136	92.86	42.86	50.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
137	85.71	85.71	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
138	85.71	28.57	57.14	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
139	92.86	64.29	28.57	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
140	85.71	57.14	28.57	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
141	64.29	28.57	35.71	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
142	78.57	50.00	28.57	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
143	71.43	35.71	35.71	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
144	78.57	71.43	7.14	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
145	92.86	71.43	21.43	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
146	92.86	92.86	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
147	78.57	78.57	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
148	92.86	64.29	28.57	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
149	78.57	57.14	21.43	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
150	92.86	57.14	35.71	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
151	64.29	50.00	14.29	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
152	85.71	71.43	14.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
153	78.57	57.14	21.43	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
154	78.57	42.86	35.71	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
155	85.71	57.14	28.57	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
156	71.43	42.86	28.57	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
157	71.43	64.29	7.14	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
158	85.71	71.43	14.29	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
159	71.43	42.86	28.57	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
160	78.57	42.86	35.71	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
161	50.00	50.00	0.00	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
162	71.43	7.14	64.29	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
163	78.57	57.14	21.43	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
164	78.57	50.00	28.57	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
165	78.57	42.86	35.71	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
166	85.71	50.00	35.71	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
167	71.43	28.57	42.86	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
168	85.71	57.14	28.57	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
169	85.71	42.86	42.86	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
170	71.43	64.29	7.14	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
171	85.71	57.14	28.57	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
172	85.71	50.00	35.71	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
173	78.57	71.43	7.14	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
174	57.14	42.86	14.29	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
175	71.43	64.29	7.14	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
176	71.43	50.00	21.43	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
177	57.14	21.43	35.71	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
178	92.86	57.14	35.71	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
179	85.71	85.71	0.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
180	71.43	35.71	35.71	BIOLOGY	DEMO	4.00	1.00	C		L	0.00

Total Question: 180 Attempted: 30 (Correct: 24 Incorrect: 6) Score Rate: 0.00 Strike Rate: 0.00

Total: 102.00

Total Positive Marks: 108.00 Total Negative Marks: 6.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
4.00		0.00	98.00	102.00