QUESTION RESPONSE ANALYSIS

NAME: Anshita Davda (ID No. 232040361)

12JHGQLPKF

Rank: 52

Your Score: 476.00/720.00 (66.11%)

Max Score: 700.00 **Min Score:** 87.00

 $\textbf{TEST:} \ \mathsf{NEET} \ \mathsf{Excel_Minor} \ \mathsf{Test\text{-}}05_31\text{-}08\text{-}2025 \ (\ \mathbf{ID:}\ 134 \quad \mathbf{DT:}$

Percentile: 68.00

Min Score: 87.00 Avg Score: 399.06

18	31-Au	ıg-2025			0. 00_0. 00 202	,						
2	QNo	ATT%	R%	W %	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
8 83 92 92 11.17	1	86.17	57.45	28.72	PHY	DEMO	4.00	1.00	A	А	R	4.00
1	2	84.57	44.68	39.89	PHY	DEMO	4.00	1.00	В	В	R	4.00
5	3	81.38	70.21	11.17	PHY	DEMO	4.00	1.00	В	В	R	4.00
	4	83.51	20.21	63.30	PHY	DEMO	4.00	1.00	В	A	W	-1.00
7. 6848 98.89 28.60 PHY BEMO 4.00 1.00 C	5	76.06	65.43	10.64	PHY	DEMO	4.00	1.00	С	С	R	4.00
1	6	82.98	76.06	6.91	PHY	DEMO	4.00	1.00	A	А	R	4.00
9	7	66.49	39.89	26.60	PHY	DEMO	4.00	1.00	А	В	W	-1.00
9	8	74.47	46.28	28.19	PHY	DEMO	4.00	1.00	С		L	0.00
10	9	65.96		34.57	PHY	DEMO	4.00	1.00	С	В	W	-1.00
11 15 16 17 16 17 17 17 17 17	10				PHY		4.00	-		С	R	
12 S17 4574 548 548 549 749 7580 7400	11						4.00		Α	D	W	
13 833 4096 227												
14 70.21 58.55 11.70 PHY DEMO 4.00 1.00 C C R 4.00 4.												
15												
16 39.90 23.40 15.90 PHY DEMO												
17										A		
18										D.		
19										U		
20 53.19 45.74 7.45 PhY DEMO 4.00 1.00 C L 0.00												
1												
22 36.70 23.40 33.01 PHY DEMO 4.00 1.00 B B L 0.00												
23 11.17 27.66 33.51 PHY DEMO 4.00 1.00 A A R 4.00 24 73.40 46.81 26.60 PHY DEMO 4.00 1.00 C C R 4.00 26 79.26 510.00 10.00 0.00 PHY DEMO 4.00 1.00 D D R 4.00 27 71.81 23.83 PHY DEMO 4.00 1.00 B D W 4.00 28 100.00 100.00 0.00 PHY DEMO 4.00 1.00 B D W 4.00 28 17.38 19.33 PHY DEMO 4.00 1.00 C C C R 4.00 31 17.28 19.13 PHY DEMO 4.00 1.00 C C C R 4.00 31 67.02 17.28 51.75 PHY DE												
24 7.3.40 46.81 28.80 PHY DEMO 4.00 1.00 C C R 4.00 25 100.00 10.00 0.00 PHY DEMO 4.00 1.00 D D R 4.00 27 71.81 21.28 50.53 PHY DEMO 4.00 1.00 B D W 1.00 28 100.00 100.00 0.00 PHY DEMO 4.00 1.00 C 4.00 29 47.34 19.15 28.19 PHY DEMO 4.00 1.00 C C R 4.00 30 79.26 61.17 18.09 PHY DEMO 4.00 1.00 A A A R 4.00 31 67.28 51.57 PHY DEMO 4.00 1.00 B A A W 1.00 31 67.28 52.55 35.70 PHY DEMO	22	36.70	23.40	13.30		DEMO	4.00	1.00	В		L	0.00
25 700.00 00.00 PHY DEMO 4.00 1.00 D D R 4.00 26 79.28 51.06 28.19 PHY DEMO 4.00 1.00 D D R 4.00 27 71.81 21.28 60.53 PHY DEMO 4.00 1.00 B D W -1.00 28 100.00 100.00 0.00 PHY DEMO 4.00 1.00 C C L 0.00 30 79.26 61.17 18.09 PHY DEMO 4.00 1.00 C C R 4.00 31 67.02 47.87 19.15 PHY DEMO 4.00 1.00 A A A R 4.00 32 71.28 51.10 9.57 PHY DEMO 4.00 1.00 B A W 1.00 33 26.223 25.53 38.70 PHY	23	61.17	27.66	33.51	PHY	DEMO	4.00	1.00	Α		R	4.00
26 79.26 51.06 28.19 PHY DEMO 4.00 1.00 B D R 4.00 27 71.81 21.28 50.53 PHY DEMO 4.00 1.00 B D W -1.00 28 100.00 100.00 0.00 PHY DEMO 4.00 1.00 C C 4.00 39 47.34 19.15 28.19 PHY DEMO 4.00 1.00 C C C R 4.00 31 67.02 47.87 19.15 PHY DEMO 4.00 1.00 A A A R 4.00 32 71.28 61.79 95.7 PHY DEMO 4.00 1.00 B A W 1.00 34 52.13 38.04 28.53 3.67 PHY DEMO 4.00 1.00 C C R 4.00 35 53.33 39.36 <	24	73.40	46.81	26.60	PHY	DEMO	4.00	1.00	С	С	R	4.00
27	25	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			С	4.00
28	26	79.26	51.06	28.19	PHY	DEMO	4.00	1.00	D	D	R	4.00
29 47,34 19,15 28,19 PHY DEMO 4.00 1.00 C C R 4.00 30 79,26 61,17 18.09 PHY DEMO 4.00 1.00 C C R 4.00 31 6702 47,87 1915 PHY DEMO 4.00 1.00 B A N W -1.00 32 71,28 61,70 9.57 PHY DEMO 4.00 1.00 C L 0.00 33 62,23 25.53 38.70 PHY DEMO 4.00 1.00 C C C R 4.00 35 63,83 39.36 24.47 PHY DEMO 4.00 1.00 C C C R 4.00 36 68,62 43.09 25.33 PHY DEMO 4.00 1.00 C C C R 4.00 40 57.98 35.64 </td <td>27</td> <td>71.81</td> <td>21.28</td> <td>50.53</td> <td>PHY</td> <td>DEMO</td> <td>4.00</td> <td>1.00</td> <td>В</td> <td>D</td> <td>W</td> <td>-1.00</td>	27	71.81	21.28	50.53	PHY	DEMO	4.00	1.00	В	D	W	-1.00
30 79.26 61.17 18.09 PHY DEMO 4.00 1.00 C C R 4.00	28	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			С	4.00
30	29	47.34	19.15	28.19	PHY	DEMO	4.00	1.00	С		L	0.00
31	30	79.26		18.09	PHY	DEMO	4.00	1.00	С	С	R	
32 71.28 61.70 9.57 PHY DEMO 4.00 1.00 B A W -1.00	31	67.02		19.15			4.00	1.00	Α	A		4.00
33 62.23 25.53 38.70 PHY DEMO 4.00 1.00 C L 0.00 34 52.13 34.04 18.09 PHY DEMO 4.00 1.00 B L 0.00 35 63.83 39.38 24.47 PHY DEMO 4.00 1.00 C C C R 4.00 36 68.62 43.09 25.53 PHY DEMO 4.00 1.00 B A W -1.00 37 67.56 40.43 27.13 PHY DEMO 4.00 1.00 B A A W -1.00 39 20.74 9.57 11.17 PHY DEMO 4.00 1.00 B A A W -1.00 40 57.98 32.98 25.00 PHY DEMO 4.00 1.00 A A A R 4.00 41 54.79 41.49 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
34 52.13 34.04 18.09 PHY DEMO 4.00 1.00 B L 0.00 35 63.83 39.36 24.47 PHY DEMO 4.00 1.00 C C R 4.00 36 68.62 43.09 25.53 PHY DEMO 4.00 1.00 B A W -1.00 37 67.55 40.43 27.13 PHY DEMO 4.00 1.00 B A W -1.00 38 72.87 35.64 37.23 PHY DEMO 4.00 1.00 D L 0.00 40 57.98 32.98 25.00 PHY DEMO 4.00 1.00 C L 0.00 41 54.79 41.49 13.30 PHY DEMO 4.00 1.00 A A A R 4.00 42 55.72 39.89 13.83 PHY												
35 63.83 39.36 24.47 PHY DEMO 4.00 1.00 C C R 4.00 36 68.62 43.09 25.53 PHY DEMO 4.00 1.00 B A W -1.00 38 72.87 35.64 37.23 PHY DEMO 4.00 1.00 D L 0.00 39 20.74 9.57 11.17 PHY DEMO 4.00 1.00 B A W -1.00 40 57.98 32.98 25.00 PHY DEMO 4.00 1.00 B A A R 4.00 41 54.79 31.33 PHY DEMO 4.00 1.00 A A A R 4.00 42 55.72 39.89 13.33 PHY DEMO 4.00 1.00 B D D R 4.00 43 64.36 38.83 25.53												
36 68.62 43.09 25.53 PHY DEMO 4.00 1.00 C C R 4.00 37 67.55 40.43 27.13 PHY DEMO 4.00 1.00 B A W -1.00 38 72.87 35.64 37.23 PHY DEMO 4.00 1.00 D L 0.00 39 20.74 9.57 11.17 PHY DEMO 4.00 1.00 B L 0.00 40 57.98 32.98 25.00 PHY DEMO 4.00 1.00 C L 0.00 41 54.79 41.49 13.30 PHY DEMO 4.00 1.00 B										C		
37 67.55 40.43 27.13 PHY DEMO 4.00 1.00 B A W -1.00 38 72.87 35.64 37.23 PHY DEMO 4.00 1.00 D L 0.00 39 20.74 9.57 11.17 PHY DEMO 4.00 1.00 B L 0.00 40 57.98 32.98 25.00 PHY DEMO 4.00 1.00 C L 0.00 41 54.79 41.49 13.30 PHY DEMO 4.00 1.00 A A A R 4.00 42 53.72 33.83 25.53 PHY DEMO 4.00 1.00 D D D R 4.00 43 64.36 38.83 25.53 PHY DEMO 4.00 1.00 D D R 4.00 45 100.00 100.00 PHY DEMO 4.00												
38 72.87 35.64 37.23 PHY DEMO 4.00 1.00 D D L 0.00 39 20.74 9.57 11.17 PHY DEMO 4.00 1.00 B L 0.00 40 57.98 32.98 25.00 PHY DEMO 4.00 1.00 C L 0.00 41 54.79 41.49 13.30 PHY DEMO 4.00 1.00 A A A R 4.00 42 53.72 39.89 13.83 PHY DEMO 4.00 1.00 B D D R 4.00 43 64.36 38.83 25.53 PHY DEMO 4.00 1.00 D D D R 4.00 44 59.04 21.81 37.23 PHY DEMO 4.00 1.00 D D D R 4.00 45 100.00 100.00 0.00 PHY DEMO 4.00 1.00 D D D R 4.00 46 91.49 67.55 23.94 CHEM DEMO 4.00 1.00 D D A W -1.00 47 87.23 18.62 68.62 CHEM DEMO 4.00 1.00 D D A W -1.00 48 89.36 80.85 8.51 CHEM DEMO 4.00 1.00 D D D R 4.00 49 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 D D D R 4.00 51 77.66 58.51 19.15 CHEM DEMO 4.00 1.00 D D D R 4.00 52 82.98 69.68 13.30 CHEM DEMO 4.00 1.00 D D D R 4.00 53 75.00 51.66 23.94 CHEM DEMO 4.00 1.00 D D D R 4.00 55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 C C C R 4.00 55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 C C C R 4.00 56 67.23 45.66 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 57 69.68 54.79 14.89 CHEM DEMO 4.00 1.00 D D B B R 4.00 58 85.64 71.28 14.36 CHEM DEMO 4.00 1.00 D D D R 4.00 57 69.68 54.79 14.89 CHEM DEMO 4.00 1.00 D D D R 4.00 58 85.64 71.28 14.36 CHEM DEMO 4.00 1.00 D D D R 4.00 59 79.79 57.45 22.34 CHEM DEMO 4.00 1.00 D D D R 4.00 60 67.02 21.28 45.74 CHEM DEMO 4.00 1.00 C B W -1.00 61 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 D D D R 4.00 61 87.23 67.55												
39 20.74 9.57 11.17 PHY DEMO 4.00 1.00 B L 0.00 40 57.98 32.98 25.00 PHY DEMO 4.00 1.00 C L 0.00 41 54.79 41.49 13.30 PHY DEMO 4.00 1.00 A A A R 4.00 42 53.72 39.88 13.83 PHY DEMO 4.00 1.00 D D D R 4.00 43 64.36 38.63 25.53 PHY DEMO 4.00 1.00 D D D R 4.00 44 59.04 21.81 37.23 PHY DEMO 4.00 1.00 D D R 4.00 45 100.00 0.00 PHY DEMO 4.00 1.00 D A W -1.00 46 91.49 67.55 23.94 CHEM <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>^</td><td></td><td></td></t<>										^		
40 57.98 32.98 25.00 PHY DEMO 4.00 1.00 C L 0.00 41 54.79 41.49 13.30 PHY DEMO 4.00 1.00 B A A R 4.00 42 53.72 39.88 13.83 PHY DEMO 4.00 1.00 B L 0.00 43 64.36 38.83 25.53 PHY DEMO 4.00 1.00 D D R 4.00 44 59.04 21.81 37.23 PHY DEMO 4.00 1.00 D R 4.00 45 100.00 100.00 PHY DEMO 4.00 1.00 D L 0.00 46 91.49 67.55 23.94 CHEM DEMO 4.00 1.00 B B B R 4.00 47 87.23 18.62 68.62 CHEM DEMO 4.00 1.00 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>+</td> <td></td> <td></td> <td></td> <td></td> <td></td>							+					
41 54.79 41.49 13.30 PHY DEMO 4.00 1.00 A A A R 4.00 42 53.72 39.89 13.83 PHY DEMO 4.00 1.00 B L 0.00 43 64.36 38.83 25.53 PHY DEMO 4.00 1.00 D D R 4.00 44 59.04 21.81 37.23 PHY DEMO 4.00 1.00 D L 0.00 45 100.00 100.00 0.00 PHY DEMO 4.00 1.00 D L 0.00 46 91.49 67.55 23.94 CHEM DEMO 4.00 1.00 D A W -1.00 48 89.36 80.85 8.51 CHEM DEMO 4.00 1.00 D D R 4.00 50 75.00 25.53 49.47 CHEM DEMO 4.00 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td>							_					
42 53.72 39.89 13.83 PHY DEMO 4.00 1.00 B D R 4.00 43 64.36 38.83 25.53 PHY DEMO 4.00 1.00 D D D R 4.00 44 59.04 21.81 37.23 PHY DEMO 4.00 1.00 D C 4.00 45 100.00 100.00 0.00 PHY DEMO 4.00 1.00 B B R 4.00 46 91.49 67.55 23.94 CHEM DEMO 4.00 1.00 D A W -1.00 48 89.36 80.85 8.51 CHEM DEMO 4.00 1.00 D D R 4.00 49 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 D D R 4.00 50 75.00 25.53 49.47 CHEM												
43 64.36 38.83 25.53 PHY DEMO 4.00 1.00 D D R 4.00 44 59.04 21.81 37.23 PHY DEMO 4.00 1.00 D L 0.00 45 100.00 100.00 0.00 PHY DEMO 4.00 1.00 B B B R 4.00 46 91.49 67.55 23.94 CHEM DEMO 4.00 1.00 B B B R 4.00 47 87.23 18.62 68.62 CHEM DEMO 4.00 1.00 D A W -1.00 48 89.36 80.85 8.51 CHEM DEMO 4.00 1.00 D D R 4.00 50 75.00 25.53 49.47 CHEM DEMO 4.00 1.00 A B W -1.00 51 77.66 58.51 19.15										A		
44 59.04 21.81 37.23 PHY DEMO 4.00 1.00 D L 0.00 45 100.00 100.00 0.00 PHY DEMO 4.00 1.00 B B B R 4.00 46 91.49 67.55 23.94 CHEM DEMO 4.00 1.00 D A W -1.00 47 87.23 18.62 68.62 CHEM DEMO 4.00 1.00 D A W -1.00 48 89.36 80.85 8.51 CHEM DEMO 4.00 1.00 D A W -1.00 49 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 50 75.00 25.53 49.47 CHEM DEMO 4.00 1.00 D D R 4.00 51 77.66 58.51 19.15												
45 100.00 100.00 0.00 PHY DEMO 4.00 1.00 B B B R 4.00 46 91.49 67.55 23.94 CHEM DEMO 4.00 1.00 D A W -1.00 47 87.23 18.62 68.62 CHEM DEMO 4.00 1.00 D A W -1.00 48 89.36 80.85 8.51 CHEM DEMO 4.00 1.00 D D D R 4.00 49 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 50 76.00 25.53 49.47 CHEM DEMO 4.00 1.00 D D D R 4.00 51 77.66 58.51 19.15 CHEM DEMO 4.00 1.00 D D D R 4.00 52										D		
46 91.49 67.55 23.94 CHEM DEMO 4.00 1.00 B B R 4.00 47 87.23 18.62 68.62 CHEM DEMO 4.00 1.00 D A W -1.00 48 89.36 80.85 8.51 CHEM DEMO 4.00 1.00 D D D R 4.00 49 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 50 75.00 25.53 49.47 CHEM DEMO 4.00 1.00 A B W -1.00 51 77.66 58.51 19.15 CHEM DEMO 4.00 1.00 D D D R 4.00 52 82.98 69.68 13.30 CHEM DEMO 4.00 1.00 C C C R 4.00 53 7	44								D			
47 87.23 18.62 68.62 CHEM DEMO 4.00 1.00 D A W -1.00 48 89.36 80.85 8.51 CHEM DEMO 4.00 1.00 D D D R 4.00 49 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 50 75.00 25.53 49.47 CHEM DEMO 4.00 1.00 D D D R 4.00 51 77.66 58.51 19.15 CHEM DEMO 4.00 1.00 D D D R 4.00 52 82.98 69.68 13.30 CHEM DEMO 4.00 1.00 B B B R 4.00 53 75.00 51.06 23.94 CHEM DEMO 4.00 1.00 C C C R 4.00 <	45	100.00	100.00	0.00	PHY	DEMO	4.00	1.00				4.00
48 89.36 80.85 8.51 CHEM DEMO 4.00 1.00 D D R 4.00 49 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 C C R 4.00 50 75.00 25.53 49.47 CHEM DEMO 4.00 1.00 A B W -1.00 51 77.66 58.51 19.15 CHEM DEMO 4.00 1.00 D D D R 4.00 52 82.98 69.68 13.30 CHEM DEMO 4.00 1.00 B B B R 4.00 53 75.00 51.06 23.94 CHEM DEMO 4.00 1.00 C C C R 4.00 54 67.55 47.87 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 55 69	46	91.49	67.55	23.94	CHEM	DEMO	4.00	1.00	В	В	R	4.00
49 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 C C R 4.00 50 75.00 25.53 49.47 CHEM DEMO 4.00 1.00 A B W -1.00 51 77.66 58.51 19.15 CHEM DEMO 4.00 1.00 D D D R 4.00 52 82.98 69.68 13.30 CHEM DEMO 4.00 1.00 B B B R 4.00 53 75.00 51.06 23.94 CHEM DEMO 4.00 1.00 C C C R 4.00 54 67.55 47.87 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 B B B R 4.00 57	47	87.23	18.62	68.62	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
50 75.00 25.53 49.47 CHEM DEMO 4.00 1.00 A B W -1.00 51 77.66 58.51 19.15 CHEM DEMO 4.00 1.00 D D D R 4.00 52 82.98 69.68 13.30 CHEM DEMO 4.00 1.00 B B B R 4.00 53 75.00 51.06 23.94 CHEM DEMO 4.00 1.00 C C C R 4.00 54 67.55 47.87 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 C C C R 4.00 56 72.34 52.66 19.68 CHEM DEMO 4.00 1.00 B B B R 4.00	48	89.36	80.85	8.51	CHEM	DEMO	4.00	1.00	D	D	R	4.00
50 75.00 25.53 49.47 CHEM DEMO 4.00 1.00 A B W -1.00 51 77.66 58.51 19.15 CHEM DEMO 4.00 1.00 D D D R 4.00 52 82.98 69.68 13.30 CHEM DEMO 4.00 1.00 B B B R 4.00 53 75.00 51.06 23.94 CHEM DEMO 4.00 1.00 C C C R 4.00 54 67.55 47.87 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 C C C R 4.00 56 72.34 52.66 19.68 CHEM DEMO 4.00 1.00 B B B R 4.00	49	87.23	67.55	19.68	CHEM	DEMO	4.00	1.00	С	С	R	4.00
51 77.66 58.51 19.15 CHEM DEMO 4.00 1.00 D D R 4.00 52 82.98 69.68 13.30 CHEM DEMO 4.00 1.00 B B B R 4.00 53 75.00 51.06 23.94 CHEM DEMO 4.00 1.00 C C C R 4.00 54 67.55 47.87 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 C C C R 4.00 56 72.34 52.66 19.68 CHEM DEMO 4.00 1.00 B B B R 4.00 57 69.68 54.79 14.89 CHEM DEMO 4.00 1.00 B B B R 4.00 <	50	75.00	25.53	49.47	CHEM	DEMO	4.00	1.00	А	В	W	-1.00
52 82.98 69.68 13.30 CHEM DEMO 4.00 1.00 B B B R 4.00 53 75.00 51.06 23.94 CHEM DEMO 4.00 1.00 C C C R 4.00 54 67.55 47.87 19.68 CHEM DEMO 4.00 1.00 C C C R 4.00 55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 C C C L 0.00 56 72.34 52.66 19.68 CHEM DEMO 4.00 1.00 B B B R 4.00 57 69.68 54.79 14.89 CHEM DEMO 4.00 1.00 A L 0.00 58 85.64 71.28 14.36 CHEM DEMO 4.00 1.00 B B B R 4.00 59<							4.00			D	R	
53 75.00 51.06 23.94 CHEM DEMO 4.00 1.00 C C R 4.00 54 67.55 47.87 19.68 CHEM DEMO 4.00 1.00 C C R 4.00 55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 C C L 0.00 56 72.34 52.66 19.68 CHEM DEMO 4.00 1.00 B B B R 4.00 57 69.68 54.79 14.89 CHEM DEMO 4.00 1.00 A L 0.00 58 85.64 71.28 14.36 CHEM DEMO 4.00 1.00 B B B R 4.00 59 79.79 57.45 22.34 CHEM DEMO 4.00 1.00 D D D R 4.00 60 67.02 21.28												
54 67.55 47.87 19.68 CHEM DEMO 4.00 1.00 C C R 4.00 55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 C L 0.00 56 72.34 52.66 19.68 CHEM DEMO 4.00 1.00 B B B R 4.00 57 69.68 54.79 14.89 CHEM DEMO 4.00 1.00 A L 0.00 58 85.64 71.28 14.36 CHEM DEMO 4.00 1.00 B B B R 4.00 59 79.79 57.45 22.34 CHEM DEMO 4.00 1.00 D D D R 4.00 60 67.02 21.28 45.74 CHEM DEMO 4.00 1.00 B B B R A.00 61 87.23 67.55												
55 69.68 42.02 27.66 CHEM DEMO 4.00 1.00 C L 0.00 56 72.34 52.66 19.68 CHEM DEMO 4.00 1.00 B B B R 4.00 57 69.68 54.79 14.89 CHEM DEMO 4.00 1.00 A L 0.00 58 85.64 71.28 14.36 CHEM DEMO 4.00 1.00 B B B R 4.00 59 79.79 57.45 22.34 CHEM DEMO 4.00 1.00 D D D R 4.00 60 67.02 21.28 45.74 CHEM DEMO 4.00 1.00 C B W -1.00 61 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 B B R 4.00												
56 72.34 52.66 19.68 CHEM DEMO 4.00 1.00 B B B R 4.00 57 69.68 54.79 14.89 CHEM DEMO 4.00 1.00 A L 0.00 58 85.64 71.28 14.36 CHEM DEMO 4.00 1.00 B B B R 4.00 59 79.79 57.45 22.34 CHEM DEMO 4.00 1.00 D D D R 4.00 60 67.02 21.28 45.74 CHEM DEMO 4.00 1.00 C B W -1.00 61 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 B B R 4.00										, , ,		
57 69.68 54.79 14.89 CHEM DEMO 4.00 1.00 A L 0.00 58 85.64 71.28 14.36 CHEM DEMO 4.00 1.00 B B B R 4.00 59 79.79 57.45 22.34 CHEM DEMO 4.00 1.00 D D D R 4.00 60 67.02 21.28 45.74 CHEM DEMO 4.00 1.00 C B W -1.00 61 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 B B R 4.00										R		
58 85.64 71.28 14.36 CHEM DEMO 4.00 1.00 B B B R 4.00 59 79.79 57.45 22.34 CHEM DEMO 4.00 1.00 D D D R 4.00 60 67.02 21.28 45.74 CHEM DEMO 4.00 1.00 C B W -1.00 61 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 B B R 4.00										ט		
59 79.79 57.45 22.34 CHEM DEMO 4.00 1.00 D D D R 4.00 60 67.02 21.28 45.74 CHEM DEMO 4.00 1.00 C B W -1.00 61 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 B B R 4.00										Ð		
60 67.02 21.28 45.74 CHEM DEMO 4.00 1.00 C B W -1.00 61 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 B B R 4.00												
61 87.23 67.55 19.68 CHEM DEMO 4.00 1.00 B B R 4.00												
62 59.57 31.38 28.19 CHEM DEMO 4.00 1.00 B L 0.00										В		
	62	59.57	31.38	28.19	CHEM	DEMO	4.00	1.00	В		LL	0.00

QUESTION RESPONSE ANALYSIS

NAME: Anshita Davda (ID No. 232040361)

12JHGQLPKF

TEST: NEET Excel_Minor Test-05_31-08-2025 (ID: 134 DT:

31-Aug-2025

Your Score: 476.00/720.00 (66.11%) Max Score: 700.00 **Rank:** 52

Min Score: 87.00

Percentile: 68.00 Avg Score: 399.06

31-Au	ıg-2025)									
QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	64.36	29.79	34.57	CHEM	DEMO	4.00	1.00	В		L	0.00
64	72.87	45.74	27.13	CHEM	DEMO	4.00	1.00	D		L	0.00
65	84.04	75.00	9.04	CHEM	DEMO	4.00	1.00	В	В	R	4.00
66	60.11	28.72	31.38	CHEM	DEMO	4.00	1.00	В	В	R	4.00
67	71.28	36.70	34.57	CHEM	DEMO	4.00	1.00	С		L	0.00
68	81.38	51.06	30.32	CHEM	DEMO	4.00	1.00	С	С	R	4.00
69	72.87	46.81	26.06	CHEM	DEMO	4.00	1.00	A		L	0.00
70	68.09	26.06	42.02	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
71	77.66	65.43	12.23	CHEM	DEMO	4.00	1.00	С	С	R	4.00
72	44.15	31.91	12.23	CHEM	DEMO	4.00	1.00	С	С	R	4.00
73	69.15	53.72	15.43	CHEM	DEMO	4.00	1.00	Α	A	R	4.00
74	64.36	59.04	5.32	CHEM	DEMO	4.00	1.00	В	В	R	4.00
75	56.38	12.77	43.62	CHEM	DEMO	4.00	1.00	D	С	W	-1.00
76	67.02	51.06	15.96	CHEM	DEMO	4.00	1.00	D	D	R	4.00
77	51.60	34.04	17.55	CHEM	DEMO	4.00	1.00	В	В	R	4.00
78	76.60	59.57	17.02	CHEM	DEMO	4.00	1.00	С	С	R	4.00
79	42.02	20.74	21.28	CHEM	DEMO	4.00	1.00	С	A	W	-1.00
80	55.85	24.47	31.38	CHEM	DEMO	4.00	1.00	Α		L	0.00
81	73.94	46.81	27.13	CHEM	DEMO	4.00	1.00	С	С	R	4.00
82	54.79	40.96	13.83	CHEM	DEMO	4.00	1.00	Α	D	W	-1.00
83	70.21	57.45	12.77	CHEM	DEMO	4.00	1.00	В	В	R	4.00
84	56.91	48.40	8.51	CHEM	DEMO	4.00	1.00	В		L	0.00
85	27.66	19.15	8.51	CHEM	DEMO	4.00	1.00	A		L	0.00
86	42.55	28.19	14.36	CHEM	DEMO	4.00	1.00	В		L	0.00
87	64.36	27.13	37.23	CHEM	DEMO	4.00	1.00	С		L	0.00
88	69.68	48.94	20.74	CHEM	DEMO	4.00	1.00	D	D	R	4.00
89	51.60	17.02	34.57	CHEM	DEMO	4.00	1.00	A		L	0.00
90	54.79	17.02	37.77	CHEM	DEMO	4.00	1.00	С		L	0.00
91	98.40	91.49	6.91	BIOLOGY	DEMO	4.00	1.00	Α	В	W	-1.00
92	98.94	76.06	22.87	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
93	98.40	96.81	1.60	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
94	96.28	59.04	37.23	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
95	96.28	76.60	19.68	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
96	92.02	71.28	20.74	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
97	94.68	78.72	15.96	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
98	98.40	87.23	11.17	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
99	95.74	75.53	20.21	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
100	94.15	71.81	22.34	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
101	96.28	89.89	6.38	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
102	93.62	80.85	12.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
103	98.40	85.64	12.77	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
104	97.87	67.02	30.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
105	81.91	69.15	12.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
106	90.43	75.53	14.89	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
107	97.34	95.21	2.13	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	93.62	70.21	23.40	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
109	93.62	81.38	12.23	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
110	92.02	76.06	15.96	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
111	92.02	78.19	13.83	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
112	95.74	76.06	19.68	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
113	94.15	68.62	25.53	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
114	90.43	71.81	18.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
115	94.68	80.85	13.83	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
116	77.66	48.94	28.72	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
117	95.21	88.83	6.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
118	80.85	55.85	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	96.81	87.77	9.04	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
120	86.17	55.85	30.32	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
121	90.96	70.74	20.21	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
122	89.89	67.55	22.34	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
123	96.81	90.43	6.38	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
124	93.62	85.64	7.98	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

QUESTION RESPONSE ANALYSIS

Percentile: 68.00

Avg Score: 399.06

Total: 476.00

 NAME: Anshita Davda (ID No. 232040361)
 Your Score: 476.00/720.00 (66.11%)
 Max Score: 700.00

 12JHGQLPKF
 Rank: 52
 Min Score: 87.00

TEST: NEET Excel_Minor Test-05_31-08-2025 (**ID:** 134 **DT:**

QNo	ug-2025 ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	95.21	81.91	13.30	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
126	92.02	60.64	31.38	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
127	97.87	93.09	4.79	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
128	94.68	56.38	38.30	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
129	92.55	82.45	10.11	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
130	94.15	80.85	13.30	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
131	96.28	81.38	14.89	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
132	95.74	76.60	19.15	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
133	84.04	44.15	39.89	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
134	87.77	81.38	6.38	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
135	90.96	71.28	19.68	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
136	99.47	42.02	57.45	BIOLOGY	DEMO	4.00	1.00	С	A	W	-1.00
137	76.06	47.34	28.72	BIOLOGY	DEMO	4.00	1.00	C	В	W	-1.00
138	99.47	98.94	0.53	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
139	98.40	93.62	4.79	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
140	99.47	95.21	4.26	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
141	87.23	61.17	26.06	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
142	98.40	97.34	1.06	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
143	98.40		31.38	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
144	99.47	67.02 96.28	3.19	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
145				BIOLOGY	DEMO	4.00	1.00	С	С	R	
	98.40	93.62	4.79		DEMO						4.00
146	97.87	92.55	5.32	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
147	94.68	80.32	14.36	BIOLOGY		4.00	1.00	A	A		4.00
148	84.04	44.15	39.89	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
149	97.87	93.62	4.26	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
150	94.68	73.94	20.74	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
151	97.87	82.45	15.43	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
152	97.34	89.36	7.98	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
153	93.09	86.70	6.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
154	99.47	89.36	10.11	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
155	96.81	91.49	5.32	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
156	93.62	74.47	19.15	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
157	91.49	66.49	25.00	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
158	98.94	72.87	26.06	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
159	92.55	81.91	10.64	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
160	96.81	90.43	6.38	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
161	64.89	18.62	46.28	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
162	91.49	24.47	67.02	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
163	88.83	77.66	11.17	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
164	100.00	97.87	2.13	BIOLOGY	DEMO	4.00	1.00	Α	А	R	4.00
165	85.11	65.43	19.68	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
166	97.34	69.68	27.66	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
167	96.28	84.57	11.70	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
168	93.09	86.17	6.91	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
169	100.00	97.87	2.13	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
170	98.94	97.87	1.06	BIOLOGY	DEMO	4.00	1.00	А	А	R	4.00
171	97.34	89.36	7.98	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
172	95.21	85.64	9.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
173	95.74	70.21	25.53	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
174	99.47	97.34	2.13	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
175	90.96	81.38	9.57	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
176	100.00	98.40	1.60	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
177	99.47	18.62	80.85	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
178	97.34	82.45	14.89	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
179	97.34	69.15	28.19	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
180				BIOLOGY	DEMO	4.00	1.00	С	^	L	
100	96.81	75.00	21.81	DIOLOGY	DEIVIO	4.00	1.00	C			0.00

Total Question: 180 Attempted: 146 (Correct: 122 Incorrect: 24) Score Rate: 0.00 Strike Rate: 0.00

Total Positive Marks: 500.00 Total Negative Marks: 24.00

QUESTION RESPONSE ANALYSIS

NAME: Anshita Davda (ID No. 232040361) Your Score: 476.00/720.00 (66.11%) Max Score: 700.00 12JHGQLPKF **Rank:** 52 Min Score: 87.00

TEST: NEET Excel_Minor Test-05_31-08-2025 (ID: 134 DT: Percentile: 68.00 Avg Score: 399.06

NY
00 89.00 307.00 475.00