

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Aaliyanaz Pathan (ID No. 252013393)
RPCFNZ1F77

Your Score: 207.00/720.00 (28.75%)
Rank: 77
Percentile: 29.57

Max Score: 700.00
Min Score: 107.00
Avg Score: 466.11

TEST: 17-08-2025_NEET Growth_All_Minor Test-03 (ID: 124 DT: 17-Aug-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	89.29	67.86	21.43	PHY	DEMO	4.00	1.00	A	A	R	4.00
2	90.48	65.48	25.00	PHY	DEMO	4.00	1.00	B	B	R	4.00
3	83.33	51.19	32.14	PHY	DEMO	4.00	1.00	C	A	W	-1.00
4	96.43	70.24	26.19	PHY	DEMO	4.00	1.00	C	B	W	-1.00
5	82.14	63.10	19.05	PHY	DEMO	4.00	1.00	A		L	0.00
6	96.43	67.86	28.57	PHY	DEMO	4.00	1.00	B	A	W	-1.00
7	97.62	88.10	9.52	PHY	DEMO	4.00	1.00	A		L	0.00
8	97.62	95.24	2.38	PHY	DEMO	4.00	1.00	A		L	0.00
9	92.86	88.10	4.76	PHY	DEMO	4.00	1.00	A		L	0.00
10	85.71	53.57	32.14	PHY	DEMO	4.00	1.00	D		L	0.00
11	82.14	51.19	30.95	PHY	DEMO	4.00	1.00	C	C	R	4.00
12	82.14	42.86	39.29	PHY	DEMO	4.00	1.00	D	A	W	-1.00
13	85.71	63.10	22.62	PHY	DEMO	4.00	1.00	A	B	W	-1.00
14	94.05	94.05	0.00	PHY	DEMO	4.00	1.00	B	B	R	4.00
15	91.67	78.57	13.10	PHY	DEMO	4.00	1.00	C	B	W	-1.00
16	95.24	85.71	9.52	PHY	DEMO	4.00	1.00	C		L	0.00
17	86.90	70.24	16.67	PHY	DEMO	4.00	1.00	A		L	0.00
18	91.67	83.33	8.33	PHY	DEMO	4.00	1.00	C		L	0.00
19	84.52	71.43	13.10	PHY	DEMO	4.00	1.00	C	A	W	-1.00
20	84.52	79.76	4.76	PHY	DEMO	4.00	1.00	B		L	0.00
21	95.24	79.76	15.48	PHY	DEMO	4.00	1.00	B	A	W	-1.00
22	95.24	75.00	20.24	PHY	DEMO	4.00	1.00	A	D	W	-1.00
23	96.43	77.38	19.05	PHY	DEMO	4.00	1.00	B	D	W	-1.00
24	95.24	83.33	11.90	PHY	DEMO	4.00	1.00	B	A	W	-1.00
25	94.05	77.38	16.67	PHY	DEMO	4.00	1.00	A	A	R	4.00
26	97.62	96.43	1.19	PHY	DEMO	4.00	1.00	B	B	R	4.00
27	79.76	75.00	4.76	PHY	DEMO	4.00	1.00	C	A	W	-1.00
28	89.29	82.14	7.14	PHY	DEMO	4.00	1.00	C	C	R	4.00
29	71.43	58.33	13.10	PHY	DEMO	4.00	1.00	A		L	0.00
30	85.71	53.57	32.14	PHY	DEMO	4.00	1.00	C	A	W	-1.00
31	84.52	75.00	9.52	PHY	DEMO	4.00	1.00	A	B	W	-1.00
32	64.29	50.00	14.29	PHY	DEMO	4.00	1.00	B		L	0.00
33	95.24	67.86	27.38	PHY	DEMO	4.00	1.00	A	A	R	4.00
34	66.67	58.33	8.33	PHY	DEMO	4.00	1.00	C		L	0.00
35	90.48	69.05	21.43	PHY	DEMO	4.00	1.00	B	B	R	4.00
36	92.86	78.57	14.29	PHY	DEMO	4.00	1.00	A	B	W	-1.00
37	63.10	32.14	30.95	PHY	DEMO	4.00	1.00	D	D	R	4.00
38	55.95	44.05	11.90	PHY	DEMO	4.00	1.00	A		L	0.00
39	77.38	47.62	29.76	PHY	DEMO	4.00	1.00	C		L	0.00
40	71.43	53.57	17.86	PHY	DEMO	4.00	1.00	C		L	0.00
41	91.67	58.33	33.33	PHY	DEMO	4.00	1.00	D	A	W	-1.00
42	77.38	46.43	30.95	PHY	DEMO	4.00	1.00	A	D	W	-1.00
43	78.57	61.90	16.67	PHY	DEMO	4.00	1.00	C	B	W	-1.00
44	83.33	70.24	13.10	PHY	DEMO	4.00	1.00	A	B	W	-1.00
45	79.76	60.71	19.05	PHY	DEMO	4.00	1.00	A		L	0.00
46	91.67	84.52	7.14	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
47	97.62	97.62	0.00	CHEM	DEMO	4.00	1.00	D	D	R	4.00
48	94.05	83.33	10.71	CHEM	DEMO	4.00	1.00	B	B	R	4.00
49	77.38	28.57	48.81	CHEM	DEMO	4.00	1.00	B		L	0.00
50	88.10	61.90	26.19	CHEM	DEMO	4.00	1.00	A	A	R	4.00
51	95.24	86.90	8.33	CHEM	DEMO	4.00	1.00	C	C	R	4.00
52	95.24	79.76	15.48	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
53	78.57	55.95	22.62	CHEM	DEMO	4.00	1.00	D	D	R	4.00
54	46.43	11.90	34.52	CHEM	DEMO	4.00	1.00	C	C	R	4.00
55	82.14	59.52	22.62	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
56	85.71	75.00	10.71	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
57	92.86	75.00	17.86	CHEM	DEMO	4.00	1.00	D	D	R	4.00
58	90.48	77.38	13.10	CHEM	DEMO	4.00	1.00	D	D	R	4.00
59	79.76	46.43	33.33	CHEM	DEMO	4.00	1.00	C		L	0.00
60	80.95	64.29	16.67	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
61	67.86	19.05	48.81	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
62	89.29	85.71	3.57	CHEM	DEMO	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Aaliyanaz Pathan (ID No. 252013393)
RPCFNZ1F77

Your Score: 207.00/720.00 (28.75%)
Rank: 77
Percentile: 29.57

Max Score: 700.00
Min Score: 107.00
Avg Score: 466.11

TEST: 17-08-2025_NEET Growth_All_Minor Test-03 (ID: 124 DT: 17-Aug-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	79.76	39.29	40.48	CHEM	DEMO	4.00	1.00	B	B	R	4.00
64	82.14	73.81	8.33	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
65	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00		C	C	4.00
66	71.43	44.05	27.38	CHEM	DEMO	4.00	1.00	A		L	0.00
67	82.14	61.90	20.24	CHEM	DEMO	4.00	1.00	A	A	R	4.00
68	70.24	45.24	25.00	CHEM	DEMO	4.00	1.00	A		L	0.00
69	88.10	61.90	26.19	CHEM	DEMO	4.00	1.00	A	A	R	4.00
70	82.14	58.33	23.81	CHEM	DEMO	4.00	1.00	A		L	0.00
71	79.76	58.33	21.43	CHEM	DEMO	4.00	1.00	C	C	R	4.00
72	83.33	46.43	36.90	CHEM	DEMO	4.00	1.00	C		L	0.00
73	75.00	45.24	29.76	CHEM	DEMO	4.00	1.00	D		L	0.00
74	71.43	60.71	10.71	CHEM	DEMO	4.00	1.00	D	D	R	4.00
75	71.43	48.81	22.62	CHEM	DEMO	4.00	1.00	B	B	R	4.00
76	69.05	48.81	20.24	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
77	85.71	5.95	79.76	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
78	58.33	46.43	11.90	CHEM	DEMO	4.00	1.00	A		L	0.00
79	80.95	73.81	7.14	CHEM	DEMO	4.00	1.00	A	A	R	4.00
80	76.19	61.90	14.29	CHEM	DEMO	4.00	1.00	A		L	0.00
81	69.05	23.81	45.24	CHEM	DEMO	4.00	1.00	A		L	0.00
82	55.95	48.81	7.14	CHEM	DEMO	4.00	1.00	A	A	R	4.00
83	78.57	51.19	27.38	CHEM	DEMO	4.00	1.00	A		L	0.00
84	66.67	45.24	21.43	CHEM	DEMO	4.00	1.00	A		L	0.00
85	70.24	47.62	22.62	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
86	79.76	64.29	15.48	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
87	86.90	83.33	3.57	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
88	90.48	75.00	15.48	CHEM	DEMO	4.00	1.00	C	C	R	4.00
89	86.90	80.95	5.95	CHEM	DEMO	4.00	1.00	A		L	0.00
90	94.05	80.95	13.10	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
91	97.62	59.52	38.10	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
92	100.00	91.67	8.33	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
93	97.62	96.43	1.19	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
94	97.62	90.48	7.14	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
95	97.62	88.10	9.52	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
96	98.81	89.29	9.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
97	96.43	91.67	4.76	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
98	91.67	26.19	65.48	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
99	100.00	89.29	10.71	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
100	96.43	95.24	1.19	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
101	92.86	85.71	7.14	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
102	97.62	92.86	4.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
103	98.81	96.43	2.38	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
104	100.00	94.05	5.95	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
105	96.43	90.48	5.95	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
106	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00			C	4.00
107	94.05	75.00	19.05	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
108	89.29	83.33	5.95	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
109	98.81	97.62	1.19	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
110	100.00	95.24	4.76	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
111	98.81	96.43	2.38	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
112	88.10	55.95	32.14	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
113	42.86	32.14	10.71	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
114	95.24	82.14	13.10	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
115	89.29	25.00	64.29	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
116	80.95	55.95	25.00	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
117	94.05	72.62	21.43	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
118	92.86	38.10	54.76	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
119	75.00	51.19	23.81	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
120	88.10	65.48	22.62	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
121	92.86	65.48	27.38	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
122	94.05	42.86	51.19	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
123	88.10	46.43	41.67	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
124	96.43	75.00	21.43	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Aaliyanaz Pathan (ID No. 252013393)
RPCFNZ1F77

Your Score: 207.00/720.00 (28.75%)

Max Score: 700.00

Rank: 77

Min Score: 107.00

TEST: 17-08-2025_NEET Growth_All_Minor Test-03 (ID: 124 DT: 17-Aug-2025)

Percentile: 29.57

Avg Score: 466.11

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	92.86	83.33	9.52	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
126	92.86	64.29	28.57	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
127	97.62	85.71	11.90	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
128	90.48	69.05	21.43	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
129	91.67	65.48	26.19	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
130	96.43	84.52	11.90	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
131	100.00	94.05	5.95	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
132	95.24	83.33	11.90	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
133	97.62	92.86	4.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
134	94.05	91.67	2.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
135	89.29	76.19	13.10	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
136	94.05	79.76	14.29	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
137	79.76	38.10	41.67	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
138	95.24	83.33	11.90	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
139	97.62	92.86	4.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
140	96.43	78.57	17.86	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
141	97.62	91.67	5.95	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
142	83.33	70.24	13.10	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
143	83.33	59.52	23.81	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
144	96.43	96.43	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
145	94.05	85.71	8.33	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
146	97.62	85.71	11.90	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
147	86.90	76.19	10.71	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
148	96.43	79.76	16.67	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
149	88.10	71.43	16.67	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
150	98.81	88.10	10.71	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
151	80.95	51.19	29.76	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
152	86.90	73.81	13.10	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
153	94.05	57.14	36.90	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
154	78.57	41.67	36.90	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
155	90.48	72.62	17.86	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
156	96.43	89.29	7.14	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
157	97.62	91.67	5.95	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
158	78.57	75.00	3.57	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
159	89.29	73.81	15.48	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
160	96.43	89.29	7.14	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
161	89.29	72.62	16.67	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
162	80.95	63.10	17.86	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
163	96.43	79.76	16.67	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
164	98.81	83.33	15.48	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
165	78.57	54.76	23.81	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
166	95.24	80.95	14.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
167	75.00	50.00	25.00	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
168	88.10	64.29	23.81	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
169	84.52	77.38	7.14	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
170	97.62	89.29	8.33	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
171	79.76	65.48	14.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
172	90.48	84.52	5.95	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
173	89.29	72.62	16.67	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
174	80.95	69.05	11.90	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
175	77.38	57.14	20.24	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
176	97.62	66.67	30.95	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
177	73.81	45.24	28.57	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
178	92.86	80.95	11.90	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
179	94.05	84.52	9.52	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
180	90.48	66.67	23.81	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 131 (**Correct:** 66 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 207.00

Total Positive Marks: 272.00 **Total Negative Marks:** 65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

	PHY		CHEM	BIOLOGY	Total
	21.00		63.00	123.00	207.00