

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Delisha Patel (ID No. 252003932)
MYANT6N6BQ
TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT: 31-Aug-2025)

Your Score: 285.00/720.00 (39.58%)
Rank: 97
Percentile: 40.95

Max Score: 696.00
Min Score: 93.00
Avg Score: 397.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.85	88.46	5.38	PHY	DEMO	4.00	1.00	C	C	R	4.00
2	93.08	81.54	11.54	PHY	DEMO	4.00	1.00	D	C	W	-1.00
3	73.85	41.54	32.31	PHY	DEMO	4.00	1.00	D	C	W	-1.00
4	86.92	71.54	15.38	PHY	DEMO	4.00	1.00	A	C	W	-1.00
5	87.69	56.15	31.54	PHY	DEMO	4.00	1.00	A	D	W	-1.00
6	93.85	80.00	13.85	PHY	DEMO	4.00	1.00	C		L	0.00
7	91.54	54.62	36.92	PHY	DEMO	4.00	1.00	D	B	W	-1.00
8	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
9	92.31	54.62	37.69	PHY	DEMO	4.00	1.00	D	B	W	-1.00
10	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		D	C	4.00
11	86.15	46.15	40.00	PHY	DEMO	4.00	1.00	B	C	W	-1.00
12	84.62	26.92	57.69	PHY	DEMO	4.00	1.00	C	A	W	-1.00
13	78.46	66.15	12.31	PHY	DEMO	4.00	1.00	D	D	R	4.00
14	81.54	23.08	58.46	PHY	DEMO	4.00	1.00	C	A	W	-1.00
15	76.92	27.69	49.23	PHY	DEMO	4.00	1.00	B		L	0.00
16	83.08	59.23	23.85	PHY	DEMO	4.00	1.00	D	D	R	4.00
17	69.23	53.08	16.15	PHY	DEMO	4.00	1.00	B	B	R	4.00
18	76.92	50.77	26.15	PHY	DEMO	4.00	1.00	A	B	W	-1.00
19	45.38	32.31	13.08	PHY	DEMO	4.00	1.00	C		L	0.00
20	80.00	50.77	29.23	PHY	DEMO	4.00	1.00	B	D	W	-1.00
21	80.77	63.08	17.69	PHY	DEMO	4.00	1.00	D	D	R	4.00
22	89.23	49.23	40.00	PHY	DEMO	4.00	1.00	C	C	R	4.00
23	57.69	21.54	36.15	PHY	DEMO	4.00	1.00	D		L	0.00
24	90.77	56.92	33.85	PHY	DEMO	4.00	1.00	A	A	R	4.00
25	90.77	60.00	30.77	PHY	DEMO	4.00	1.00	B	A	W	-1.00
26	50.77	31.54	19.23	PHY	DEMO	4.00	1.00	D	D	R	4.00
27	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
28	83.08	44.62	38.46	PHY	DEMO	4.00	1.00	D	A	W	-1.00
29	70.77	47.69	23.08	PHY	DEMO	4.00	1.00	C		L	0.00
30	86.15	72.31	13.85	PHY	DEMO	4.00	1.00	B	B	R	4.00
31	87.69	60.00	27.69	PHY	DEMO	4.00	1.00	C	B	W	-1.00
32	86.92	83.08	3.85	PHY	DEMO	4.00	1.00	B	B	R	4.00
33	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		A	C	4.00
34	80.77	65.38	15.38	PHY	DEMO	4.00	1.00	A		L	0.00
35	84.62	56.92	27.69	PHY	DEMO	4.00	1.00	A	A	R	4.00
36	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
37	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
38	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		C	C	4.00
39	68.46	23.08	45.38	PHY	DEMO	4.00	1.00	C	B	W	-1.00
40	84.62	46.15	38.46	PHY	DEMO	4.00	1.00	C	A	W	-1.00
41	79.23	63.85	15.38	PHY	DEMO	4.00	1.00	A	A	R	4.00
42	85.38	53.85	31.54	PHY	DEMO	4.00	1.00	B		L	0.00
43	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		C	C	4.00
44	88.46	76.15	12.31	PHY	DEMO	4.00	1.00	A	A	R	4.00
45	97.69	85.38	12.31	PHY	DEMO	4.00	1.00	C	C	R	4.00
46	71.54	32.31	39.23	CHEM	DEMO	4.00	1.00	A	A	R	4.00
47	79.23	67.69	11.54	CHEM	DEMO	4.00	1.00	A		L	0.00
48	79.23	43.85	35.38	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
49	90.77	54.62	36.15	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
50	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00			C	4.00
51	76.92	63.08	13.85	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
52	82.31	63.85	18.46	CHEM	DEMO	4.00	1.00	A	A	R	4.00
53	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00		D	C	4.00
54	87.69	46.92	40.77	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
55	56.92	10.77	46.15	CHEM	DEMO	4.00	1.00	D		L	0.00
56	73.08	52.31	20.77	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
57	87.69	76.15	11.54	CHEM	DEMO	4.00	1.00	D		L	0.00
58	56.92	40.00	16.92	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
59	88.46	60.00	28.46	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
60	46.92	15.38	31.54	CHEM	DEMO	4.00	1.00	C		L	0.00
61	63.85	43.85	20.00	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
62	53.85	40.00	13.85	CHEM	DEMO	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Delisha Patel (ID No. 252003932)
MYANT6N6BQ

Your Score: 285.00/720.00 (39.58%)
Rank: 97
Percentile: 40.95

Max Score: 696.00
Min Score: 93.00
Avg Score: 397.68

TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT: 31-Aug-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	63.08	46.92	16.15	CHEM	DEMO	4.00	1.00	A	A	R	4.00
64	64.62	25.38	39.23	CHEM	DEMO	4.00	1.00	B		L	0.00
65	53.85	45.38	8.46	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
66	45.38	32.31	13.08	CHEM	DEMO	4.00	1.00	D		L	0.00
67	43.08	21.54	21.54	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
68	29.23	9.23	20.00	CHEM	DEMO	4.00	1.00	A		L	0.00
69	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00		D	C	4.00
70	76.92	52.31	24.62	CHEM	DEMO	4.00	1.00	C		L	0.00
71	63.85	40.00	23.85	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
72	58.46	12.31	46.15	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
73	30.77	23.85	6.92	CHEM	DEMO	4.00	1.00	A		L	0.00
74	79.23	59.23	20.00	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
75	80.00	52.31	27.69	CHEM	DEMO	4.00	1.00	A	AB	W	-1.00
76	50.77	32.31	18.46	CHEM	DEMO	4.00	1.00	D		L	0.00
77	57.69	34.62	23.08	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
78	65.38	31.54	33.85	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
79	36.15	25.38	10.77	CHEM	DEMO	4.00	1.00	C		L	0.00
80	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00			C	4.00
81	80.77	64.62	16.15	CHEM	DEMO	4.00	1.00	A	A	R	4.00
82	80.00	34.62	45.38	CHEM	DEMO	4.00	1.00	A		L	0.00
83	74.62	65.38	9.23	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
84	64.62	50.00	14.62	CHEM	DEMO	4.00	1.00	B		L	0.00
85	64.62	45.38	19.23	CHEM	DEMO	4.00	1.00	C		L	0.00
86	69.23	47.69	21.54	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
87	73.08	59.23	13.85	CHEM	DEMO	4.00	1.00	C	C	R	4.00
88	70.00	46.92	23.08	CHEM	DEMO	4.00	1.00	B		L	0.00
89	74.62	63.08	11.54	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
90	63.85	27.69	36.15	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
91	96.92	81.54	15.38	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
92	88.46	56.15	32.31	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
93	87.69	63.08	24.62	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
94	87.69	40.77	46.92	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
95	95.38	93.85	1.54	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
96	93.08	80.77	12.31	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
97	83.85	60.00	23.85	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
98	86.15	76.92	9.23	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
99	91.54	84.62	6.92	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
100	80.00	40.00	40.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	87.69	72.31	15.38	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
102	96.92	89.23	7.69	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
103	96.15	90.00	6.15	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
104	88.46	59.23	29.23	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
105	70.77	56.92	13.85	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
106	70.00	20.77	49.23	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
107	90.00	75.38	14.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	97.69	83.08	14.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	92.31	87.69	4.62	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
110	98.46	90.00	8.46	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
111	84.62	28.46	56.15	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
112	79.23	28.46	50.77	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
113	86.15	64.62	21.54	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
114	93.08	75.38	17.69	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
115	79.23	50.77	28.46	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
116	90.00	83.08	6.92	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
117	96.92	73.85	23.08	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
118	96.15	38.46	57.69	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
119	97.69	80.77	16.92	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
120	95.38	83.85	11.54	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
121	90.77	77.69	13.08	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
122	92.31	79.23	13.08	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
123	96.15	78.46	17.69	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
124	92.31	72.31	20.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Delisha Patel (ID No. 252003932)
MYANT6N6BQ

Your Score: 285.00/720.00 (39.58%)

Max Score: 696.00

Rank: 97

Min Score: 93.00

TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT: 31-Aug-2025)

Percentile: 40.95

Avg Score: 397.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	83.08	56.15	26.92	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
126	75.38	50.77	24.62	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
127	93.08	78.46	14.62	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
128	90.00	68.46	21.54	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
129	93.85	83.85	10.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
130	92.31	64.62	27.69	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
131	90.00	74.62	15.38	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
132	84.62	56.92	27.69	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
133	88.46	66.92	21.54	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
134	92.31	87.69	4.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
135	90.00	31.54	58.46	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
136	86.92	59.23	27.69	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
137	95.38	71.54	23.85	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
138	86.92	53.08	33.85	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
139	87.69	55.38	32.31	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
140	96.15	90.77	5.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
141	89.23	65.38	23.85	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
142	97.69	86.92	10.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
143	73.08	40.77	32.31	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
144	94.62	89.23	5.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
145	76.92	23.08	53.85	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
146	86.92	71.54	15.38	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
147	72.31	49.23	23.08	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
148	81.54	56.92	24.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
149	86.92	42.31	44.62	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
150	87.69	62.31	25.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
151	84.62	46.15	38.46	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
152	92.31	80.77	11.54	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
153	86.92	71.54	15.38	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
154	78.46	26.15	52.31	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
155	71.54	35.38	36.15	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
156	72.31	39.23	33.08	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
157	66.92	26.92	40.00	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
158	78.46	42.31	36.15	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
159	87.69	73.08	14.62	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
160	69.23	60.00	9.23	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
161	88.46	66.15	22.31	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
162	74.62	49.23	25.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
163	89.23	70.00	19.23	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
164	94.62	80.77	13.85	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
165	97.69	79.23	18.46	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
166	95.38	86.92	8.46	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
167	97.69	88.46	9.23	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
168	92.31	72.31	20.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
169	96.15	94.62	1.54	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
170	63.85	40.00	23.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
171	88.46	65.38	23.08	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
172	93.85	75.38	18.46	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
173	90.00	73.08	16.92	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
174	94.62	81.54	13.08	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
175	90.00	80.77	9.23	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
176	94.62	76.15	18.46	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
177	95.38	80.77	14.62	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
178	85.38	69.23	16.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
179	96.92	92.31	4.62	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
180	93.08	59.23	33.85	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

Total Question: 180 **Attempted:** 133 (**Correct:** 74 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 285.00

Total Positive Marks: 344.00 **Total Negative Marks:** 59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
72.00		16.00	197.00	285.00