

QUESTION RESPONSE ANALYSIS

Avg Score: 425.11

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Swayam Suthar (ID No. 232040813)
ZA06SPPEQV

Your Score: 700.00/720.00 (97.22%)
Rank: 1
Percentile: 100.00

Max Score: 700.00
Min Score: 69.00
Avg Score: 425.11

TEST: NEET_Excel_All_PartTest-07_05-10-2025 (ID: 153 DT: 05-Oct-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	81.06	52.27	28.79	CHEM	DEMO	4.00	1.00	A	A	R	4.00
64	64.39	43.18	21.21	CHEM	DEMO	4.00	1.00	D	D	R	4.00
65	82.58	74.24	8.33	CHEM	DEMO	4.00	1.00	A	A	R	4.00
66	82.58	68.18	14.39	CHEM	DEMO	4.00	1.00	C	C	R	4.00
67	69.70	50.76	18.94	CHEM	DEMO	4.00	1.00	B	B	R	4.00
68	85.61	63.64	21.97	CHEM	DEMO	4.00	1.00	B	B	R	4.00
69	72.73	53.79	18.94	CHEM	DEMO	4.00	1.00	A	A	R	4.00
70	82.58	69.70	12.88	CHEM	DEMO	4.00	1.00	C	C	R	4.00
71	78.03	56.82	21.21	CHEM	DEMO	4.00	1.00	B	B	R	4.00
72	73.48	34.85	38.64	CHEM	DEMO	4.00	1.00	B	B	R	4.00
73	90.91	48.48	42.42	CHEM	DEMO	4.00	1.00	C	C	R	4.00
74	72.73	52.27	20.45	CHEM	DEMO	4.00	1.00	B	B	R	4.00
75	68.94	58.33	10.61	CHEM	DEMO	4.00	1.00	C	C	R	4.00
76	86.36	75.76	10.61	CHEM	DEMO	4.00	1.00	A	A	R	4.00
77	81.82	60.61	21.21	CHEM	DEMO	4.00	1.00	A	A	R	4.00
78	84.85	73.48	11.36	CHEM	DEMO	4.00	1.00	B	B	R	4.00
79	78.79	69.70	9.09	CHEM	DEMO	4.00	1.00	C	C	R	4.00
80	87.88	68.94	18.94	CHEM	DEMO	4.00	1.00	C	C	R	4.00
81	80.30	61.36	18.94	CHEM	DEMO	4.00	1.00	C	C	R	4.00
82	81.82	42.42	39.39	CHEM	DEMO	4.00	1.00	B	B	R	4.00
83	75.00	53.03	21.97	CHEM	DEMO	4.00	1.00	B	B	R	4.00
84	65.91	49.24	16.67	CHEM	DEMO	4.00	1.00	B	B	R	4.00
85	78.79	64.39	14.39	CHEM	DEMO	4.00	1.00	C	C	R	4.00
86	77.27	61.36	15.91	CHEM	DEMO	4.00	1.00	B	B	R	4.00
87	81.82	57.58	24.24	CHEM	DEMO	4.00	1.00	B	B	R	4.00
88	68.18	42.42	25.76	CHEM	DEMO	4.00	1.00	D	D	R	4.00
89	68.94	46.21	22.73	CHEM	DEMO	4.00	1.00	B	B	R	4.00
90	87.12	68.94	18.18	CHEM	DEMO	4.00	1.00	D	D	R	4.00
91	98.48	90.15	8.33	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
92	98.48	92.42	6.06	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
93	100.00	90.15	9.85	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
94	94.70	49.24	45.45	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
95	98.48	67.42	31.06	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
96	95.45	78.03	17.42	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
97	98.48	80.30	18.18	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
98	92.42	78.79	13.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
99	96.21	90.15	6.06	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
100	98.48	90.15	8.33	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	92.42	85.61	6.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
102	99.24	91.67	7.58	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
103	93.94	62.88	31.06	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
104	87.88	63.64	24.24	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
105	100.00	95.45	4.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
106	94.70	76.52	18.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
107	99.24	84.85	14.39	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	94.70	87.12	7.58	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	96.97	85.61	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
110	100.00	86.36	13.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
111	90.15	83.33	6.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
112	100.00	97.73	2.27	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
113	95.45	75.76	19.70	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
114	87.88	62.12	25.76	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
115	94.70	48.48	46.21	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
116	93.94	65.15	28.79	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
117	96.21	76.52	19.70	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
118	98.48	87.12	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	94.70	78.03	16.67	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
120	91.67	75.00	16.67	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
121	99.24	97.73	1.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
122	96.97	86.36	10.61	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
123	93.18	71.97	21.21	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
124	99.24	82.58	16.67	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

QUESTION RESPONSE ANALYSIS

Avg Score: 425.11

Total Positive Marks: 704.00 Total Negative Marks: 4.00

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

	PHY		CHEM	BIOLOGY	Total
	170.00		180.00	350.00	700.00