

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Pranshu Patel (ID No. 232042394)
RPIPESARTH
TEST: 17-08-2025_NEET Excel_All_Minor Test-04 (ID: 125 DT: 17-Aug-2025)

Your Score: 381.00/720.00 (52.92%)
Rank: 71
Percentile: 55.62

Max Score: 685.00
Min Score: 48.00
Avg Score: 412.08

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.87	46.22	38.66	PHY	DEMO	4.00	1.00	D	B	W	-1.00
2	87.39	68.07	19.33	PHY	DEMO	4.00	1.00	D	B	W	-1.00
3	87.39	61.34	26.05	PHY	DEMO	4.00	1.00	A	A	R	4.00
4	94.96	50.42	44.54	PHY	DEMO	4.00	1.00	B	A	W	-1.00
5	83.19	30.25	52.94	PHY	DEMO	4.00	1.00	D	A	W	-1.00
6	79.83	29.41	50.42	PHY	DEMO	4.00	1.00	A	C	W	-1.00
7	50.42	21.85	28.57	PHY	DEMO	4.00	1.00	D	D	R	4.00
8	54.62	44.54	10.08	PHY	DEMO	4.00	1.00	A	A	R	4.00
9	55.46	31.93	23.53	PHY	DEMO	4.00	1.00	A	B	W	-1.00
10	74.79	50.42	24.37	PHY	DEMO	4.00	1.00	A	C	W	-1.00
11	80.67	55.46	25.21	PHY	DEMO	4.00	1.00	B	B	R	4.00
12	42.86	36.97	5.88	PHY	DEMO	4.00	1.00	D	D	R	4.00
13	85.71	65.55	20.17	PHY	DEMO	4.00	1.00	D	D	R	4.00
14	74.79	48.74	26.05	PHY	DEMO	4.00	1.00	A	A	R	4.00
15	73.95	60.50	13.45	PHY	DEMO	4.00	1.00	B	D	W	-1.00
16	71.43	64.71	6.72	PHY	DEMO	4.00	1.00	D		L	0.00
17	14.29	3.36	10.92	PHY	DEMO	4.00	1.00	A		L	0.00
18	88.24	48.74	39.50	PHY	DEMO	4.00	1.00	D	D	R	4.00
19	68.91	56.30	12.61	PHY	DEMO	4.00	1.00	A	D	W	-1.00
20	31.93	12.61	19.33	PHY	DEMO	4.00	1.00	B	D	W	-1.00
21	73.11	47.06	26.05	PHY	DEMO	4.00	1.00	B	B	R	4.00
22	42.02	26.89	15.13	PHY	DEMO	4.00	1.00	D		L	0.00
23	83.19	21.85	61.34	PHY	DEMO	4.00	1.00	B	A	W	-1.00
24	73.95	45.38	28.57	PHY	DEMO	4.00	1.00	A	A	R	4.00
25	89.08	73.95	15.13	PHY	DEMO	4.00	1.00	A	B	W	-1.00
26	68.91	40.34	28.57	PHY	DEMO	4.00	1.00	B		L	0.00
27	56.30	45.38	10.92	PHY	DEMO	4.00	1.00	B	B	R	4.00
28	85.71	59.66	26.05	PHY	DEMO	4.00	1.00	A	A	R	4.00
29	59.66	33.61	26.05	PHY	DEMO	4.00	1.00	B	C	W	-1.00
30	48.74	27.73	21.01	PHY	DEMO	4.00	1.00	B	B	R	4.00
31	83.19	63.87	19.33	PHY	DEMO	4.00	1.00	A	A	R	4.00
32	57.98	31.09	26.89	PHY	DEMO	4.00	1.00	A	B	W	-1.00
33	43.70	18.49	25.21	PHY	DEMO	4.00	1.00	B	A	W	-1.00
34	78.15	68.91	9.24	PHY	DEMO	4.00	1.00	A	A	R	4.00
35	49.58	37.82	11.76	PHY	DEMO	4.00	1.00	B		L	0.00
36	56.30	22.69	33.61	PHY	DEMO	4.00	1.00	A	B	W	-1.00
37	42.86	31.93	10.92	PHY	DEMO	4.00	1.00	B		L	0.00
38	70.59	57.98	12.61	PHY	DEMO	4.00	1.00	C	C	R	4.00
39	82.35	59.66	22.69	PHY	DEMO	4.00	1.00	C	A	W	-1.00
40	66.39	27.73	38.66	PHY	DEMO	4.00	1.00	D	A	W	-1.00
41	36.13	13.45	22.69	PHY	DEMO	4.00	1.00	C		L	0.00
42	59.66	36.97	22.69	PHY	DEMO	4.00	1.00	B	B	R	4.00
43	84.87	65.55	19.33	PHY	DEMO	4.00	1.00	C	C	R	4.00
44	80.67	43.70	36.97	PHY	DEMO	4.00	1.00	A	A	R	4.00
45	82.35	55.46	26.89	PHY	DEMO	4.00	1.00	C		L	0.00
46	87.39	37.82	49.58	CHEM	DEMO	4.00	1.00	D	D	R	4.00
47	86.55	76.47	10.08	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
48	69.75	47.06	22.69	CHEM	DEMO	4.00	1.00	A	A	R	4.00
49	82.35	41.18	41.18	CHEM	DEMO	4.00	1.00	B	B	R	4.00
50	72.27	56.30	15.97	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
51	76.47	54.62	21.85	CHEM	DEMO	4.00	1.00	C	C	R	4.00
52	61.34	32.77	28.57	CHEM	DEMO	4.00	1.00	A	A	R	4.00
53	38.66	21.85	16.81	CHEM	DEMO	4.00	1.00	B	B	R	4.00
54	36.13	28.57	7.56	CHEM	DEMO	4.00	1.00	D	D	R	4.00
55	57.14	41.18	15.97	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
56	39.50	31.93	7.56	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
57	70.59	51.26	19.33	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
58	57.98	31.09	26.89	CHEM	DEMO	4.00	1.00	B	B	R	4.00
59	45.38	21.85	23.53	CHEM	DEMO	4.00	1.00	D	D	R	4.00
60	32.77	19.33	13.45	CHEM	DEMO	4.00	1.00	C	C	R	4.00
61	50.42	26.89	23.53	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
62	54.62	35.29	19.33	CHEM	DEMO	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Pranshu Patel (ID No. 232042394)
RPIPESARTH
TEST: 17-08-2025_NEET Excel_All_Minor Test-04 (ID: 125 DT: 17-Aug-2025)

Your Score: 381.00/720.00 (52.92%)
Rank: 71
Percentile: 55.62

Max Score: 685.00
Min Score: 48.00
Avg Score: 412.08

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	67.23	25.21	42.02	CHEM	DEMO	4.00	1.00	C	C	R	4.00
64	71.43	33.61	37.82	CHEM	DEMO	4.00	1.00	D	D	R	4.00
65	21.85	9.24	12.61	CHEM	DEMO	4.00	1.00	C	C	R	4.00
66	70.59	43.70	26.89	CHEM	DEMO	4.00	1.00	C	C	R	4.00
67	58.82	48.74	10.08	CHEM	DEMO	4.00	1.00	D		L	0.00
68	75.63	42.02	33.61	CHEM	DEMO	4.00	1.00	D		L	0.00
69	68.07	50.42	17.65	CHEM	DEMO	4.00	1.00	B	B	R	4.00
70	71.43	59.66	11.76	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
71	78.15	59.66	18.49	CHEM	DEMO	4.00	1.00	C	C	R	4.00
72	57.14	10.08	47.06	CHEM	DEMO	4.00	1.00	B		L	0.00
73	75.63	65.55	10.08	CHEM	DEMO	4.00	1.00	C	C	R	4.00
74	80.67	66.39	14.29	CHEM	DEMO	4.00	1.00	D	D	R	4.00
75	68.07	66.39	1.68	CHEM	DEMO	4.00	1.00	B	B	R	4.00
76	63.87	54.62	9.24	CHEM	DEMO	4.00	1.00	D	D	R	4.00
77	60.50	43.70	16.81	CHEM	DEMO	4.00	1.00	B	B	R	4.00
78	67.23	46.22	21.01	CHEM	DEMO	4.00	1.00	C	C	R	4.00
79	66.39	49.58	16.81	CHEM	DEMO	4.00	1.00	B	B	R	4.00
80	78.15	70.59	7.56	CHEM	DEMO	4.00	1.00	A	A	R	4.00
81	80.67	72.27	8.40	CHEM	DEMO	4.00	1.00	B	B	R	4.00
82	67.23	31.09	36.13	CHEM	DEMO	4.00	1.00	D	D	R	4.00
83	75.63	62.18	13.45	CHEM	DEMO	4.00	1.00	C	C	R	4.00
84	62.18	42.86	19.33	CHEM	DEMO	4.00	1.00	B	B	R	4.00
85	84.03	74.79	9.24	CHEM	DEMO	4.00	1.00	C	C	R	4.00
86	82.35	66.39	15.97	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
87	68.07	51.26	16.81	CHEM	DEMO	4.00	1.00	A		L	0.00
88	71.43	57.98	13.45	CHEM	DEMO	4.00	1.00	C		L	0.00
89	80.67	68.07	12.61	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
90	93.28	85.71	7.56	CHEM	DEMO	4.00	1.00	B	B	R	4.00
91	94.96	26.89	68.07	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
92	90.76	68.07	22.69	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
93	94.96	71.43	23.53	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
94	96.64	90.76	5.88	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
95	94.12	79.83	14.29	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
96	97.48	92.44	5.04	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
97	87.39	65.55	21.85	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
98	91.60	73.11	18.49	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
99	80.67	45.38	35.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
100	98.32	84.87	13.45	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
101	92.44	76.47	15.97	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
102	98.32	94.12	4.20	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
103	80.67	63.87	16.81	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
104	100.00	97.48	2.52	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
105	99.16	94.96	4.20	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
106	85.71	59.66	26.05	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
107	94.12	66.39	27.73	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	94.96	73.95	21.01	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
109	51.26	21.01	30.25	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
110	99.16	98.32	0.84	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
111	99.16	96.64	2.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
112	99.16	97.48	1.68	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
113	94.12	75.63	18.49	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
114	95.80	71.43	24.37	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
115	96.64	88.24	8.40	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
116	98.32	84.87	13.45	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
117	98.32	89.08	9.24	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
118	93.28	84.87	8.40	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
119	95.80	80.67	15.13	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
120	93.28	70.59	22.69	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
121	98.32	93.28	5.04	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
122	92.44	70.59	21.85	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
123	97.48	94.96	2.52	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
124	85.71	74.79	10.92	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Pranshu Patel (ID No. 232042394)
RPIESARTH

Your Score: 381.00/720.00 (52.92%)

Max Score: 685.00

Rank: 71

Min Score: 48.00

TEST: 17-08-2025_NEET Excel_All_Minor Test-04 (ID: 125 DT: 17-Aug-2025)

Percentile: 55.62

Avg Score: 412.08

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	80.67	57.98	22.69	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
126	96.64	82.35	14.29	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
127	100.00	90.76	9.24	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
128	94.96	37.82	57.14	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
129	94.96	78.15	16.81	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
130	90.76	84.03	6.72	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
131	96.64	80.67	15.97	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
132	95.80	87.39	8.40	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
133	78.99	47.90	31.09	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
134	92.44	85.71	6.72	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
135	96.64	82.35	14.29	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
136	99.16	98.32	0.84	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
137	95.80	53.78	42.02	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
138	99.16	87.39	11.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
139	91.60	54.62	36.97	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
140	98.32	89.92	8.40	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
141	95.80	44.54	51.26	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
142	94.96	54.62	40.34	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
143	100.00	97.48	2.52	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
144	99.16	97.48	1.68	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
145	82.35	59.66	22.69	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
146	97.48	85.71	11.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
147	99.16	96.64	2.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
148	95.80	62.18	33.61	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
149	100.00	98.32	1.68	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
150	99.16	48.74	50.42	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
151	99.16	54.62	44.54	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
152	96.64	86.55	10.08	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
153	97.48	81.51	15.97	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
154	98.32	82.35	15.97	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
155	95.80	67.23	28.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
156	99.16	94.96	4.20	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
157	99.16	88.24	10.92	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
158	99.16	96.64	2.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
159	100.00	99.16	0.84	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
160	92.44	63.03	29.41	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
161	99.16	91.60	7.56	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
162	97.48	70.59	26.89	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
163	99.16	63.03	36.13	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
164	95.80	86.55	9.24	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
165	100.00	94.96	5.04	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
166	99.16	98.32	0.84	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
167	99.16	89.08	10.08	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
168	96.64	79.83	16.81	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
169	100.00	90.76	9.24	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
170	99.16	97.48	1.68	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
171	98.32	95.80	2.52	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
172	98.32	97.48	0.84	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
173	99.16	98.32	0.84	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
174	93.28	65.55	27.73	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
175	98.32	96.64	1.68	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
176	100.00	95.80	4.20	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
177	94.12	73.11	21.01	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
178	97.48	81.51	15.97	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
179	99.16	99.16	0.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
180	70.59	54.62	15.97	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00

Total Question: 180 **Attempted:** 164 (**Correct:** 109 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 381.00

Total Positive Marks: 436.00 **Total Negative Marks:** 55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
58.00		115.00	208.00	381.00