

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Shanvi Nagani (ID No. 242003263)
WIOVQAZDKC

Your Score: 306.00/720.00 (42.50%)

Max Score: 670.00

Rank: 87

Min Score: 10.00

TEST: NEET Excel_Part Test-06_14-09-2025 (ID: 143 DT: 14-Sep-2025)

Percentile: 45.67

Avg Score: 302.08

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	87.79	76.16	11.63	PHY	DEMO	4.00	1.00	D	D	R	4.00
2	73.26	46.51	26.74	PHY	DEMO	4.00	1.00	A	A	R	4.00
3	83.72	58.14	25.58	PHY	DEMO	4.00	1.00	D	D	R	4.00
4	79.07	36.63	42.44	PHY	DEMO	4.00	1.00	D	D	R	4.00
5	80.81	50.58	30.23	PHY	DEMO	4.00	1.00	A	D	W	-1.00
6	75.58	33.14	42.44	PHY	DEMO	4.00	1.00	B	B	R	4.00
7	83.14	28.49	54.65	PHY	DEMO	4.00	1.00	C	B	W	-1.00
8	59.30	12.79	46.51	PHY	DEMO	4.00	1.00	B	B	R	4.00
9	73.26	47.09	26.16	PHY	DEMO	4.00	1.00	B	B	R	4.00
10	80.81	48.84	31.98	PHY	DEMO	4.00	1.00	B	B	R	4.00
11	70.35	47.67	22.67	PHY	DEMO	4.00	1.00	D	D	R	4.00
12	69.77	50.58	19.19	PHY	DEMO	4.00	1.00	C	C	R	4.00
13	86.63	71.51	15.12	PHY	DEMO	4.00	1.00	D	D	R	4.00
14	81.98	61.63	20.35	PHY	DEMO	4.00	1.00	A	A	R	4.00
15	73.84	55.23	18.60	PHY	DEMO	4.00	1.00	D	D	R	4.00
16	54.07	27.33	26.74	PHY	DEMO	4.00	1.00	A	A	R	4.00
17	81.40	57.56	23.84	PHY	DEMO	4.00	1.00	B	B	R	4.00
18	76.16	29.65	46.51	PHY	DEMO	4.00	1.00	C		L	0.00
19	68.60	31.98	36.63	PHY	DEMO	4.00	1.00	A	A	R	4.00
20	56.40	31.40	25.00	PHY	DEMO	4.00	1.00	B	C	W	-1.00
21	43.60	20.35	23.26	PHY	DEMO	4.00	1.00	D		L	0.00
22	65.12	29.07	36.05	PHY	DEMO	4.00	1.00	D	A	W	-1.00
23	69.19	36.63	32.56	PHY	DEMO	4.00	1.00	B	D	W	-1.00
24	61.63	41.28	20.35	PHY	DEMO	4.00	1.00	A	A	R	4.00
25	40.12	30.81	9.30	PHY	DEMO	4.00	1.00	B	B	R	4.00
26	72.09	44.19	27.91	PHY	DEMO	4.00	1.00	A	D	W	-1.00
27	40.12	22.67	17.44	PHY	DEMO	4.00	1.00	D		L	0.00
28	45.35	18.60	26.74	PHY	DEMO	4.00	1.00	C		L	0.00
29	65.70	50.58	15.12	PHY	DEMO	4.00	1.00	A	A	R	4.00
30	44.77	27.91	16.86	PHY	DEMO	4.00	1.00	A	A	R	4.00
31	59.30	26.16	33.14	PHY	DEMO	4.00	1.00	B	D	W	-1.00
32	60.47	31.98	28.49	PHY	DEMO	4.00	1.00	D	D	R	4.00
33	61.63	36.63	25.00	PHY	DEMO	4.00	1.00	B		L	0.00
34	79.07	29.65	49.42	PHY	DEMO	4.00	1.00	B	B	R	4.00
35	75.58	52.33	23.26	PHY	DEMO	4.00	1.00	B	B	R	4.00
36	56.98	36.05	20.93	PHY	DEMO	4.00	1.00	A		L	0.00
37	55.23	28.49	26.74	PHY	DEMO	4.00	1.00	C	D	W	-1.00
38	43.60	12.79	30.81	PHY	DEMO	4.00	1.00	A		L	0.00
39	33.72	18.60	15.12	PHY	DEMO	4.00	1.00	C		L	0.00
40	43.02	24.42	18.60	PHY	DEMO	4.00	1.00	B		L	0.00
41	51.74	25.00	26.74	PHY	DEMO	4.00	1.00	C		L	0.00
42	50.00	27.33	22.67	PHY	DEMO	4.00	1.00	B	C	W	-1.00
43	34.88	8.14	26.74	PHY	DEMO	4.00	1.00	C		L	0.00
44	44.19	21.51	22.67	PHY	DEMO	4.00	1.00	B	C	W	-1.00
45	51.16	9.88	41.28	PHY	DEMO	4.00	1.00	B	D	W	-1.00
46	88.37	70.93	17.44	CHEM	DEMO	4.00	1.00	C	C	R	4.00
47	74.42	49.42	25.00	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
48	75.58	57.56	18.02	CHEM	DEMO	4.00	1.00	C		L	0.00
49	66.28	52.91	13.37	CHEM	DEMO	4.00	1.00	A		L	0.00
50	71.51	52.91	18.60	CHEM	DEMO	4.00	1.00	D	D	R	4.00
51	83.14	55.23	27.91	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
52	77.91	38.95	38.95	CHEM	DEMO	4.00	1.00	B	B	R	4.00
53	81.40	40.12	41.28	CHEM	DEMO	4.00	1.00	C	C	R	4.00
54	77.91	13.37	64.53	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
55	71.51	52.33	19.19	CHEM	DEMO	4.00	1.00	D	D	R	4.00
56	86.63	52.33	34.30	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
57	78.49	50.00	28.49	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
58	78.49	58.72	19.77	CHEM	DEMO	4.00	1.00	D	D	R	4.00
59	44.19	18.02	26.16	CHEM	DEMO	4.00	1.00	A		L	0.00
60	41.28	19.19	22.09	CHEM	DEMO	4.00	1.00	D		L	0.00
61	80.23	50.58	29.65	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
62	67.44	51.74	15.70	CHEM	DEMO	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Shanvi Nagani (ID No. 242003263)
WIOVQAZDKC

Your Score: 306.00/720.00 (42.50%)

Max Score: 670.00

Rank: 87

Min Score: 10.00

TEST: NEET Excel_Part Test-06_14-09-2025 (ID: 143 DT: 14-Sep-2025)

Percentile: 45.67

Avg Score: 302.08

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	84.30	59.88	24.42	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
64	63.37	39.53	23.84	CHEM	DEMO	4.00	1.00	B		L	0.00
65	69.77	46.51	23.26	CHEM	DEMO	4.00	1.00	A		L	0.00
66	42.44	22.67	19.77	CHEM	DEMO	4.00	1.00	D		L	0.00
67	79.65	51.74	27.91	CHEM	DEMO	4.00	1.00	D	D	R	4.00
68	69.77	55.81	13.95	CHEM	DEMO	4.00	1.00	B	B	R	4.00
69	44.19	19.77	24.42	CHEM	DEMO	4.00	1.00	B		L	0.00
70	79.07	62.79	16.28	CHEM	DEMO	4.00	1.00	A		L	0.00
71	36.63	21.51	15.12	CHEM	DEMO	4.00	1.00	B		L	0.00
72	66.86	25.00	41.86	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
73	57.56	39.53	18.02	CHEM	DEMO	4.00	1.00	B		L	0.00
74	69.77	52.33	17.44	CHEM	DEMO	4.00	1.00	D	D	R	4.00
75	77.33	50.58	26.74	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
76	74.42	41.86	32.56	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
77	63.37	42.44	20.93	CHEM	DEMO	4.00	1.00	D		L	0.00
78	58.72	37.21	21.51	CHEM	DEMO	4.00	1.00	B	B	R	4.00
79	59.88	37.21	22.67	CHEM	DEMO	4.00	1.00	D		L	0.00
80	73.26	44.19	29.07	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
81	45.93	13.37	32.56	CHEM	DEMO	4.00	1.00	B		L	0.00
82	83.72	47.67	36.05	CHEM	DEMO	4.00	1.00	A	A	R	4.00
83	69.77	52.91	16.86	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
84	81.98	72.09	9.88	CHEM	DEMO	4.00	1.00	B	B	R	4.00
85	74.42	50.00	24.42	CHEM	DEMO	4.00	1.00	C	C	R	4.00
86	59.30	20.35	38.95	CHEM	DEMO	4.00	1.00	C		L	0.00
87	75.00	48.26	26.74	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
88	79.65	13.37	66.28	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
89	62.21	37.79	24.42	CHEM	DEMO	4.00	1.00	D		L	0.00
90	83.14	55.81	27.33	CHEM	DEMO	4.00	1.00	A	A	R	4.00
91	78.49	58.72	19.77	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
92	91.28	13.95	77.33	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
93	90.70	70.35	20.35	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
94	87.21	52.33	34.88	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
95	90.70	82.56	8.14	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
96	82.56	50.58	31.98	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
97	66.28	35.47	30.81	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
98	71.51	33.72	37.79	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
99	84.88	54.65	30.23	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
100	87.79	60.47	27.33	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
101	79.07	57.56	21.51	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
102	84.30	62.79	21.51	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
103	87.79	62.79	25.00	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
104	86.63	58.14	28.49	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
105	76.74	47.67	29.07	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
106	68.02	40.12	27.91	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
107	72.67	33.72	38.95	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
108	69.19	43.60	25.58	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
109	93.02	9.88	83.14	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
110	85.47	50.58	34.88	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
111	67.44	47.09	20.35	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
112	83.14	29.65	53.49	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
113	86.63	63.37	23.26	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
114	88.37	77.91	10.47	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
115	80.23	34.88	45.35	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
116	95.93	84.30	11.63	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
117	82.56	48.84	33.72	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
118	91.86	47.09	44.77	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
119	92.44	78.49	13.95	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
120	89.53	56.98	32.56	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
121	91.28	65.12	26.16	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
122	95.93	89.53	6.40	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
123	96.51	85.47	11.05	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
124	88.95	61.63	27.33	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Shanvi Nagani (ID No. 242003263)
WIOVQAZDKC

Your Score: 306.00/720.00 (42.50%)

Max Score: 670.00

Rank: 87

Min Score: 10.00

TEST: NEET Excel_Part Test-06_14-09-2025 (ID: 143 DT: 14-Sep-2025)

Percentile: 45.67

Avg Score: 302.08

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	91.86	73.26	18.60	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
126	70.35	47.67	22.67	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
127	87.79	56.98	30.81	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
128	93.02	67.44	25.58	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
129	92.44	69.19	23.26	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
130	88.37	80.23	8.14	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
131	87.79	69.77	18.02	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
132	72.67	31.98	40.70	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
133	68.60	25.00	43.60	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
134	87.79	62.21	25.58	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
135	81.40	15.12	66.28	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
136	94.19	78.49	15.70	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
137	96.51	60.47	36.05	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
138	93.02	77.33	15.70	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
139	95.93	67.44	28.49	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
140	90.70	51.74	38.95	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
141	90.70	76.74	13.95	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
142	94.19	88.95	5.23	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
143	92.44	64.53	27.91	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
144	88.95	72.67	16.28	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
145	98.26	84.88	13.37	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
146	90.12	60.47	29.65	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
147	93.60	76.74	16.86	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
148	91.86	42.44	49.42	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
149	84.88	33.14	51.74	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
150	85.47	49.42	36.05	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
151	79.65	11.63	68.02	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
152	87.21	44.77	42.44	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
153	94.77	81.40	13.37	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
154	88.95	70.93	18.02	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
155	92.44	70.93	21.51	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
156	91.86	66.86	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
157	93.02	70.93	22.09	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
158	97.09	77.33	19.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
159	97.09	75.00	22.09	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
160	93.02	68.60	24.42	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
161	92.44	68.02	24.42	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
162	86.63	37.79	48.84	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
163	90.70	66.28	24.42	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
164	93.60	74.42	19.19	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
165	86.05	67.44	18.60	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
166	84.88	8.72	76.16	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
167	72.09	23.26	48.84	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
168	91.86	61.63	30.23	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
169	84.30	63.37	20.93	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
170	87.79	44.19	43.60	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
171	97.67	75.58	22.09	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
172	93.60	45.93	47.67	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
173	94.19	75.00	19.19	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
174	95.35	63.37	31.98	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
175	92.44	80.23	12.21	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
176	86.63	59.30	27.33	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
177	93.60	52.91	40.70	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
178	94.77	61.63	33.14	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
179	88.37	65.70	22.67	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
180	91.86	84.88	6.98	BIOLOGY	DEMO	4.00	1.00	D		L	0.00

Total Question: 180 **Attempted:** 134 (**Correct:** 88 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 306.00

Total Positive Marks: 352.00 **Total Negative Marks:** 46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
81.00		46.00	179.00	306.00