

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Sanjana Patel (ID No. 252016162)
BNZY5VYHVF

Your Score: 180.00/720.00 (25.00%)
Rank: 12
Percentile: 36.59

Max Score: 492.00
Min Score: 71.00
Avg Score: 295.06

TEST: NEET_Growth 5_Major Test-01_28092025 (ID: 152 DT: 28-Sep-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	56.25	31.25	25.00	PHY	DEMO	4.00	1.00	C	B	W	-1.00
2	37.50	6.25	31.25	PHY	DEMO	4.00	1.00	B		L	0.00
3	81.25	56.25	25.00	PHY	DEMO	4.00	1.00	A	B	W	-1.00
4	18.75	6.25	12.50	PHY	DEMO	4.00	1.00	C		L	0.00
5	56.25	18.75	37.50	PHY	DEMO	4.00	1.00	C		L	0.00
6	62.50	31.25	31.25	PHY	DEMO	4.00	1.00	A	A	R	4.00
7	62.50	18.75	43.75	PHY	DEMO	4.00	1.00	D	A	W	-1.00
8	43.75	31.25	12.50	PHY	DEMO	4.00	1.00	D		L	0.00
9	37.50	37.50	0.00	PHY	DEMO	4.00	1.00	C		L	0.00
10	87.50	68.75	18.75	PHY	DEMO	4.00	1.00	D	B	W	-1.00
11	37.50	31.25	6.25	PHY	DEMO	4.00	1.00	A		L	0.00
12	43.75	25.00	18.75	PHY	DEMO	4.00	1.00	B	A	W	-1.00
13	62.50	12.50	50.00	PHY	DEMO	4.00	1.00	C	D	W	-1.00
14	37.50	12.50	25.00	PHY	DEMO	4.00	1.00	B	D	W	-1.00
15	87.50	50.00	37.50	PHY	DEMO	4.00	1.00	C	C	R	4.00
16	75.00	12.50	62.50	PHY	DEMO	4.00	1.00	A	B	W	-1.00
17	25.00	18.75	6.25	PHY	DEMO	4.00	1.00	A		L	0.00
18	31.25	6.25	25.00	PHY	DEMO	4.00	1.00	D		L	0.00
19	25.00	18.75	6.25	PHY	DEMO	4.00	1.00	A	C	W	-1.00
20	75.00	31.25	43.75	PHY	DEMO	4.00	1.00	B	C	W	-1.00
21	18.75	18.75	0.00	PHY	DEMO	4.00	1.00	B	B	R	4.00
22	56.25	12.50	43.75	PHY	DEMO	4.00	1.00	B		L	0.00
23	43.75	18.75	25.00	PHY	DEMO	4.00	1.00	C		L	0.00
24	75.00	43.75	31.25	PHY	DEMO	4.00	1.00	C	B	W	-1.00
25	25.00	12.50	12.50	PHY	DEMO	4.00	1.00	D		L	0.00
26	31.25	18.75	12.50	PHY	DEMO	4.00	1.00	A		L	0.00
27	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
28	50.00	31.25	18.75	PHY	DEMO	4.00	1.00	A	C	W	-1.00
29	68.75	56.25	12.50	PHY	DEMO	4.00	1.00	A	B	W	-1.00
30	31.25	12.50	18.75	PHY	DEMO	4.00	1.00	A		L	0.00
31	81.25	62.50	18.75	PHY	DEMO	4.00	1.00	A	B	W	-1.00
32	56.25	37.50	18.75	PHY	DEMO	4.00	1.00	A	B	W	-1.00
33	68.75	56.25	12.50	PHY	DEMO	4.00	1.00	A		L	0.00
34	43.75	18.75	25.00	PHY	DEMO	4.00	1.00	C		L	0.00
35	43.75	37.50	6.25	PHY	DEMO	4.00	1.00	A		L	0.00
36	62.50	50.00	12.50	PHY	DEMO	4.00	1.00	B		L	0.00
37	50.00	12.50	37.50	PHY	DEMO	4.00	1.00	A	D	W	-1.00
38	62.50	6.25	56.25	PHY	DEMO	4.00	1.00	A	C	W	-1.00
39	31.25	0.00	31.25	PHY	DEMO	4.00	1.00	C		L	0.00
40	25.00	12.50	12.50	PHY	DEMO	4.00	1.00	B	C	W	-1.00
41	43.75	0.00	43.75	PHY	DEMO	4.00	1.00	D		L	0.00
42	50.00	12.50	37.50	PHY	DEMO	4.00	1.00	D		L	0.00
43	50.00	18.75	31.25	PHY	DEMO	4.00	1.00	C	A	W	-1.00
44	25.00	6.25	18.75	PHY	DEMO	4.00	1.00	A		L	0.00
45	37.50	18.75	18.75	PHY	DEMO	4.00	1.00	A	A	R	4.00
46	87.50	50.00	37.50	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
47	68.75	50.00	18.75	CHEM	DEMO	4.00	1.00	A	A	R	4.00
48	81.25	43.75	37.50	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
49	93.75	50.00	43.75	CHEM	DEMO	4.00	1.00	A	A	R	4.00
50	87.50	43.75	43.75	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
51	81.25	68.75	12.50	CHEM	DEMO	4.00	1.00	C	C	R	4.00
52	81.25	43.75	37.50	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
53	81.25	37.50	43.75	CHEM	DEMO	4.00	1.00	C	C	R	4.00
54	68.75	31.25	37.50	CHEM	DEMO	4.00	1.00	D	D	R	4.00
55	68.75	62.50	6.25	CHEM	DEMO	4.00	1.00	B	B	R	4.00
56	87.50	81.25	6.25	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
57	62.50	31.25	31.25	CHEM	DEMO	4.00	1.00	A		L	0.00
58	68.75	37.50	31.25	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
59	68.75	37.50	31.25	CHEM	DEMO	4.00	1.00	C		L	0.00
60	68.75	50.00	18.75	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
61	62.50	43.75	18.75	CHEM	DEMO	4.00	1.00	B		L	0.00
62	62.50	50.00	12.50	CHEM	DEMO	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Sanjana Patel (ID No. 252016162)
BNZY5VYHVF

Your Score: 180.00/720.00 (25.00%)
Rank: 12
Percentile: 36.59

Max Score: 492.00
Min Score: 71.00
Avg Score: 295.06

TEST: NEET_Growth 5_Major Test-01_28092025 (ID: 152 DT: 28-Sep-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	37.50	18.75	18.75	CHEM	DEMO	4.00	1.00	C		L	0.00
64	56.25	25.00	31.25	CHEM	DEMO	4.00	1.00	D		L	0.00
65	68.75	50.00	18.75	CHEM	DEMO	4.00	1.00	B		L	0.00
66	75.00	18.75	56.25	CHEM	DEMO	4.00	1.00	D	D	R	4.00
67	50.00	31.25	18.75	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
68	56.25	18.75	37.50	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
69	68.75	68.75	0.00	CHEM	DEMO	4.00	1.00	A	A	R	4.00
70	81.25	25.00	56.25	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
71	31.25	12.50	18.75	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
72	56.25	43.75	12.50	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
73	81.25	62.50	18.75	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
74	68.75	56.25	12.50	CHEM	DEMO	4.00	1.00	B	B	R	4.00
75	37.50	6.25	31.25	CHEM	DEMO	4.00	1.00	D		L	0.00
76	37.50	0.00	37.50	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
77	56.25	25.00	31.25	CHEM	DEMO	4.00	1.00	C		L	0.00
78	56.25	37.50	18.75	CHEM	DEMO	4.00	1.00	C	C	R	4.00
79	68.75	43.75	25.00	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
80	75.00	56.25	18.75	CHEM	DEMO	4.00	1.00	D	D	R	4.00
81	75.00	62.50	12.50	CHEM	DEMO	4.00	1.00	A	A	R	4.00
82	68.75	31.25	37.50	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
83	75.00	31.25	43.75	CHEM	DEMO	4.00	1.00	D		L	0.00
84	93.75	81.25	12.50	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
85	81.25	18.75	62.50	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
86	50.00	0.00	50.00	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
87	56.25	43.75	12.50	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
88	62.50	37.50	25.00	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
89	75.00	68.75	6.25	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
90	50.00	6.25	43.75	CHEM	DEMO	4.00	1.00	A		L	0.00
91	81.25	75.00	6.25	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
92	100.00	81.25	18.75	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
93	93.75	43.75	50.00	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
94	93.75	68.75	25.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
95	93.75	43.75	50.00	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
96	75.00	62.50	12.50	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
97	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		B	C	4.00
98	93.75	87.50	6.25	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
99	100.00	68.75	31.25	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
100	87.50	56.25	31.25	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
101	75.00	25.00	50.00	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
102	87.50	43.75	43.75	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
103	100.00	50.00	50.00	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
104	68.75	37.50	31.25	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
105	93.75	68.75	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
106	87.50	62.50	25.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
107	93.75	93.75	0.00	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
108	75.00	50.00	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	87.50	62.50	25.00	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
110	62.50	37.50	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
111	68.75	50.00	18.75	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
112	87.50	31.25	56.25	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
113	93.75	50.00	43.75	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
114	87.50	68.75	18.75	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
115	87.50	37.50	50.00	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
116	68.75	25.00	43.75	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
117	75.00	31.25	43.75	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
118	75.00	62.50	12.50	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
119	81.25	62.50	18.75	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
120	93.75	50.00	43.75	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
121	75.00	62.50	12.50	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
122	93.75	93.75	0.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
123	87.50	68.75	18.75	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
124	81.25	25.00	56.25	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Sanjana Patel (ID No. 252016162)
BNZY5VYHVF

Your Score: 180.00/720.00 (25.00%)
Rank: 12
Percentile: 36.59

Max Score: 492.00
Min Score: 71.00
Avg Score: 295.06

TEST: NEET_Growth 5_Major Test-01_28092025 (ID: 152 DT: 28-Sep-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
126	100.00	50.00	50.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
127	87.50	56.25	31.25	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
128	93.75	62.50	31.25	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
129	87.50	87.50	0.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
130	93.75	87.50	6.25	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
131	81.25	50.00	31.25	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
132	68.75	68.75	0.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
133	62.50	56.25	6.25	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
134	87.50	62.50	25.00	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
135	87.50	56.25	31.25	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
136	87.50	37.50	50.00	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
137	93.75	68.75	25.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
138	100.00	81.25	18.75	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
139	93.75	56.25	37.50	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
140	75.00	50.00	25.00	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
141	75.00	31.25	43.75	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
142	81.25	43.75	37.50	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
143	87.50	56.25	31.25	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
144	87.50	75.00	12.50	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
145	43.75	31.25	12.50	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
146	56.25	43.75	12.50	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
147	62.50	12.50	50.00	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
148	87.50	62.50	25.00	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
149	68.75	50.00	18.75	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
150	75.00	62.50	12.50	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
151	75.00	56.25	18.75	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
152	93.75	81.25	12.50	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
153	81.25	75.00	6.25	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
154	81.25	62.50	18.75	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
155	81.25	50.00	31.25	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
156	93.75	75.00	18.75	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
157	100.00	81.25	18.75	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
158	100.00	75.00	25.00	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
159	75.00	50.00	25.00	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
160	62.50	37.50	25.00	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
161	100.00	87.50	12.50	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
162	93.75	87.50	6.25	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
163	100.00	50.00	50.00	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
164	93.75	87.50	6.25	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
165	93.75	81.25	12.50	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
166	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
167	93.75	37.50	56.25	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
168	100.00	81.25	18.75	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
169	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
170	81.25	75.00	6.25	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
171	62.50	43.75	18.75	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
172	93.75	87.50	6.25	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
173	50.00	31.25	18.75	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
174	68.75	43.75	25.00	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
175	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00			C	4.00
176	93.75	87.50	6.25	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
177	81.25	62.50	18.75	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
178	62.50	56.25	6.25	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
179	87.50	43.75	43.75	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
180	93.75	68.75	25.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 132 (**Correct:** 60 **Incorrect:** 72) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total Positive Marks: 252.00 **Total Negative Marks:** 72.00

Total: 180.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
1.00		26.00	153.00	180.00