

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Pradyuman Chavda (ID No. 252022650)
PHL49PYEYA

Your Score: 382.00/720.00 (53.06%)

Max Score: 653.00

Rank: 22

Min Score: 94.00

TEST: NEET_Conquer-GUJ_Part Test-08_21092025 (ID: 150 DT: 21-Sep-2025)

Percentile: 58.50

Avg Score: 369.07

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	79.55	29.55	50.00	PHY	DEMO	4.00	1.00	B	C	W	-1.00
2	88.64	65.91	22.73	PHY	DEMO	4.00	1.00	C	C	R	4.00
3	86.36	70.45	15.91	PHY	DEMO	4.00	1.00	B	B	R	4.00
4	79.55	61.36	18.18	PHY	DEMO	4.00	1.00	D	D	R	4.00
5	77.27	40.91	36.36	PHY	DEMO	4.00	1.00	B	D	W	-1.00
6	77.27	50.00	27.27	PHY	DEMO	4.00	1.00	B	B	R	4.00
7	75.00	61.36	13.64	PHY	DEMO	4.00	1.00	A	A	R	4.00
8	70.45	68.18	2.27	PHY	DEMO	4.00	1.00	C	C	R	4.00
9	43.18	22.73	20.45	PHY	DEMO	4.00	1.00	D		L	0.00
10	34.09	9.09	25.00	PHY	DEMO	4.00	1.00	A	B	W	-1.00
11	75.00	59.09	15.91	PHY	DEMO	4.00	1.00	B	D	W	-1.00
12	70.45	43.18	27.27	PHY	DEMO	4.00	1.00	D		L	0.00
13	61.36	43.18	18.18	PHY	DEMO	4.00	1.00	A		L	0.00
14	77.27	54.55	22.73	PHY	DEMO	4.00	1.00	A	A	R	4.00
15	75.00	68.18	6.82	PHY	DEMO	4.00	1.00	B	B	R	4.00
16	77.27	75.00	2.27	PHY	DEMO	4.00	1.00	D	D	R	4.00
17	50.00	36.36	13.64	PHY	DEMO	4.00	1.00	C	A	W	-1.00
18	40.91	34.09	6.82	PHY	DEMO	4.00	1.00	D	D	R	4.00
19	70.45	61.36	9.09	PHY	DEMO	4.00	1.00	A	A	R	4.00
20	68.18	45.45	22.73	PHY	DEMO	4.00	1.00	A	A	R	4.00
21	70.45	61.36	9.09	PHY	DEMO	4.00	1.00	C	C	R	4.00
22	38.64	20.45	18.18	PHY	DEMO	4.00	1.00	C		L	0.00
23	61.36	54.55	6.82	PHY	DEMO	4.00	1.00	B	B	R	4.00
24	38.64	15.91	22.73	PHY	DEMO	4.00	1.00	D		L	0.00
25	47.73	20.45	27.27	PHY	DEMO	4.00	1.00	B	D	W	-1.00
26	22.73	20.45	2.27	PHY	DEMO	4.00	1.00	D		L	0.00
27	40.91	29.55	11.36	PHY	DEMO	4.00	1.00	D		L	0.00
28	63.64	31.82	31.82	PHY	DEMO	4.00	1.00	D	A	W	-1.00
29	40.91	15.91	25.00	PHY	DEMO	4.00	1.00	D		L	0.00
30	43.18	34.09	9.09	PHY	DEMO	4.00	1.00	A	A	R	4.00
31	38.64	25.00	13.64	PHY	DEMO	4.00	1.00	C	A	W	-1.00
32	54.55	31.82	22.73	PHY	DEMO	4.00	1.00	C	B	W	-1.00
33	50.00	40.91	9.09	PHY	DEMO	4.00	1.00	B	B	R	4.00
34	45.45	27.27	18.18	PHY	DEMO	4.00	1.00	B	B	R	4.00
35	79.55	65.91	13.64	PHY	DEMO	4.00	1.00	A	A	R	4.00
36	38.64	9.09	29.55	PHY	DEMO	4.00	1.00	A		L	0.00
37	65.91	34.09	31.82	PHY	DEMO	4.00	1.00	A	A	R	4.00
38	56.82	36.36	20.45	PHY	DEMO	4.00	1.00	B	B	R	4.00
39	29.55	20.45	9.09	PHY	DEMO	4.00	1.00	A	D	W	-1.00
40	43.18	31.82	11.36	PHY	DEMO	4.00	1.00	C		L	0.00
41	34.09	22.73	11.36	PHY	DEMO	4.00	1.00	D		L	0.00
42	38.64	9.09	29.55	PHY	DEMO	4.00	1.00	C		L	0.00
43	38.64	15.91	22.73	PHY	DEMO	4.00	1.00	B	D	W	-1.00
44	77.27	52.27	25.00	PHY	DEMO	4.00	1.00	B	B	R	4.00
45	61.36	43.18	18.18	PHY	DEMO	4.00	1.00	B	A	W	-1.00
46	90.91	72.73	18.18	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
47	79.55	63.64	15.91	CHEM	DEMO	4.00	1.00	C	C	R	4.00
48	90.91	63.64	27.27	CHEM	DEMO	4.00	1.00	A	A	R	4.00
49	70.45	38.64	31.82	CHEM	DEMO	4.00	1.00	C	C	R	4.00
50	88.64	59.09	29.55	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
51	54.55	20.45	34.09	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
52	81.82	59.09	22.73	CHEM	DEMO	4.00	1.00	B	B	R	4.00
53	63.64	43.18	20.45	CHEM	DEMO	4.00	1.00	C	C	R	4.00
54	77.27	54.55	22.73	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
55	75.00	56.82	18.18	CHEM	DEMO	4.00	1.00	D	D	R	4.00
56	54.55	25.00	29.55	CHEM	DEMO	4.00	1.00	C		L	0.00
57	65.91	61.36	4.55	CHEM	DEMO	4.00	1.00	C		L	0.00
58	61.36	40.91	20.45	CHEM	DEMO	4.00	1.00	C		L	0.00
59	68.18	61.36	6.82	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
60	65.91	18.18	47.73	CHEM	DEMO	4.00	1.00	D		L	0.00
61	54.55	43.18	11.36	CHEM	DEMO	4.00	1.00	C		L	0.00
62	65.91	50.00	15.91	CHEM	DEMO	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Pradyuman Chavda (ID No. 252022650)
PHL49PYEYA

Your Score: 382.00/720.00 (53.06%)

Max Score: 653.00

Rank: 22

Min Score: 94.00

TEST: NEET_Conquer-GUJ_Part Test-08_21092025 (ID: 150 DT: 21-Sep-2025)

Percentile: 58.50

Avg Score: 369.07

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	72.73	63.64	9.09	CHEM	DEMO	4.00	1.00	A	A	R	4.00
64	27.27	15.91	11.36	CHEM	DEMO	4.00	1.00	C		L	0.00
65	70.45	59.09	11.36	CHEM	DEMO	4.00	1.00	A	A	R	4.00
66	50.00	31.82	18.18	CHEM	DEMO	4.00	1.00	D		L	0.00
67	77.27	38.64	38.64	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
68	40.91	36.36	4.55	CHEM	DEMO	4.00	1.00	A	A	R	4.00
69	31.82	29.55	2.27	CHEM	DEMO	4.00	1.00	B		L	0.00
70	52.27	47.73	4.55	CHEM	DEMO	4.00	1.00	A	A	R	4.00
71	36.36	20.45	15.91	CHEM	DEMO	4.00	1.00	C		L	0.00
72	56.82	40.91	15.91	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
73	27.27	13.64	13.64	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
74	68.18	40.91	27.27	CHEM	DEMO	4.00	1.00	D	D	R	4.00
75	68.18	59.09	9.09	CHEM	DEMO	4.00	1.00	C	C	R	4.00
76	59.09	34.09	25.00	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
77	50.00	40.91	9.09	CHEM	DEMO	4.00	1.00	B	B	R	4.00
78	86.36	77.27	9.09	CHEM	DEMO	4.00	1.00	B	B	R	4.00
79	54.55	4.55	50.00	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
80	50.00	34.09	15.91	CHEM	DEMO	4.00	1.00	B		L	0.00
81	75.00	54.55	20.45	CHEM	DEMO	4.00	1.00	C	C	R	4.00
82	63.64	34.09	29.55	CHEM	DEMO	4.00	1.00	D		L	0.00
83	88.64	77.27	11.36	CHEM	DEMO	4.00	1.00	D	D	R	4.00
84	63.64	40.91	22.73	CHEM	DEMO	4.00	1.00	A	A	R	4.00
85	56.82	25.00	31.82	CHEM	DEMO	4.00	1.00	C		L	0.00
86	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00		C	C	4.00
87	65.91	59.09	6.82	CHEM	DEMO	4.00	1.00	A		L	0.00
88	75.00	36.36	38.64	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
89	70.45	54.55	15.91	CHEM	DEMO	4.00	1.00	B	B	R	4.00
90	56.82	20.45	36.36	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
91	97.73	86.36	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
92	90.91	63.64	27.27	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
93	90.91	56.82	34.09	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
94	93.18	79.55	13.64	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
95	68.18	50.00	18.18	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
96	95.45	77.27	18.18	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
97	97.73	95.45	2.27	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
98	93.18	79.55	13.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
99	86.36	75.00	11.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
100	90.91	86.36	4.55	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
101	93.18	72.73	20.45	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
102	86.36	65.91	20.45	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
103	93.18	75.00	18.18	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
104	86.36	59.09	27.27	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
105	84.09	65.91	18.18	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
106	81.82	38.64	43.18	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
107	88.64	52.27	36.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
108	97.73	90.91	6.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	79.55	65.91	13.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
110	84.09	54.55	29.55	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
111	90.91	86.36	4.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
112	86.36	20.45	65.91	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
113	95.45	90.91	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
114	88.64	77.27	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
115	93.18	84.09	9.09	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
116	81.82	50.00	31.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
117	84.09	31.82	52.27	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
118	90.91	72.73	18.18	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
119	100.00	93.18	6.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
120	72.73	52.27	20.45	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
121	86.36	79.55	6.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
122	88.64	47.73	40.91	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
123	90.91	59.09	31.82	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
124	95.45	90.91	4.55	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Pradyuman Chavda (ID No. 252022650)
PHL49PYEYA

Your Score: 382.00/720.00 (53.06%)

Max Score: 653.00

Rank: 22

Min Score: 94.00

TEST: NEET_Conquer-GUJ_Part Test-08_21092025 (ID: 150 DT: 21-Sep-2025)

Percentile: 58.50

Avg Score: 369.07

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	72.73	20.45	52.27	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
126	88.64	34.09	54.55	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
127	93.18	84.09	9.09	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
128	90.91	84.09	6.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
129	84.09	68.18	15.91	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
130	81.82	52.27	29.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
131	93.18	79.55	13.64	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
132	97.73	68.18	29.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
133	97.73	86.36	11.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
134	100.00	95.45	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
135	84.09	54.55	29.55	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
136	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		C	C	4.00
137	90.91	84.09	6.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
138	93.18	47.73	45.45	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
139	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00			C	4.00
140	70.45	31.82	38.64	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
141	63.64	54.55	9.09	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
142	86.36	63.64	22.73	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
143	86.36	68.18	18.18	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
144	93.18	63.64	29.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
145	86.36	63.64	22.73	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
146	90.91	86.36	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
147	86.36	77.27	9.09	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
148	90.91	65.91	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
149	77.27	56.82	20.45	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
150	100.00	84.09	15.91	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
151	90.91	38.64	52.27	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
152	86.36	79.55	6.82	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
153	68.18	45.45	22.73	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
154	90.91	81.82	9.09	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
155	81.82	65.91	15.91	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
156	95.45	90.91	4.55	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
157	72.73	47.73	25.00	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
158	90.91	56.82	34.09	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
159	88.64	61.36	27.27	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
160	95.45	88.64	6.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
161	81.82	70.45	11.36	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
162	81.82	65.91	15.91	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
163	100.00	79.55	20.45	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
164	95.45	77.27	18.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
165	90.91	77.27	13.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
166	100.00	88.64	11.36	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
167	100.00	88.64	11.36	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
168	93.18	93.18	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
169	97.73	81.82	15.91	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
170	84.09	72.73	11.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
171	100.00	97.73	2.27	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
172	84.09	70.45	13.64	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
173	86.36	72.73	13.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
174	93.18	86.36	6.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
175	90.91	86.36	4.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
176	95.45	29.55	65.91	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
177	90.91	70.45	20.45	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
178	77.27	54.55	22.73	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
179	97.73	77.27	20.45	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
180	95.45	93.18	2.27	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 145 (**Correct:** 103 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 382.00

Total Positive Marks: 424.00 **Total Negative Marks:** 42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
72.00		64.00	246.00	382.00