

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Darshan Kacha (ID No. 252024649)
H2U235LU06

Your Score: 287.00/720.00 (39.86%)

Max Score: 675.00

Rank: 18

Min Score: 118.00

TEST: NEET Conquer-2_Part Test-03_24-08-2025 (ID: 131 DT: 24-Aug-2025)

Percentile: 42.52

Avg Score: 352.96

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	DEMO	4.00	1.00	A		L	0.00
2	69.23	46.15	23.08	PHY	DEMO	4.00	1.00	C	A	W	-1.00
3	42.31	23.08	19.23	PHY	DEMO	4.00	1.00	A	C	W	-1.00
4	50.00	42.31	7.69	PHY	DEMO	4.00	1.00	A	A	R	4.00
5	50.00	19.23	30.77	PHY	DEMO	4.00	1.00	C		L	0.00
6	65.38	38.46	26.92	PHY	DEMO	4.00	1.00	C		L	0.00
7	73.08	53.85	19.23	PHY	DEMO	4.00	1.00	B	C	W	-1.00
8	53.85	34.62	19.23	PHY	DEMO	4.00	1.00	A		L	0.00
9	53.85	34.62	19.23	PHY	DEMO	4.00	1.00	B		L	0.00
10	23.08	15.38	7.69	PHY	DEMO	4.00	1.00	C		L	0.00
11	69.23	42.31	26.92	PHY	DEMO	4.00	1.00	B	A	W	-1.00
12	46.15	19.23	26.92	PHY	DEMO	4.00	1.00	A		L	0.00
13	61.54	34.62	26.92	PHY	DEMO	4.00	1.00	D	D	R	4.00
14	57.69	34.62	23.08	PHY	DEMO	4.00	1.00	B		L	0.00
15	50.00	30.77	19.23	PHY	DEMO	4.00	1.00	B	D	W	-1.00
16	34.62	3.85	30.77	PHY	DEMO	4.00	1.00	B		L	0.00
17	53.85	23.08	30.77	PHY	DEMO	4.00	1.00	B		L	0.00
18	23.08	7.69	15.38	PHY	DEMO	4.00	1.00	C		L	0.00
19	53.85	42.31	11.54	PHY	DEMO	4.00	1.00	C		L	0.00
20	84.62	46.15	38.46	PHY	DEMO	4.00	1.00	D	D	R	4.00
21	73.08	53.85	19.23	PHY	DEMO	4.00	1.00	A	D	W	-1.00
22	73.08	19.23	53.85	PHY	DEMO	4.00	1.00	A	B	W	-1.00
23	57.69	38.46	19.23	PHY	DEMO	4.00	1.00	A	A	R	4.00
24	57.69	57.69	0.00	PHY	DEMO	4.00	1.00	B	B	R	4.00
25	50.00	34.62	15.38	PHY	DEMO	4.00	1.00	A		L	0.00
26	73.08	23.08	50.00	PHY	DEMO	4.00	1.00	D		L	0.00
27	53.85	26.92	26.92	PHY	DEMO	4.00	1.00	A	B	W	-1.00
28	53.85	42.31	11.54	PHY	DEMO	4.00	1.00	C		L	0.00
29	69.23	23.08	46.15	PHY	DEMO	4.00	1.00	B	C	W	-1.00
30	53.85	38.46	15.38	PHY	DEMO	4.00	1.00	C		L	0.00
31	57.69	53.85	3.85	PHY	DEMO	4.00	1.00	A	A	R	4.00
32	65.38	65.38	0.00	PHY	DEMO	4.00	1.00	C	C	R	4.00
33	76.92	57.69	19.23	PHY	DEMO	4.00	1.00	C		L	0.00
34	88.46	80.77	7.69	PHY	DEMO	4.00	1.00	C	C	R	4.00
35	76.92	61.54	15.38	PHY	DEMO	4.00	1.00	C	B	W	-1.00
36	46.15	42.31	3.85	PHY	DEMO	4.00	1.00	C		L	0.00
37	65.38	61.54	3.85	PHY	DEMO	4.00	1.00	A	A	R	4.00
38	57.69	34.62	23.08	PHY	DEMO	4.00	1.00	B	A	W	-1.00
39	53.85	50.00	3.85	PHY	DEMO	4.00	1.00	A		L	0.00
40	23.08	19.23	3.85	PHY	DEMO	4.00	1.00	D		L	0.00
41	46.15	11.54	34.62	PHY	DEMO	4.00	1.00	B		L	0.00
42	34.62	11.54	23.08	PHY	DEMO	4.00	1.00	A		L	0.00
43	26.92	19.23	7.69	PHY	DEMO	4.00	1.00	B		L	0.00
44	42.31	34.62	7.69	PHY	DEMO	4.00	1.00	D		L	0.00
45	50.00	30.77	19.23	PHY	DEMO	4.00	1.00	A		L	0.00
46	96.15	76.92	19.23	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
47	88.46	73.08	15.38	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
48	69.23	50.00	19.23	CHEM	DEMO	4.00	1.00	A		L	0.00
49	69.23	38.46	30.77	CHEM	DEMO	4.00	1.00	C		L	0.00
50	73.08	38.46	34.62	CHEM	DEMO	4.00	1.00	B		L	0.00
51	69.23	46.15	23.08	CHEM	DEMO	4.00	1.00	D		L	0.00
52	76.92	57.69	19.23	CHEM	DEMO	4.00	1.00	D		L	0.00
53	88.46	61.54	26.92	CHEM	DEMO	4.00	1.00	A	A	R	4.00
54	46.15	19.23	26.92	CHEM	DEMO	4.00	1.00	D		L	0.00
55	80.77	46.15	34.62	CHEM	DEMO	4.00	1.00	A	A	R	4.00
56	80.77	50.00	30.77	CHEM	DEMO	4.00	1.00	C	C	R	4.00
57	61.54	11.54	50.00	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
58	53.85	30.77	23.08	CHEM	DEMO	4.00	1.00	B		L	0.00
59	65.38	30.77	34.62	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
60	80.77	73.08	7.69	CHEM	DEMO	4.00	1.00	B	B	R	4.00
61	73.08	23.08	50.00	CHEM	DEMO	4.00	1.00	B	B	R	4.00
62	69.23	42.31	26.92	CHEM	DEMO	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Darshan Kacha (ID No. 252024649)
H2U235LU06

Your Score: 287.00/720.00 (39.86%)

Max Score: 675.00

Rank: 18

Min Score: 118.00

TEST: NEET Conquer-2_Part Test-03_24-08-2025 (ID: 131 DT: 24-Aug-2025)

Percentile: 42.52

Avg Score: 352.96

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	57.69	30.77	26.92	CHEM	DEMO	4.00	1.00	A		L	0.00
64	73.08	34.62	38.46	CHEM	DEMO	4.00	1.00	A		L	0.00
65	42.31	30.77	11.54	CHEM	DEMO	4.00	1.00	C		L	0.00
66	69.23	23.08	46.15	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
67	84.62	57.69	26.92	CHEM	DEMO	4.00	1.00	C	C	R	4.00
68	84.62	42.31	42.31	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
69	80.77	61.54	19.23	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
70	61.54	38.46	23.08	CHEM	DEMO	4.00	1.00	D		L	0.00
71	61.54	50.00	11.54	CHEM	DEMO	4.00	1.00	D		L	0.00
72	50.00	38.46	11.54	CHEM	DEMO	4.00	1.00	A		L	0.00
73	57.69	46.15	11.54	CHEM	DEMO	4.00	1.00	A		L	0.00
74	76.92	50.00	26.92	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
75	73.08	46.15	26.92	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
76	84.62	46.15	38.46	CHEM	DEMO	4.00	1.00	B	B	R	4.00
77	50.00	0.00	50.00	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
78	57.69	15.38	42.31	CHEM	DEMO	4.00	1.00	B	B	R	4.00
79	76.92	7.69	69.23	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
80	69.23	38.46	30.77	CHEM	DEMO	4.00	1.00	D	D	R	4.00
81	61.54	46.15	15.38	CHEM	DEMO	4.00	1.00	D		L	0.00
82	73.08	23.08	50.00	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
83	84.62	65.38	19.23	CHEM	DEMO	4.00	1.00	B	B	R	4.00
84	80.77	26.92	53.85	CHEM	DEMO	4.00	1.00	B		L	0.00
85	76.92	19.23	57.69	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
86	61.54	7.69	53.85	CHEM	DEMO	4.00	1.00	A		L	0.00
87	57.69	34.62	23.08	CHEM	DEMO	4.00	1.00	C		L	0.00
88	65.38	15.38	50.00	CHEM	DEMO	4.00	1.00	A	A	R	4.00
89	65.38	19.23	46.15	CHEM	DEMO	4.00	1.00	D		L	0.00
90	73.08	42.31	30.77	CHEM	DEMO	4.00	1.00	A		L	0.00
91	96.15	84.62	11.54	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
92	96.15	84.62	11.54	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
93	88.46	73.08	15.38	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
94	96.15	96.15	0.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
95	100.00	69.23	30.77	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
96	73.08	38.46	34.62	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
97	96.15	80.77	15.38	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
98	88.46	88.46	0.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
99	96.15	84.62	11.54	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
100	100.00	92.31	7.69	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
101	100.00	84.62	15.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
102	96.15	88.46	7.69	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
103	88.46	80.77	7.69	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
104	88.46	53.85	34.62	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
105	84.62	69.23	15.38	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
106	88.46	57.69	30.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
107	92.31	88.46	3.85	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
108	80.77	61.54	19.23	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
109	96.15	88.46	7.69	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
110	92.31	76.92	15.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
111	84.62	61.54	23.08	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
112	92.31	69.23	23.08	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
113	84.62	46.15	38.46	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
114	92.31	11.54	80.77	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
115	88.46	65.38	23.08	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
116	88.46	69.23	19.23	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
117	88.46	76.92	11.54	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
118	76.92	38.46	38.46	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	80.77	65.38	15.38	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
120	84.62	42.31	42.31	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
121	76.92	50.00	26.92	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
122	76.92	26.92	50.00	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
123	84.62	46.15	38.46	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
124	76.92	30.77	46.15	BIOLOGY	DEMO	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Darshan Kacha (ID No. 252024649)
H2U235LU06

Your Score: 287.00/720.00 (39.86%)

Max Score: 675.00

Rank: 18

Min Score: 118.00

TEST: NEET Conquer-2_Part Test-03_24-08-2025 (ID: 131 DT: 24-Aug-2025)

Percentile: 42.52

Avg Score: 352.96

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	80.77	50.00	30.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
127	73.08	50.00	23.08	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
128	80.77	50.00	30.77	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
129	96.15	84.62	11.54	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
130	96.15	73.08	23.08	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
131	84.62	50.00	34.62	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
132	88.46	80.77	7.69	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
133	73.08	46.15	26.92	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
134	88.46	61.54	26.92	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
135	100.00	84.62	15.38	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
136	100.00	92.31	7.69	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
137	84.62	84.62	0.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
138	100.00	92.31	7.69	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
139	88.46	69.23	19.23	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
140	96.15	65.38	30.77	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
141	92.31	53.85	38.46	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
142	100.00	96.15	3.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
143	92.31	69.23	23.08	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
144	92.31	26.92	65.38	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
145	80.77	65.38	15.38	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
146	100.00	88.46	11.54	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
147	69.23	30.77	38.46	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
148	100.00	61.54	38.46	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
149	96.15	73.08	23.08	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
150	73.08	42.31	30.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
151	100.00	15.38	84.62	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
152	96.15	80.77	15.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
153	88.46	69.23	19.23	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
154	96.15	73.08	23.08	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
155	92.31	84.62	7.69	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
156	100.00	88.46	11.54	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
157	92.31	46.15	46.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
158	96.15	92.31	3.85	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
159	100.00	73.08	26.92	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
160	92.31	73.08	19.23	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
161	100.00	80.77	19.23	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
162	96.15	80.77	15.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
163	88.46	30.77	57.69	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
164	96.15	88.46	7.69	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		A	C	4.00
166	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		A	C	4.00
167	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		A	C	4.00
168	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		A	C	4.00
169	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		B	C	4.00
170	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		A	C	4.00
171	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		A	C	4.00
172	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		B	C	4.00
173	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		C	C	4.00
174	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		D	C	4.00
175	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		A	C	4.00
176	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		B	C	4.00
177	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		B	C	4.00
178	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		C	C	4.00
179	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		B	C	4.00
180	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		D	C	4.00

Total Question: 180 **Attempted:** 112 (**Correct:** 67 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 287.00

Total Positive Marks: 332.00 **Total Negative Marks:** 45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
25.00		31.00	231.00	287.00