### **QUESTION RESPONSE ANALYSIS**

NAME: Kahaan Shah ( ID No. 242001399 )

9PMWOVQCJA

Rank: 134

Your Score: 252.00/720.00 (35.00%)

Max Score: 685.00 Min Score: 22.00

Percentile: 36.79

**Min Score:** 22.00 **Avg Score:** 400.27

**TEST:** NEET Excel\_Minor Test-06\_21-09-2025 ( **ID:** 146 **DT:** 21-Sep-2025 )

One ATT No. 18th   19th   19th   19th   19th   19th   20th	21-36	p-2025	,		ı		1				1	ı
2	QNo	ATT%	R%	<b>W</b> %	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
3   877   1974   Sels   PHY   DEMO   4.00   1.00   D	1	38.22	19.11	19.11	PHY	DEMO	4.00	1.00	D		L	0.00
8   10   10   10   10   10   10   10	2	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			С	4.00
4   0.726   73.25   14.01   PHY   DEMO   4.00   1.00   D   B   W   4.00   1.00   D   D   R   4.00	3	68.79	12.74	56.05	PHY	DEMO	4.00	1.00	D	Α	W	-1.00
5   8.589   47.13   8.85	4				PHY	DEMO	4.00	1.00	A	A	R	
B												
7												
B												
9												
10   00.00   18.47   22.48   PPHY   DEMO	8	42.68	14.65	28.03			4.00	1.00				-1.00
11   03   15   15   15   15   15   15   15   1	9	71.34	36.94	34.39	PHY	DEMO	4.00	1.00	Α	Α	R	4.00
12   17.2   14.05   77.07   PHY   DEMO   4.00   1.00   D   D   R   4.00   1.01   1.0	10	50.96	18.47	32.48	PHY	DEMO	4.00	1.00	D	Α	W	-1.00
13   84.88   63.98   38.22   PHY	11	68.15	42.04	26.11	PHY	DEMO	4.00	1.00	С	С	R	4.00
13   84.08   65.08   38.22   PHY   DEMO   4.00   1.00   B   B   A   W   -1.00	12	91.72	14.65	77.07	PHY	DEMO	4.00	1.00	D	D	R	4.00
14   54.78   29.94   24.84   PHY   DEMO	13	84.08	45.86	38.22	PHY	DEMO	4.00	1.00	В	A	W	-1.00
15   6,722   44.59   8.28												
16										R		
17   64.97   29.94   25.03   PHY   DEMO   4.00   1.00   B   L   0.00												
18   88   80   86   50   22   0   PHY   DEMO   4.00   1.00   D   D   R   4.00   0.00   D   C   0.00   0.00   0.00   0.00   0.00   D   C   0.00												
19   70.70   88.95   14.95   PHY   DEMO   4.00   1.00   D   L   0.00												
20			46.50							D D		
22	19	70.70	38.85	31.85		DEMO	4.00	1.00			L	0.00
22   68.79   46.50   22.29   PHY   DEMO   4.00   1.00   D   D   L   0.00	20	70.06	43.31	26.75	PHY	DEMO	4.00	1.00	D		L	0.00
23   58.87   23.94   29.94   PHY   DEMO	21	59.24	29.30	29.94	PHY	DEMO	4.00	1.00	В		L	0.00
24	22	68.79	46.50	22.29	PHY	DEMO	4.00	1.00	D		L	0.00
24   48.68   25.48   24.20   PHY   DEMO	23	59.87	29.94	29.94	PHY	DEMO	4.00	1.00	В		L	0.00
25   38.85   25.48   13.38   PHY   DEMO   4.00   1.00   A   B   L   0.00	24				PHY	DEMO	4.00	1.00	A		L	
28   50.32   10.19   40.13   PHY   DEMO   4.00   1.00   B   B   R   4.00   27   100.00   100.00   0.00   PHY   DEMO   4.00   1.00   C   C   4.00   L   4.00   1.00   C   L   4.00   1.00   C   L   4.00   1.00   C   L   4.00   1.00   C   L   4.00   1.00   D   C   4.00   4.00   1.00   C   L   4.00   1.00   D   C   4.00   4.00   1.00   D   D   C   4.00   4.00   1.00   D   D   C   4.00   4.00   1.00   D   D   D   D   D   D   D   D   D												
27   100.00   100.00   0.00   PHY   DEMO   4.00   1.00   C   C   C   4.00										D		
28									В			
29   100.00   100.00   00.00   PHY   DEMO   4.00   1.00   A   A   R   4.00										C		
30									C			
31   52.23   28.66   23.57   PHY   DEMO   4.00   1.00   B   D   W   -1.00		100.00	100.00	0.00								
32	30	49.68	32.48	17.20	PHY	DEMO	4.00	1.00	Α	Α	R	4.00
33   85.35   73.25   12.10   PHY   DEMO   4.00   1.00   D   D   R   4.00     34   70.06   43.95   26.11   PHY   DEMO   4.00   1.00   D   D   C   C   R   4.00     35   54.14   25.48   28.66   PHY   DEMO   4.00   1.00   B   L   0.00     36   100.00   100.00   0.00   PHY   DEMO   4.00   1.00   A   A   A   R   4.00     37   80.25   68.79   11.46   PHY   DEMO   4.00   1.00   A   A   A   R   4.00     38   73.25   36.94   36.31   PHY   DEMO   4.00   1.00   A   L   0.00     39   25.48   1.27   24.20   PHY   DEMO   4.00   1.00   A   A   L   0.00     40   73.89   42.68   31.21   PHY   DEMO   4.00   1.00   A   A   A   R   4.00     41   50.96   28.03   22.93   PHY   DEMO   4.00   1.00   C   L   0.00     42   38.22   24.20   14.01   PHY   DEMO   4.00   1.00   C   L   0.00     43   64.33   45.22   19.11   PHY   DEMO   4.00   1.00   B   C   W   1.00     44   44.59   24.84   19.75   PHY   DEMO   4.00   1.00   B   C   W   1.00     45   56.69   35.03   21.66   PHY   DEMO   4.00   1.00   A   A   A   R   4.00     46   80.89   55.41   25.48   CHEM   DEMO   4.00   1.00   C   L   0.00     47   71.34   56.05   15.29   CHEM   DEMO   4.00   1.00   D   D   W   1.00     48   82.80   78.34   4.46   CHEM   DEMO   4.00   1.00   A   C   W   1.00     49   82.80   78.34   4.46   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.41   25.48   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.41   25.48   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.41   25.48   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.41   25.48   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.41   25.48   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.41   25.28   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.41   25.28   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.41   25.28   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.51   25.55   CHEM   DEMO   4.00   1.00   D   D   R   4.00     50   75.80   55.51   25.55	31	52.23	28.66	23.57	PHY	DEMO	4.00	1.00	В	D	W	-1.00
34   70.06   43.95   26.11   PHY   DEMO   4.00   1.00   C   C   R   4.00	32	69.43	49.68	19.75	PHY	DEMO	4.00	1.00	В		L	0.00
35	33	85.35	73.25	12.10	PHY	DEMO	4.00	1.00	D	D	R	4.00
35	34	70.06	43.95	26.11	PHY	DEMO	4.00	1.00	С	С	R	4.00
Section   Sect	35				PHY	DEMO	4.00					
37   80.25   68.79   11.46   PHY   DEMO   4.00   1.00   A   A   A   R   4.00									_			
38   73.25   36.94   36.31   PHY   DEMO   4.00   1.00   A   L   0.00									Λ	^		
39   25,48   1,27   24,20   PHY   DEMO   4,00   1,00   A   A   A   R   4,00										^		
40         73.89         42.68         31.21         PHY         DEMO         4.00         1.00         A         A         R         4.00           41         50.96         28.03         22.93         PHY         DEMO         4.00         1.00         C         L         0.00           42         38.22         24.20         14.01         PHY         DEMO         4.00         1.00         A         C         W         -1.00           43         64.33         45.22         19.11         PHY         DEMO         4.00         1.00         B         C         W         -1.00           44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         C         L         0.00           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         A         R         4.00           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         D         L         0.00           47         71.34         56.05         15.29         CHEM         DEMO         4.00 <td></td>												
41         50.96         28.03         22.93         PHY         DEMO         4.00         1.00         C         L         0.00           42         38.22         24.20         14.01         PHY         DEMO         4.00         1.00         A         C         W         -1.00           43         64.33         45.22         19.11         PHY         DEMO         4.00         1.00         B         C         W         -1.00           44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         C         L         0.00           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         R         4.00           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         C         L         0.00           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D         L         0.00           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A												
42         38.22         24.20         14.01         PHY         DEMO         4.00         1.00         A         C         W         -1.00           43         64.33         45.22         19.11         PHY         DEMO         4.00         1.00         B         C         W         -1.00           44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         C         L         0.00           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         R         4.00           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         D         L         0.00           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D         L         0.00           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         D         W         -1.00           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.										A		
43         64.33         45.22         19.11         PHY         DEMO         4.00         1.00         B         C         W         -1.00           44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         C         L         0.00           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         A         R         4.00           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         C         L         0.00           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D         L         0.00           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         D         W         -1.00           50         75.80         55.41         20.38         CHEM         DEMO         4.00	41	50.96	28.03	22.93	PHY	DEMO	4.00	1.00	С		L	0.00
44         44.59         24.84         19.75         PHY         DEMO         4.00         1.00         C         L         0.00           45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         A         R         4.00           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         C         L         0.00           47         71.34         66.05         15.29         CHEM         DEMO         4.00         1.00         D         L         0.00           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         D         W         -1.00           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         L         0.00           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.	42	38.22	24.20	14.01	PHY	DEMO	4.00	1.00	Α	С	W	-1.00
45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         R         4.00           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         C         L         0.00           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D         L         0.00           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         D         W         -1.00           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         L         0.00           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         R         4.00           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1	43	64.33	45.22	19.11	PHY	DEMO	4.00	1.00	В	С	W	-1.00
45         56.69         35.03         21.66         PHY         DEMO         4.00         1.00         A         A         R         4.00           46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         C         L         0.00           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D         L         0.00           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         D         W         -1.00           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         L         0.00           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         R         4.00           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1	44	44.59	24.84	19.75	PHY	DEMO	4.00	1.00	С		L	0.00
46         80.89         55.41         25.48         CHEM         DEMO         4.00         1.00         C         L         0.00           47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D         L         0.00           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         D         W         -1.00           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         L         0.00           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B         R         4.00           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           53         76.43         31.21         45.22         CHEM         DEMO         4.	45	56.69	35.03	21.66	PHY	DEMO	4.00	1.00	A	A	R	4.00
47         71.34         56.05         15.29         CHEM         DEMO         4.00         1.00         D         L         0.00           48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         D         W         -1.00           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         L         0.00           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B         R         4.00           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         A         W         -1.00           54         69.43         54.14         15.29         CHEM         DEMO												
48         89.17         77.07         12.10         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         D         W         -1.00           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         L         0.00           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B         R         4.00           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         A         W         -1.00           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         B         C         W         -1.00           56         73.25         53.50         19.75         CHEM </td <td></td>												
49         82.80         78.34         4.46         CHEM         DEMO         4.00         1.00         A         D         W         -1.00           50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         L         0.00           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B         R         4.00           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         A         W         -1.00           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C         L         0.00           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         C         W         -1.00           56         73.25         53.50         19.75         CHEM         DEMO										C		
50         75.80         55.41         20.38         CHEM         DEMO         4.00         1.00         C         L         0.00           51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         B         R         4.00           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         A         W         -1.00           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C         L         0.00           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         C         W         -1.00           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         C         W         -1.00           57         84.08         52.87         31.21         CHEM         DEM												
51         85.99         78.34         7.64         CHEM         DEMO         4.00         1.00         B         B         R         4.00           52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         A         W         -1.00           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C         L         0.00           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         C         W         -1.00           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         C         W         -1.00           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         B         W         -1.00           58         77.07         9.55         67.52         CHEM         DEM										U		
52         91.72         48.41         43.31         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         A         W         -1.00           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C         L         0.00           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         C         W         -1.00           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         C         W         -1.00           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         B         W         -1.00           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           59         75.80         50.96         24.84         CHEM         D												
53         76.43         31.21         45.22         CHEM         DEMO         4.00         1.00         D         A         W         -1.00           54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C         L         0.00           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         C         W         -1.00           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         C         W         -1.00           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         B         W         -1.00           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D         D         R         4.00           60         54.78         41.40         13.38         CHEM         DE												
54         69.43         54.14         15.29         CHEM         DEMO         4.00         1.00         C         L         0.00           55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         C         W         -1.00           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         C         W         -1.00           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         B         W         -1.00           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D         D         D         R         4.00           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         D         D         D         R         4.00           61         82.17         43.31         38.85	52	91.72	48.41									-1.00
55         74.52         64.33         10.19         CHEM         DEMO         4.00         1.00         B         C         W         -1.00           56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         C         W         -1.00           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         B         W         -1.00           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D         D         D         R         4.00           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A         L         0.00           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D         D         R         4.00	53	76.43	31.21	45.22	CHEM	DEMO	4.00	1.00		Α	W	-1.00
56         73.25         53.50         19.75         CHEM         DEMO         4.00         1.00         D         C         W         -1.00           57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         B         W         -1.00           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D         D         D         R         4.00           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A         L         0.00           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D         R         4.00	54	69.43	54.14	15.29	CHEM	DEMO	4.00	1.00	С		L	0.00
57         84.08         52.87         31.21         CHEM         DEMO         4.00         1.00         A         B         W         -1.00           58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D         D         R         4.00           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A         L         0.00           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D         R         4.00	55	74.52	64.33	10.19	CHEM	DEMO	4.00	1.00	В	С	W	-1.00
57       84.08       52.87       31.21       CHEM       DEMO       4.00       1.00       A       B       W       -1.00         58       77.07       9.55       67.52       CHEM       DEMO       4.00       1.00       A       C       W       -1.00         59       75.80       50.96       24.84       CHEM       DEMO       4.00       1.00       D       D       D       R       4.00         60       54.78       41.40       13.38       CHEM       DEMO       4.00       1.00       A       L       0.00         61       82.17       43.31       38.85       CHEM       DEMO       4.00       1.00       D       D       D       R       4.00	56		53.50	19.75	CHEM	DEMO	4.00	1.00	D	С	W	-1.00
58         77.07         9.55         67.52         CHEM         DEMO         4.00         1.00         A         C         W         -1.00           59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D         D         D         R         4.00           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A         L         0.00           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D         D         R         4.00												
59         75.80         50.96         24.84         CHEM         DEMO         4.00         1.00         D         D         D         R         4.00           60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A         L         0.00           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D         D         R         4.00												
60         54.78         41.40         13.38         CHEM         DEMO         4.00         1.00         A         L         0.00           61         82.17         43.31         38.85         CHEM         DEMO         4.00         1.00         D         D         R         4.00												
61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D D R 4.00										D .		
62 61.78 47.77 14.01 CHEM DEMO 4.00 1.00 B C W -1.00												
	62	61.78	47.77	14.01	CHEM	DEMO	4.00	1.00	В	С	l W	-1.00

### **QUESTION RESPONSE ANALYSIS**

NAME: Kahaan Shah ( ID No. 242001399 )

9PMWOVQCJA

Your Score: 252.00/720.00 (35.00%) Rank: 134

Max Score: 685.00 Min Score: 22.00

**TEST:** NEET Excel\_Minor Test-06\_21-09-2025 ( **ID:** 146 **DT:** 

Percentile: 36.79

Avg Score: 400.27

21-Sep-2025 )

21-Se	p-2025	)									
QNo	ATT%	R%	<b>W</b> %	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	67.52	52.23	15.29	CHEM	DEMO	4.00	1.00	В	D	W	-1.00
64	63.69	42.68	21.02	CHEM	DEMO	4.00	1.00	D		L	0.00
65	84.71	54.78	29.94	CHEM	DEMO	4.00	1.00	D		L	0.00
66	63.06	20.38	42.68	CHEM	DEMO	4.00	1.00	А	D	W	-1.00
67	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00		D	С	4.00
68	56.05	30.57	25.48	CHEM	DEMO	4.00	1.00	В	Α	W	-1.00
69	71.34	65.61	5.73	CHEM	DEMO	4.00	1.00	С	С	R	4.00
70	68.15	50.96	17.20	CHEM	DEMO	4.00	1.00	С	А	W	-1.00
71	57.32	43.31	14.01	CHEM	DEMO	4.00	1.00	В		L	0.00
72	61.15	52.23	8.92	CHEM	DEMO	4.00	1.00	A		L	0.00
73	82.17	66.88	15.29	CHEM	DEMO	4.00	1.00	A	A	R	4.00
74	79.62	50.96	28.66	CHEM	DEMO	4.00	1.00	A	В	W	-1.00
75	65.61	50.96	14.65	CHEM	DEMO	4.00	1.00	С		L	0.00
76	64.33	51.59	12.74	CHEM	DEMO	4.00	1.00	В	A	W	-1.00
77	55.41	35.67	19.75	CHEM	DEMO	4.00	1.00	D	В	W	-1.00
78	53.50	35.03	18.47	CHEM	DEMO	4.00	1.00	В		L	0.00
79	67.52	45.22	22.29	CHEM	DEMO	4.00	1.00	С	С	R	4.00
80	71.34	62.42	8.92	CHEM	DEMO	4.00	1.00	D	<u> </u>	L	0.00
81	67.52	60.51	7.01	CHEM	DEMO	4.00	1.00	A		L	0.00
82	62.42	35.03	27.39	CHEM	DEMO	4.00	1.00	C		L	0.00
83	74.52	64.33	10.19	CHEM	DEMO	4.00	1.00	A	A	R	4.00
84	70.06	49.68	20.38	CHEM	DEMO	4.00	1.00	C		L	0.00
85	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00		D	C	4.00
86	83.44	70.06	13.38	CHEM	DEMO	4.00	1.00	D	D	R	4.00
87	72.61	46.50	26.11	CHEM	DEMO	4.00	1.00	С		L	0.00
88	70.06	56.69	13.38	CHEM	DEMO	4.00	1.00	В		L	0.00
89				CHEM	DEMO	4.00	1.00	D		L	
90	64.97	49.68	15.29	CHEM	DEMO	4.00	1.00	В	В	R	0.00
90	63.06	50.32	12.74	BIOLOGY	DEMO	4.00	1.00			R	4.00
	88.54	56.69	31.85					A	A		4.00
92	93.63	74.52	19.11	BIOLOGY	DEMO	4.00	1.00	В	D	W	-1.00
93	96.18	72.61	23.57	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
94	98.09	86.62	11.46	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
95	89.17	62.42	26.75	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
96	95.54	90.45	5.10	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
97	88.54	73.89	14.65	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
98	84.71	43.31	41.40	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
99	98.73	91.08	7.64	BIOLOGY	DEMO	4.00	1.00	C	С	R	4.00
100	99.36	92.36	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101		90.45	6.37	BIOLOGY	DEMO	4.00	1.00	В	Α	W	-1.00
102	100.00	91.72	8.28	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
103	98.09	94.90	3.18	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
104	99.36	95.54	3.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
105	98.73	94.27	4.46	BIOLOGY	DEMO	4.00	1.00	А		L	0.00
106	98.09	91.72	6.37	BIOLOGY	DEMO	4.00	1.00	А	С	W	-1.00
107	98.09	91.08	7.01	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
108	92.99	82.17	10.83	BIOLOGY	DEMO	4.00	1.00	В	D	W	-1.00
109	92.99	78.34	14.65	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
110	97.45	85.35	12.10	BIOLOGY	DEMO	4.00	1.00	А	С	W	-1.00
111	89.17	58.60	30.57	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
112	98.73	71.97	26.75	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
113	69.43	45.86	23.57	BIOLOGY	DEMO	4.00	1.00	D	С	W	-1.00
114	89.81	72.61	17.20	BIOLOGY	DEMO	4.00	1.00	А		L	0.00
115	93.63	78.34	15.29	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
116	96.82	74.52	22.29	BIOLOGY	DEMO	4.00	1.00	А	С	W	-1.00
117	94.90	85.99	8.92	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
118	96.82	81.53	15.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	96.82	80.89	15.92	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
120	96.82	94.27	2.55	BIOLOGY	DEMO	4.00	1.00	В		L	0.00
121	94.90	68.15	26.75	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
122	97.45	73.25	24.20	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
123	81.53	66.88	14.65	BIOLOGY	DEMO	4.00	1.00	C	С	R	4.00
124	95.54	73.89	21.66	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
	55.57	. 5.55	_ 1.50			55		.,			1.00

### **QUESTION RESPONSE ANALYSIS**

 NAME: Kahaan Shah ( ID No. 242001399 )
 Your Score: 252.00/720.00 (35.00%)
 Max Score: 685.00

 9PMWOVQCJA
 Rank: 134
 Min Score: 22.00

**TEST:** NEET Excel\_Minor Test-06\_21-09-2025 ( **ID:** 146 **DT: Percentile:** 36.79 **Avg Score:** 400.27

21-Sep-2025)

	p-2025		18407	0.15.1505					******		
QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	97.45	93.63	3.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
126	93.63	78.98	14.65	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
127	75.80	68.15	7.64	BIOLOGY	DEMO	4.00	1.00	Α		L	0.00
128	81.53	63.69	17.83	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
129	97.45	90.45	7.01	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
130	98.09	92.36	5.73	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
131	91.08	56.05	35.03	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
132	96.18	86.62	9.55	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
133	95.54	87.90	7.64	BIOLOGY	DEMO	4.00	1.00	Α	Α	R	4.00
134	90.45	80.25	10.19	BIOLOGY	DEMO	4.00	1.00	Α	Α	R	4.00
135	90.45	79.62	10.83	BIOLOGY	DEMO	4.00	1.00	Α	А	R	4.00
136	98.73	94.27	4.46	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
137	98.73	91.08	7.64	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
138	75.16	47.13	28.03	BIOLOGY	DEMO	4.00	1.00	В		L	0.00
139	89.17	58.60	30.57	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
140	96.82	49.04	47.77	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
141	91.08	71.34	19.75	BIOLOGY	DEMO	4.00	1.00	В		L	0.00
142	92.99	45.22	47.77	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
143	96.82	73.25	23.57	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
144	98.09	89.81	8.28	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
145	70.06	33.12	36.94	BIOLOGY	DEMO	4.00	1.00	В	<u> </u>	L	0.00
146	47.77	6.37	41.40	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
147				BIOLOGY	DEMO	4.00	1.00	D	A	W	
	92.99	77.07	15.92					D	D		-1.00
148	99.36	92.36	7.01	BIOLOGY BIOLOGY	DEMO DEMO	4.00	1.00	В	В	R R	4.00
149	74.52	46.50	28.03			4.00	1.00				4.00
150	100.00	90.45	9.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
151	94.90	75.16	19.75	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
152	95.54	73.25	22.29	BIOLOGY	DEMO	4.00	1.00	С	A	W	-1.00
153	96.18	85.99	10.19	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
154	74.52	40.13	34.39	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
155	98.73	93.63	5.10	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
156	85.99	55.41	30.57	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
157	97.45	88.54	8.92	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
158	93.63	79.62	14.01	BIOLOGY	DEMO	4.00	1.00	С	В	W	-1.00
159	76.43	44.59	31.85	BIOLOGY	DEMO	4.00	1.00	Α	Α	R	4.00
160	94.27	87.90	6.37	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
161	97.45	87.90	9.55	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
162	96.18	89.17	7.01	BIOLOGY	DEMO	4.00	1.00	Α	А	R	4.00
163	77.71	43.95	33.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
164	98.09	91.08	7.01	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
165	95.54	92.36	3.18	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
166	91.08	77.07	14.01	BIOLOGY	DEMO	4.00	1.00	Α		L	0.00
167	92.99	72.61	20.38	BIOLOGY	DEMO	4.00	1.00	D	С	W	-1.00
168	60.51	44.59	15.92	BIOLOGY	DEMO	4.00	1.00	В		L	0.00
169	95.54	73.25	22.29	BIOLOGY	DEMO	4.00	1.00	В	С	W	-1.00
170	69.43	41.40	28.03	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
171	89.17	82.80	6.37	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
172	98.73	82.80	15.92	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
173	93.63	66.88	26.75	BIOLOGY	DEMO	4.00	1.00	С	A	W	-1.00
174	96.18	75.80	20.73	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
				BIOLOGY	DEMO	4.00	1.00	D	D	R	
175	97.45	82.17	15.29						U		4.00
176	82.80	60.51	22.29	BIOLOGY	DEMO	4.00	1.00	A	Α.	L	0.00
177	92.36	85.35	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
178	96.18	57.32	38.85	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
179	87.26	58.60	28.66	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
180	91.08	54.14	36.94	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00

Total Question: 180 Attempted: 112 (Correct: 68 Incorrect: 44) Score Rate: 0.00 Strike Rate: 0.00

Total Positive Marks: 296.00 Total Negative Marks: 44.00

Total: 252.00

### **QUESTION RESPONSE ANALYSIS**

NAME: Kahaan Shah ( ID No. 242001399 ) Your Score: 252.00/720.00 (35.00%) Max Score: 685.00 9PMWOVQCJA **Rank:** 134 Min Score: 22.00

**TEST:** NEET Excel\_Minor Test-06\_21-09-2025 ( **ID:** 146 **DT:** Percentile: 36.79 Avg Score: 400.27

-Se	p-2025	)			<u> </u>
	PHY		СНЕМ	BIOLOGY	Total
	64.00		28.00	160.00	252.00