

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Vishrut Patel (ID No. 242016427)
Y112KTFR53

Your Score: 387.00/720.00 (53.75%)

Max Score: 700.00

Rank: 81

Min Score: 69.00

TEST: NEET_Excel All_PartTest-07_05-10-2025 (ID: 153 DT: 05-Oct-2025)

Percentile: 55.29

Avg Score: 425.11

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	82.58	51.52	31.06	PHY	DEMO	4.00	1.00	D	B	W	-1.00
2	83.33	73.48	9.85	PHY	DEMO	4.00	1.00	A	A	R	4.00
3	68.94	43.94	25.00	PHY	DEMO	4.00	1.00	C	C	R	4.00
4	68.94	54.55	14.39	PHY	DEMO	4.00	1.00	B	C	W	-1.00
5	74.24	46.97	27.27	PHY	DEMO	4.00	1.00	C	C	R	4.00
6	74.24	52.27	21.97	PHY	DEMO	4.00	1.00	C	C	R	4.00
7	64.39	57.58	6.82	PHY	DEMO	4.00	1.00	B	B	R	4.00
8	63.64	43.94	19.70	PHY	DEMO	4.00	1.00	A	B	W	-1.00
9	72.73	53.79	18.94	PHY	DEMO	4.00	1.00	C	A	W	-1.00
10	66.67	49.24	17.42	PHY	DEMO	4.00	1.00	C	B	W	-1.00
11	77.27	34.09	43.18	PHY	DEMO	4.00	1.00	B	C	W	-1.00
12	71.21	54.55	16.67	PHY	DEMO	4.00	1.00	C	C	R	4.00
13	86.36	72.73	13.64	PHY	DEMO	4.00	1.00	D	D	R	4.00
14	65.15	59.85	5.30	PHY	DEMO	4.00	1.00	B	B	R	4.00
15	74.24	65.15	9.09	PHY	DEMO	4.00	1.00	C	C	R	4.00
16	81.06	68.94	12.12	PHY	DEMO	4.00	1.00	A	A	R	4.00
17	74.24	41.67	32.58	PHY	DEMO	4.00	1.00	B	D	W	-1.00
18	74.24	53.03	21.21	PHY	DEMO	4.00	1.00	C	C	R	4.00
19	82.58	34.09	48.48	PHY	DEMO	4.00	1.00	C	D	W	-1.00
20	52.27	30.30	21.97	PHY	DEMO	4.00	1.00	C	C	R	4.00
21	52.27	33.33	18.94	PHY	DEMO	4.00	1.00	C	B	W	-1.00
22	42.42	22.73	19.70	PHY	DEMO	4.00	1.00	B	C	W	-1.00
23	73.48	45.45	28.03	PHY	DEMO	4.00	1.00	C	B	W	-1.00
24	59.85	34.09	25.76	PHY	DEMO	4.00	1.00	B	B	R	4.00
25	59.09	38.64	20.45	PHY	DEMO	4.00	1.00	B	B	R	4.00
26	37.12	28.03	9.09	PHY	DEMO	4.00	1.00	D	A	W	-1.00
27	36.36	27.27	9.09	PHY	DEMO	4.00	1.00	D	C	W	-1.00
28	54.55	28.79	25.76	PHY	DEMO	4.00	1.00	C	D	W	-1.00
29	66.67	40.15	26.52	PHY	DEMO	4.00	1.00	B	C	W	-1.00
30	63.64	31.82	31.82	PHY	DEMO	4.00	1.00	D	B	W	-1.00
31	46.97	31.06	15.91	PHY	DEMO	4.00	1.00	B	C	W	-1.00
32	46.21	16.67	29.55	PHY	DEMO	4.00	1.00	C	D	W	-1.00
33	34.85	25.76	9.09	PHY	DEMO	4.00	1.00	A		L	0.00
34	90.15	87.12	3.03	PHY	DEMO	4.00	1.00	D	D	R	4.00
35	38.64	25.00	13.64	PHY	DEMO	4.00	1.00	C		L	0.00
36	39.39	12.88	26.52	PHY	DEMO	4.00	1.00	D		L	0.00
37	25.76	11.36	14.39	PHY	DEMO	4.00	1.00	C		L	0.00
38	59.85	53.03	6.82	PHY	DEMO	4.00	1.00	D		L	0.00
39	68.94	54.55	14.39	PHY	DEMO	4.00	1.00	C		L	0.00
40	40.15	29.55	10.61	PHY	DEMO	4.00	1.00	C		L	0.00
41	62.12	41.67	20.45	PHY	DEMO	4.00	1.00	A		L	0.00
42	59.85	40.91	18.94	PHY	DEMO	4.00	1.00	A		L	0.00
43	33.33	15.15	18.18	PHY	DEMO	4.00	1.00	A		L	0.00
44	50.76	28.03	22.73	PHY	DEMO	4.00	1.00	D		L	0.00
45	47.73	22.73	25.00	PHY	DEMO	4.00	1.00	A		L	0.00
46	90.15	71.21	18.94	CHEM	DEMO	4.00	1.00	B	B	R	4.00
47	93.18	88.64	4.55	CHEM	DEMO	4.00	1.00	A	A	R	4.00
48	71.21	50.00	21.21	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
49	83.33	23.48	59.85	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
50	90.15	70.45	19.70	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
51	74.24	43.94	30.30	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
52	79.55	55.30	24.24	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
53	90.91	78.79	12.12	CHEM	DEMO	4.00	1.00	B	B	R	4.00
54	82.58	64.39	18.18	CHEM	DEMO	4.00	1.00	B	B	R	4.00
55	85.61	65.15	20.45	CHEM	DEMO	4.00	1.00	A	A	R	4.00
56	90.91	73.48	17.42	CHEM	DEMO	4.00	1.00	A	A	R	4.00
57	79.55	57.58	21.97	CHEM	DEMO	4.00	1.00	B	B	R	4.00
58	75.00	51.52	23.48	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
59	80.30	70.45	9.85	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
60	89.39	76.52	12.88	CHEM	DEMO	4.00	1.00	B	B	R	4.00
61	77.27	58.33	18.94	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
62	84.09	81.06	3.03	CHEM	DEMO	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Vishrut Patel (ID No. 242016427)
Y112KTFR53
TEST: NEET_Excel All_PartTest-07_05-10-2025 (ID: 153 DT: 05-Oct-2025)

Your Score: 387.00/720.00 (53.75%)
Rank: 81
Percentile: 55.29

Max Score: 700.00
Min Score: 69.00
Avg Score: 425.11

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	81.06	52.27	28.79	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
64	64.39	43.18	21.21	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
65	82.58	74.24	8.33	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
66	82.58	68.18	14.39	CHEM	DEMO	4.00	1.00	C	C	R	4.00
67	69.70	50.76	18.94	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
68	85.61	63.64	21.97	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
69	72.73	53.79	18.94	CHEM	DEMO	4.00	1.00	A	A	R	4.00
70	82.58	69.70	12.88	CHEM	DEMO	4.00	1.00	C	C	R	4.00
71	78.03	56.82	21.21	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
72	73.48	34.85	38.64	CHEM	DEMO	4.00	1.00	B	B	R	4.00
73	90.91	48.48	42.42	CHEM	DEMO	4.00	1.00	C	C	R	4.00
74	72.73	52.27	20.45	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
75	68.94	58.33	10.61	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
76	86.36	75.76	10.61	CHEM	DEMO	4.00	1.00	A	A	R	4.00
77	81.82	60.61	21.21	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
78	84.85	73.48	11.36	CHEM	DEMO	4.00	1.00	B	B	R	4.00
79	78.79	69.70	9.09	CHEM	DEMO	4.00	1.00	C	C	R	4.00
80	87.88	68.94	18.94	CHEM	DEMO	4.00	1.00	C	C	R	4.00
81	80.30	61.36	18.94	CHEM	DEMO	4.00	1.00	C	C	R	4.00
82	81.82	42.42	39.39	CHEM	DEMO	4.00	1.00	B	B	R	4.00
83	75.00	53.03	21.97	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
84	65.91	49.24	16.67	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
85	78.79	64.39	14.39	CHEM	DEMO	4.00	1.00	C	C	R	4.00
86	77.27	61.36	15.91	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
87	81.82	57.58	24.24	CHEM	DEMO	4.00	1.00	B	B	R	4.00
88	68.18	42.42	25.76	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
89	68.94	46.21	22.73	CHEM	DEMO	4.00	1.00	B	B	R	4.00
90	87.12	68.94	18.18	CHEM	DEMO	4.00	1.00	D	D	R	4.00
91	98.48	90.15	8.33	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
92	98.48	92.42	6.06	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
93	100.00	90.15	9.85	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
94	94.70	49.24	45.45	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
95	98.48	67.42	31.06	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
96	95.45	78.03	17.42	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
97	98.48	80.30	18.18	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
98	92.42	78.79	13.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
99	96.21	90.15	6.06	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
100	98.48	90.15	8.33	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	92.42	85.61	6.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
102	99.24	91.67	7.58	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
103	93.94	62.88	31.06	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
104	87.88	63.64	24.24	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
105	100.00	95.45	4.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
106	94.70	76.52	18.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
107	99.24	84.85	14.39	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	94.70	87.12	7.58	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	96.97	85.61	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
110	100.00	86.36	13.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
111	90.15	83.33	6.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
112	100.00	97.73	2.27	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
113	95.45	75.76	19.70	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
114	87.88	62.12	25.76	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
115	94.70	48.48	46.21	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
116	93.94	65.15	28.79	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
117	96.21	76.52	19.70	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
118	98.48	87.12	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	94.70	78.03	16.67	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
120	91.67	75.00	16.67	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
121	99.24	97.73	1.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
122	96.97	86.36	10.61	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
123	93.18	71.97	21.21	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
124	99.24	82.58	16.67	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Vishrut Patel (ID No. 242016427)
Y112KTFR53

Your Score: 387.00/720.00 (53.75%)
Rank: 81
Percentile: 55.29

Max Score: 700.00
Min Score: 69.00
Avg Score: 425.11

TEST: NEET_Excel All_PartTest-07_05-10-2025 (ID: 153 DT: 05-Oct-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	96.21	92.42	3.79	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
126	95.45	59.85	35.61	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
127	93.18	63.64	29.55	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
128	99.24	92.42	6.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
129	91.67	62.12	29.55	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
130	81.06	55.30	25.76	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
131	97.73	97.73	0.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
132	96.21	88.64	7.58	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
133	98.48	96.97	1.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
134	93.94	65.91	28.03	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
135	99.24	97.73	1.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
136	97.73	89.39	8.33	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
137	93.94	77.27	16.67	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
138	95.45	82.58	12.88	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
139	93.94	62.12	31.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
140	96.21	86.36	9.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
141	92.42	46.97	45.45	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
142	98.48	50.76	47.73	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
143	95.45	53.79	41.67	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
144	88.64	71.97	16.67	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
145	81.82	40.91	40.91	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
146	91.67	57.58	34.09	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
147	99.24	93.18	6.06	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
148	96.97	89.39	7.58	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
149	90.91	55.30	35.61	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
150	96.21	86.36	9.85	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
151	98.48	91.67	6.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
152	92.42	53.79	38.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
153	86.36	47.73	38.64	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
154	99.24	87.88	11.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
155	87.12	80.30	6.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
156	97.73	86.36	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
157	97.73	73.48	24.24	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
158	100.00	98.48	1.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
159	94.70	63.64	31.06	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
160	99.24	98.48	0.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
161	95.45	62.88	32.58	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
162	95.45	80.30	15.15	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
163	95.45	88.64	6.82	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
164	99.24	98.48	0.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
165	94.70	81.06	13.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
166	93.94	81.06	12.88	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
167	95.45	77.27	18.18	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
168	92.42	73.48	18.94	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
169	93.94	83.33	10.61	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
170	93.18	59.85	33.33	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
171	93.94	89.39	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
172	92.42	34.09	58.33	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
173	89.39	68.18	21.21	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
174	96.21	93.18	3.03	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
175	96.97	88.64	8.33	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
176	96.97	89.39	7.58	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
177	90.15	71.97	18.18	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
178	92.42	34.09	58.33	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
179	94.70	60.61	34.09	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
180	98.48	86.36	12.12	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00

Total Question: 180 **Attempted:** 168 (**Correct:** 111 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 387.00

Total Positive Marks: 444.00 **Total Negative Marks:** 57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

	PHY		CHEM	BIOLOGY	Total
	42.00		75.00	270.00	387.00