

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Naiya Patel (ID No. 242047508)
1P9P6V6TAG

Your Score: 252.00/720.00 (35.00%)
Rank: 57
Percentile: 36.95

Max Score: 682.00
Min Score: 46.00
Avg Score: 283.32

TEST: NEET Growth_Part Test-07_14-09-2025 (ID: 144 DT: 14-Sep-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.00	69.09	20.91	PHY	DEMO	4.00	1.00	A	A	R	4.00
2	78.18	42.73	35.45	PHY	DEMO	4.00	1.00	C	C	R	4.00
3	50.00	23.64	26.36	PHY	DEMO	4.00	1.00	D		L	0.00
4	73.64	37.27	36.36	PHY	DEMO	4.00	1.00	A	A	R	4.00
5	51.82	13.64	38.18	PHY	DEMO	4.00	1.00	B		L	0.00
6	68.18	30.00	38.18	PHY	DEMO	4.00	1.00	B		L	0.00
7	35.45	21.82	13.64	PHY	DEMO	4.00	1.00	B		L	0.00
8	70.91	50.00	20.91	PHY	DEMO	4.00	1.00	A		L	0.00
9	57.27	27.27	30.00	PHY	DEMO	4.00	1.00	B		L	0.00
10	75.45	35.45	40.00	PHY	DEMO	4.00	1.00	B		L	0.00
11	67.27	30.00	37.27	PHY	DEMO	4.00	1.00	C		L	0.00
12	70.91	43.64	27.27	PHY	DEMO	4.00	1.00	A		L	0.00
13	70.00	51.82	18.18	PHY	DEMO	4.00	1.00	C		L	0.00
14	63.64	40.91	22.73	PHY	DEMO	4.00	1.00	A		L	0.00
15	43.64	17.27	26.36	PHY	DEMO	4.00	1.00	C		L	0.00
16	80.00	21.82	58.18	PHY	DEMO	4.00	1.00	A	C	W	-1.00
17	75.45	50.91	24.55	PHY	DEMO	4.00	1.00	B	B	R	4.00
18	83.64	43.64	40.00	PHY	DEMO	4.00	1.00	A	D	W	-1.00
19	80.00	34.55	45.45	PHY	DEMO	4.00	1.00	C	C	R	4.00
20	63.64	23.64	40.00	PHY	DEMO	4.00	1.00	A		L	0.00
21	81.82	32.73	49.09	PHY	DEMO	4.00	1.00	D	D	R	4.00
22	43.64	27.27	16.36	PHY	DEMO	4.00	1.00	B		L	0.00
23	78.18	32.73	45.45	PHY	DEMO	4.00	1.00	D	C	W	-1.00
24	75.45	60.91	14.55	PHY	DEMO	4.00	1.00	B	B	R	4.00
25	33.64	22.73	10.91	PHY	DEMO	4.00	1.00	B		L	0.00
26	78.18	24.55	53.64	PHY	DEMO	4.00	1.00	B	A	W	-1.00
27	70.91	49.09	21.82	PHY	DEMO	4.00	1.00	C	D	W	-1.00
28	57.27	21.82	35.45	PHY	DEMO	4.00	1.00	C		L	0.00
29	56.36	21.82	34.55	PHY	DEMO	4.00	1.00	B	A	W	-1.00
30	37.27	28.18	9.09	PHY	DEMO	4.00	1.00	B	B	R	4.00
31	52.73	14.55	38.18	PHY	DEMO	4.00	1.00	A		L	0.00
32	55.45	18.18	37.27	PHY	DEMO	4.00	1.00	A	B	W	-1.00
33	64.55	20.91	43.64	PHY	DEMO	4.00	1.00	A	C	W	-1.00
34	60.91	32.73	28.18	PHY	DEMO	4.00	1.00	A	A	R	4.00
35	53.64	24.55	29.09	PHY	DEMO	4.00	1.00	B		L	0.00
36	69.09	20.91	48.18	PHY	DEMO	4.00	1.00	D		L	0.00
37	50.00	33.64	16.36	PHY	DEMO	4.00	1.00	C	C	R	4.00
38	50.00	35.45	14.55	PHY	DEMO	4.00	1.00	B	C	W	-1.00
39	66.36	41.82	24.55	PHY	DEMO	4.00	1.00	A		L	0.00
40	60.91	30.91	30.00	PHY	DEMO	4.00	1.00	D		L	0.00
41	70.00	40.91	29.09	PHY	DEMO	4.00	1.00	D	D	R	4.00
42	53.64	22.73	30.91	PHY	DEMO	4.00	1.00	D		L	0.00
43	56.36	35.45	20.91	PHY	DEMO	4.00	1.00	D		L	0.00
44	68.18	24.55	43.64	PHY	DEMO	4.00	1.00	C		L	0.00
45	44.55	19.09	25.45	PHY	DEMO	4.00	1.00	C	D	W	-1.00
46	64.55	40.00	24.55	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
47	69.09	22.73	46.36	CHEM	DEMO	4.00	1.00	D		L	0.00
48	79.09	41.82	37.27	CHEM	DEMO	4.00	1.00	D		L	0.00
49	64.55	27.27	37.27	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
50	69.09	43.64	25.45	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
51	84.55	56.36	28.18	CHEM	DEMO	4.00	1.00	A	A	R	4.00
52	72.73	40.91	31.82	CHEM	DEMO	4.00	1.00	B	B	R	4.00
53	96.36	53.64	42.73	CHEM	DEMO	4.00	1.00	B	B	R	4.00
54	81.82	70.91	10.91	CHEM	DEMO	4.00	1.00	A	A	R	4.00
55	90.00	50.00	40.00	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
56	71.82	56.36	15.45	CHEM	DEMO	4.00	1.00	B	B	R	4.00
57	84.55	22.73	61.82	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
58	80.00	46.36	33.64	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
59	69.09	16.36	52.73	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
60	57.27	41.82	15.45	CHEM	DEMO	4.00	1.00	B	B	R	4.00
61	79.09	50.91	28.18	CHEM	DEMO	4.00	1.00	C	C	R	4.00
62	62.73	40.91	21.82	CHEM	DEMO	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Naiya Patel (ID No. 242047508)
1P9P6V6TAG

Your Score: 252.00/720.00 (35.00%)
Rank: 57
Percentile: 36.95

Max Score: 682.00
Min Score: 46.00
Avg Score: 283.32

TEST: NEET Growth_Part Test-07_14-09-2025 (ID: 144 DT: 14-Sep-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	64.55	15.45	49.09	CHEM	DEMO	4.00	1.00	B		L	0.00
64	81.82	44.55	37.27	CHEM	DEMO	4.00	1.00	C	C	R	4.00
65	58.18	38.18	20.00	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
66	59.09	13.64	45.45	CHEM	DEMO	4.00	1.00	D		L	0.00
67	65.45	37.27	28.18	CHEM	DEMO	4.00	1.00	C		L	0.00
68	66.36	29.09	37.27	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
69	79.09	68.18	10.91	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
70	65.45	56.36	9.09	CHEM	DEMO	4.00	1.00	A	A	R	4.00
71	59.09	33.64	25.45	CHEM	DEMO	4.00	1.00	A		L	0.00
72	75.45	46.36	29.09	CHEM	DEMO	4.00	1.00	B		L	0.00
73	61.82	28.18	33.64	CHEM	DEMO	4.00	1.00	D		L	0.00
74	42.73	20.00	22.73	CHEM	DEMO	4.00	1.00	D		L	0.00
75	40.91	18.18	22.73	CHEM	DEMO	4.00	1.00	A		L	0.00
76	75.45	30.00	45.45	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
77	82.73	54.55	28.18	CHEM	DEMO	4.00	1.00	C	C	R	4.00
78	85.45	75.45	10.00	CHEM	DEMO	4.00	1.00	A	A	R	4.00
79	80.00	35.45	44.55	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
80	80.91	64.55	16.36	CHEM	DEMO	4.00	1.00	D	D	R	4.00
81	79.09	51.82	27.27	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
82	71.82	36.36	35.45	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
83	82.73	61.82	20.91	CHEM	DEMO	4.00	1.00	D	D	R	4.00
84	80.00	46.36	33.64	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
85	67.27	18.18	49.09	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
86	77.27	43.64	33.64	CHEM	DEMO	4.00	1.00	D	D	R	4.00
87	90.91	76.36	14.55	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
88	77.27	60.00	17.27	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
89	59.09	36.36	22.73	CHEM	DEMO	4.00	1.00	B		L	0.00
90	76.36	27.27	49.09	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
91	100.00	92.73	7.27	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
92	90.91	80.00	10.91	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
93	73.64	37.27	36.36	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
94	73.64	32.73	40.91	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
95	96.36	85.45	10.91	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
96	80.00	34.55	45.45	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
97	94.55	86.36	8.18	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
98	90.91	57.27	33.64	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
99	80.00	38.18	41.82	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
100	90.91	74.55	16.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
101	79.09	63.64	15.45	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
102	66.36	37.27	29.09	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
103	84.55	61.82	22.73	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
104	96.36	66.36	30.00	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
105	93.64	75.45	18.18	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
106	88.18	79.09	9.09	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
107	87.27	43.64	43.64	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
108	72.73	35.45	37.27	BIOLOGY	DEMO	4.00	1.00	B		L	0.00
109	72.73	47.27	25.45	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
110	44.55	31.82	12.73	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
111	95.45	50.91	44.55	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
112	83.64	71.82	11.82	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
113	66.36	20.91	45.45	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
114	79.09	53.64	25.45	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
115	77.27	53.64	23.64	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
116	84.55	37.27	47.27	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
117	68.18	48.18	20.00	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
118	78.18	34.55	43.64	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
119	72.73	42.73	30.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
120	78.18	18.18	60.00	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
121	76.36	26.36	50.00	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
122	82.73	60.91	21.82	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
123	78.18	17.27	60.91	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
124	90.91	64.55	26.36	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Naiya Patel (ID No. 242047508)
1P9P6V6TAG

Your Score: 252.00/720.00 (35.00%)

Max Score: 682.00

Rank: 57

Min Score: 46.00

TEST: NEET Growth_Part Test-07_14-09-2025 (ID: 144 DT: 14-Sep-2025)

Percentile: 36.95

Avg Score: 283.32

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	84.55	68.18	16.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
126	97.27	93.64	3.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
127	95.45	28.18	67.27	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
128	90.00	42.73	47.27	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
129	95.45	76.36	19.09	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
130	88.18	60.00	28.18	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
131	67.27	22.73	44.55	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
132	89.09	20.91	68.18	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
133	94.55	64.55	30.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
134	100.00	90.00	10.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
135	96.36	66.36	30.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
136	94.55	36.36	58.18	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
137	95.45	62.73	32.73	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
138	95.45	58.18	37.27	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
139	94.55	44.55	50.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
140	86.36	64.55	21.82	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
141	83.64	49.09	34.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
142	78.18	49.09	29.09	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
143	91.82	40.91	50.91	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
144	86.36	66.36	20.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
145	96.36	75.45	20.91	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
146	94.55	76.36	18.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
147	89.09	68.18	20.91	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
148	91.82	58.18	33.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
149	90.91	65.45	25.45	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
150	93.64	60.91	32.73	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
151	95.45	77.27	18.18	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
152	97.27	58.18	39.09	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
153	75.45	27.27	48.18	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
154	69.09	40.00	29.09	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
155	78.18	44.55	33.64	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
156	82.73	48.18	34.55	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
157	90.00	79.09	10.91	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
158	90.00	62.73	27.27	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
159	97.27	89.09	8.18	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
160	86.36	76.36	10.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
161	84.55	60.91	23.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
162	87.27	63.64	23.64	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
163	92.73	85.45	7.27	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
164	86.36	61.82	24.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
165	79.09	63.64	15.45	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
166	76.36	57.27	19.09	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
167	93.64	54.55	39.09	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
168	76.36	20.91	55.45	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
169	91.82	83.64	8.18	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
170	89.09	71.82	17.27	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
171	86.36	36.36	50.00	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
172	92.73	84.55	8.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
173	90.00	67.27	22.73	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
174	90.91	42.73	48.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
175	78.18	39.09	39.09	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
176	93.64	73.64	20.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
177	95.45	72.73	22.73	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
178	90.91	78.18	12.73	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
179	90.91	62.73	28.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
180	96.36	44.55	51.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 133 (**Correct:** 77 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 252.00

Total Positive Marks: 308.00 **Total Negative Marks:** 56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
34.00		41.00	177.00	252.00