QUESTION RESPONSE ANALYSIS

NAME: Arjun Vaghela (ID No. 252005268)

W1WDXS1TFJ

Rank: 95

Max Score: 685.00 **Min Score:** 22.00

TEST: NEET Excel_Minor Test-06_21-09-2025 (**ID:** 146 **DT:**

Percentile: 50.22

Your Score: 344.00/720.00 (47.78%)

Min Score: 22.00 Avg Score: 400.27

21-Sep-2025)

DNA DNA DNA SUBJECT TOPICY SCHEME POS NEG KEY ANSWER RESULT		2025)			I				T		
2										ANSWER	RESULT	
1	_								D			0.00
4 87.28 73.29 14.01 PPHY DEMO 4.00 1.00 D												4.00
S 85.99 47.13 39.85 PHY DEMO A.00 1.00 D A W		68.79	12.74	56.05								-1.00
6 83.44 74.52 8.92 PHY DEMO		87.26	73.25	14.01			4.00			Α		4.00
T	5 8	85.99	47.13	38.85	PHY	DEMO	4.00	1.00				-1.00
8	8	83.44	74.52	8.92	PHY	DEMO	4.00	1.00	С	С	R	4.00
9 77.34 80.94 34.39 PHY DEMO 4.00 1.00 A A R R R R R R R R	7 8	84.08	36.31	47.77	PHY	DEMO	4.00	1.00	D	В	W	-1.00
10 10 10 10 10 10 10 10	3 4	42.68	14.65	28.03	PHY	DEMO	4.00	1.00	A	В	W	-1.00
11 12 19.72 14.55 70.77 PHY DEMO 4.00 1.00 D C C R	9 7	71.34	36.94	34.39	PHY	DEMO	4.00	1.00	Α	A	R	4.00
12 11.72 14.95 77.07 PHY DEMO 4.00 1.00 D C W	0 5	50.96	18.47	32.48	PHY	DEMO	4.00	1.00	D	В	W	-1.00
13 84.08 85.96 89.22 PHY DEMO	1 6	68.15	42.04	26.11	PHY	DEMO	4.00	1.00	С	С	R	4.00
14 58 78 78 78 78 78 78 78	2 9	91.72	14.65	77.07	PHY	DEMO	4.00	1.00	D	С	W	-1.00
15 6.675 44.59 42.98 PHY DEMO	3 8	84.08	45.86	38.22	PHY	DEMO	4.00	1.00	В	В	R	4.00
16 67.52 41.40 26.11 PHY DEMO 4.00 1.00 B B R R R R R S8.60 46.50 12.10 PHY DEMO 4.00 1.00 D D D R R R R R R R	4 5	54.78	29.94	24.84	PHY	DEMO	4.00	1.00	A	A	R	4.00
16 67.52 41.40 26.11 PHY DEMO 4.00 1.00 B B R R 170.70 43.97 29.94 35.00 PHY DEMO 4.00 1.00 D D D R R 19.70.70 38.85 31.85 PHY DEMO 4.00 1.00 D D A W W W W W W W W W	5 5	52.87	44.59	8.28	PHY	DEMO	4.00	1.00	В	В	R	4.00
17	6 6	67.52	41.40	26.11	PHY	DEMO	4.00	1.00	В	В	R	4.00
18 58.60 48.50 12.10 PHY DEMO 4.00 1.00 D D R				35.03	PHY	DEMO	4.00	1.00	В	В	R	4.00
19					PHY	DEMO	4.00	1.00	D	D	R	4.00
20	_				PHY	DEMO	4.00	1.00	D	A	W	-1.00
21 59.24 29.30 29.94 PHY DEMO 4.00 1.00 D D D R												-1.00
22 68.79 46.50 22.29												-1.00
23 59.87 29.94 29.94 PHY DEMO												4.00
24												4.00
26 38.85 25.48 13.38 PHY DEMO 4.00 1.00 A B D W												
26 50.32 10.19 40.13 PHY DEMO 4.00 1.00 B D W										^		4.00
27										D		0.00
28									В	D		-1.00
29												4.00
30 49.68 32.48 17.20 PHY DEMO 4.00 1.00 A C W									Ü	D		0.00
31 52.23 28.66 23.57 PHY DEMO 4.00 1.00 B C W									A			4.00
32 69.43 49.68 19.75 PHY DEMO 4.00 1.00 B C W												-1.00
33												-1.00
34 70.06 43.95 26.11 PHY DEMO 4.00 1.00 C C R												-1.00
35 S4.14 25.48 28.66 PHY DEMO 4.00 1.00 B L												4.00
36 100.00 100.00 0.00 PHY DEMO 4.00 1.00 A A A R										C		4.00
37 80.25 68.79 11.46 PHY DEMO 4.00 1.00 A A R 38 73.25 36.94 36.31 PHY DEMO 4.00 1.00 A L 39 25.48 1.27 24.20 PHY DEMO 4.00 1.00 A A R 40 73.89 42.68 31.21 PHY DEMO 4.00 1.00 A A R R 41 50.96 28.03 22.93 PHY DEMO 4.00 1.00 A A R R 42 38.22 24.20 14.01 PHY DEMO 4.00 1.00 A B B R R 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 C L L L 46 80.89 55.41 25.48 CHEM DEMO 4.00 1.00 A L									В			0.00
38 73.25 36.94 36.31 PHY DEMO 4.00 1.00 A L 39 25.48 1.27 24.20 PHY DEMO 4.00 1.00 A A L 40 73.99 42.68 31.21 PHY DEMO 4.00 1.00 A A R 41 50.96 28.03 22.93 PHY DEMO 4.00 1.00 C A W 42 38.22 24.20 14.01 PHY DEMO 4.00 1.00 A A L 43 64.33 45.22 19.11 PHY DEMO 4.00 1.00 B B B R 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 C L L 45 56.69 35.03 21.66 PHY DEMO 4.00 1.00 A L L 46												4.00
39 25.48 1.27 24.20 PHY DEMO 4.00 1.00 A A R 40 73.89 42.68 31.21 PHY DEMO 4.00 1.00 A A R 41 50.96 28.03 22.93 PHY DEMO 4.00 1.00 C A W 42 38.22 24.20 14.01 PHY DEMO 4.00 1.00 B B B R 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 C B B B R 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 C C L 45 56.69 35.03 21.66 PHY DEMO 4.00 1.00 C C L 46 80.89 55.41 25.48 CHEM DEMO 4.00 1.00 C C L 47 71.34 50.05 15.29 CHEM DEMO 4.00 1.00 D L 48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 D L 49 82.80 78.34 4.46 CHEM DEMO 4.00 1.00 A L 50 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 C C L 51 85.99 78.34 7.64 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 B L 53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 B L 54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 B L 55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 D L 56 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 B L 57 76.52 53.50 19.75 CHEM DEMO 4.00 1.00 B L 58 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 59 76.80 56.41 5.29 CHEM DEMO 4.00 1.00 B L 50 76.52 64.33 10.19 CHEM DEMO 4.00 1.00 D L 50 76.52 64.33 10.19 CHEM DEMO 4.00 1.00 D L 51 85.97 76.52 64.33 10.19 CHEM DEMO 4.00 1.00 D L 58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 D L 59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D D L 50 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 D D L 50 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 D D L 50 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 D D L 51 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D D L 51 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D D L										A		4.00
40 73.89 42.68 31.21 PHY DEMO 4.00 1.00 A A R 41 50.96 28.03 22.93 PHY DEMO 4.00 1.00 C A W 42 38.22 24.20 14.01 PHY DEMO 4.00 1.00 B B B R 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 B B B R 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 A L L 45 56.69 35.03 21.66 PHY DEMO 4.00 1.00 A L L 47 71.34 56.05 15.29 CHEM DEMO 4.00 1.00 D L L 48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 A L L <td></td> <td>L</td> <td>0.00</td>											L	0.00
41 50.96 28.03 22.93 PHY DEMO 4.00 1.00 C A W 42 38.22 24.20 14.01 PHY DEMO 4.00 1.00 A L 43 64.33 45.22 19.11 PHY DEMO 4.00 1.00 B B R 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 C L 45 56.69 35.03 21.66 PHY DEMO 4.00 1.00 A L 46 80.89 55.41 25.48 CHEM DEMO 4.00 1.00 C L 47 71.34 56.05 15.29 CHEM DEMO 4.00 1.00 D L 48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 A L 49 82.80 78.34 4.46 CHEM DEMO <td></td> <td>25.48</td> <td>1.27</td> <td>24.20</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>L</td> <td>0.00</td>		25.48	1.27	24.20							L	0.00
42 38.22 24.20 14.01 PHY DEMO 4.00 1.00 A L 43 64.33 45.22 19.11 PHY DEMO 4.00 1.00 B B B R 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 C L L 45 56.69 35.03 21.66 PHY DEMO 4.00 1.00 A L L 46 80.89 55.41 25.48 CHEM DEMO 4.00 1.00 D L L 47 71.34 56.05 15.29 CHEM DEMO 4.00 1.00 D L L 48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 A L L 49 82.80 78.34 4.46 CHEM DEMO 4.00 1.00 A L L 50 </td <td>0 7</td> <td>73.89</td> <td>42.68</td> <td>31.21</td> <td></td> <td></td> <td>4.00</td> <td>1.00</td> <td></td> <td>A</td> <td></td> <td>4.00</td>	0 7	73.89	42.68	31.21			4.00	1.00		A		4.00
43 64.33 45.22 19.11 PHY DEMO 4.00 1.00 B B R 44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 C L 45 56.69 35.03 21.66 PHY DEMO 4.00 1.00 A L 46 80.89 55.41 25.48 CHEM DEMO 4.00 1.00 C L 47 71.34 56.05 15.29 CHEM DEMO 4.00 1.00 D L 48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 A L 49 82.80 78.34 4.46 CHEM DEMO 4.00 1.00 A L 50 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.0	1 5	50.96	28.03	22.93			4.00			A	W	-1.00
44 44.59 24.84 19.75 PHY DEMO 4.00 1.00 C L 45 56.69 35.03 21.66 PHY DEMO 4.00 1.00 A L 46 80.89 55.41 25.48 CHEM DEMO 4.00 1.00 C L 47 71.34 56.05 15.29 CHEM DEMO 4.00 1.00 D L 48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 A L 49 82.80 78.34 4.46 CHEM DEMO 4.00 1.00 A L 50 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 <td< td=""><td>2 3</td><td>38.22</td><td></td><td>14.01</td><td>PHY</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>A</td><td></td><td>L</td><td>0.00</td></td<>	2 3	38.22		14.01	PHY	DEMO	4.00	1.00	A		L	0.00
45 56.69 35.03 21.66 PHY DEMO 4.00 1.00 A L 46 80.89 55.41 25.48 CHEM DEMO 4.00 1.00 C L 47 71.34 56.05 15.29 CHEM DEMO 4.00 1.00 D L 48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 A L 49 82.80 78.34 4.46 CHEM DEMO 4.00 1.00 A L 50 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 C L 51 85.99 78.34 7.64 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 <td< td=""><td>3 6</td><td>64.33</td><td>45.22</td><td>19.11</td><td>PHY</td><td></td><td>4.00</td><td>1.00</td><td>В</td><td>В</td><td>R</td><td>4.00</td></td<>	3 6	64.33	45.22	19.11	PHY		4.00	1.00	В	В	R	4.00
46 80.89 55.41 25.48 CHEM DEMO 4.00 1.00 C L 47 71.34 56.05 15.29 CHEM DEMO 4.00 1.00 D L 48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 A L 49 82.80 78.34 4.46 CHEM DEMO 4.00 1.00 A L 50 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 C L 51 85.99 78.34 7.64 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 54 69.43 54.14 15.29 CHEM DEMO 4.00 <t< td=""><td>4</td><td>44.59</td><td>24.84</td><td>19.75</td><td>PHY</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>С</td><td></td><td>L</td><td>0.00</td></t<>	4	44.59	24.84	19.75	PHY	DEMO	4.00	1.00	С		L	0.00
47 71.34 56.05 15.29 CHEM DEMO 4.00 1.00 D L 48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 A L 49 82.80 78.34 4.46 CHEM DEMO 4.00 1.00 A L 50 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 C L 51 85.99 78.34 7.64 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 C L 55 74.52 64.33 10.19 CHEM DEMO 4.00 <t< td=""><td>5 5</td><td>56.69</td><td>35.03</td><td>21.66</td><td>PHY</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>A</td><td></td><td>L</td><td>0.00</td></t<>	5 5	56.69	35.03	21.66	PHY	DEMO	4.00	1.00	A		L	0.00
48 89.17 77.07 12.10 CHEM DEMO 4.00 1.00 A L 49 82.80 78.34 4.46 CHEM DEMO 4.00 1.00 A L 50 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 C L 51 85.99 78.34 7.64 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 C L 55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 B L 56 73.25 53.50 19.75 CHEM DEMO 4.00 <t< td=""><td>6 8</td><td>80.89</td><td>55.41</td><td>25.48</td><td>CHEM</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>С</td><td></td><td>L</td><td>0.00</td></t<>	6 8	80.89	55.41	25.48	CHEM	DEMO	4.00	1.00	С		L	0.00
49 82.80 78.34 4.46 CHEM DEMO 4.00 1.00 A L 50 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 C L 51 85.99 78.34 7.64 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 C L 55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 B L 56 73.25 53.50 19.75 CHEM DEMO 4.00 1.00 D L 57 84.08 52.87 31.21 CHEM DEMO 4.00 <t< td=""><td>7</td><td>71.34</td><td>56.05</td><td>15.29</td><td>CHEM</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>D</td><td></td><td>L</td><td>0.00</td></t<>	7	71.34	56.05	15.29	CHEM	DEMO	4.00	1.00	D		L	0.00
50 75.80 55.41 20.38 CHEM DEMO 4.00 1.00 C L 51 85.99 78.34 7.64 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 C L 55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 B L 56 73.25 53.50 19.75 CHEM DEMO 4.00 1.00 D L 57 84.08 52.87 31.21 CHEM DEMO 4.00 1.00 A L 58 77.07 9.55 67.52 CHEM DEMO 4.00 <t< td=""><td>8 8</td><td>89.17</td><td>77.07</td><td>12.10</td><td>CHEM</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>A</td><td></td><td>L</td><td>0.00</td></t<>	8 8	89.17	77.07	12.10	CHEM	DEMO	4.00	1.00	A		L	0.00
51 85.99 78.34 7.64 CHEM DEMO 4.00 1.00 B L 52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 C L 55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 B L 56 73.25 53.50 19.75 CHEM DEMO 4.00 1.00 D L 57 84.08 52.87 31.21 CHEM DEMO 4.00 1.00 A L 58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 A L 59 75.80 50.96 24.84 CHEM DEMO 4.00 <t< td=""><td>9 8</td><td>82.80</td><td>78.34</td><td>4.46</td><td>CHEM</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>А</td><td></td><td>L</td><td>0.00</td></t<>	9 8	82.80	78.34	4.46	CHEM	DEMO	4.00	1.00	А		L	0.00
52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 C L 55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 B L 56 73.25 53.50 19.75 CHEM DEMO 4.00 1.00 D L 57 84.08 52.87 31.21 CHEM DEMO 4.00 1.00 A L 58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 A L 59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D L 60 54.78 41.40 13.38 CHEM DEMO 4.00 <	0 7	75.80	55.41	20.38	CHEM	DEMO	4.00	1.00	С		L	0.00
52 91.72 48.41 43.31 CHEM DEMO 4.00 1.00 A L 53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 C L 55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 B L 56 73.25 53.50 19.75 CHEM DEMO 4.00 1.00 D L 57 84.08 52.87 31.21 CHEM DEMO 4.00 1.00 A L 58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 A L 59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D L 60 54.78 41.40 13.38 CHEM DEMO 4.00 <	1 8	85.99	78.34	7.64	CHEM	DEMO	4.00	1.00	В		L	0.00
53 76.43 31.21 45.22 CHEM DEMO 4.00 1.00 D L 54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 C L 55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 B L 56 73.25 53.50 19.75 CHEM DEMO 4.00 1.00 D L 57 84.08 52.87 31.21 CHEM DEMO 4.00 1.00 A L 58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 A L 59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D L 60 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 A L 61 82.17 43.31 38.85 CHEM DEMO 4.00 <	2 9	91.72	48.41	43.31	CHEM	DEMO	4.00	1.00	А		L	0.00
54 69.43 54.14 15.29 CHEM DEMO 4.00 1.00 C L 55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 B L 56 73.25 53.50 19.75 CHEM DEMO 4.00 1.00 D L 57 84.08 52.87 31.21 CHEM DEMO 4.00 1.00 A L 58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 A L 59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D L 60 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 A L 61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D L					CHEM	DEMO	4.00	1.00			L	0.00
55 74.52 64.33 10.19 CHEM DEMO 4.00 1.00 B L 56 73.25 53.50 19.75 CHEM DEMO 4.00 1.00 D L 57 84.08 52.87 31.21 CHEM DEMO 4.00 1.00 A L 58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 A L 59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D L 60 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 A L 61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D L						DEMO	4.00		С			0.00
56 73.25 53.50 19.75 CHEM DEMO 4.00 1.00 D L 57 84.08 52.87 31.21 CHEM DEMO 4.00 1.00 A L 58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 A L 59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D L 60 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 A L 61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D L												0.00
57 84.08 52.87 31.21 CHEM DEMO 4.00 1.00 A L 58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 A L 59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D L 60 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 A L 61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D L												0.00
58 77.07 9.55 67.52 CHEM DEMO 4.00 1.00 A L 59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D L 60 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 A L 61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D L	_											0.00
59 75.80 50.96 24.84 CHEM DEMO 4.00 1.00 D L 60 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 A L 61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D L												0.00
60 54.78 41.40 13.38 CHEM DEMO 4.00 1.00 A L 61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D L	_											0.00
61 82.17 43.31 38.85 CHEM DEMO 4.00 1.00 D												0.00
	_											0.00
02 01.70 1 7.77 14.01 OTILIN DENIO 4.00 1.00 D L												
ATT% / R% / W%: Percent candidates attempted / solved correct / solved incorrect POS / NEG: Positive / Negative marks for correct / incorrect answer	_											0.00

QUESTION RESPONSE ANALYSIS

NAME: Arjun Vaghela (ID No. 252005268)

TEST: NEET Excel_Minor Test-06_21-09-2025 (**ID:** 146 **DT:**

W1WDXS1TFJ

Your Score: 344.00/720.00 (47.78%) **Rank:** 95

Max Score: 685.00 Min Score: 22.00

Percentile: 50.22 Avg Score: 400.27

21-Se	p-2025)									
QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	67.52	52.23	15.29	CHEM	DEMO	4.00	1.00	В		L	0.00
64	63.69	42.68	21.02	CHEM	DEMO	4.00	1.00	D		L	0.00
65	84.71	54.78	29.94	CHEM	DEMO	4.00	1.00	D		L	0.00
66	63.06	20.38	42.68	CHEM	DEMO	4.00	1.00	A		L	0.00
67	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00			С	4.00
68	56.05	30.57	25.48	CHEM	DEMO	4.00	1.00	В		L	0.00
69	71.34	65.61	5.73	CHEM	DEMO	4.00	1.00	С		L	0.00
70	68.15	50.96	17.20	CHEM	DEMO	4.00	1.00	С		L	0.00
71	57.32	43.31	14.01	CHEM	DEMO	4.00	1.00	В		L	0.00
72	61.15	52.23	8.92	CHEM	DEMO	4.00	1.00	A		L	0.00
73	82.17	66.88	15.29	CHEM	DEMO	4.00	1.00	A		L	0.00
74	79.62	50.96	28.66	CHEM	DEMO	4.00	1.00	A		L	0.00
75	65.61	50.96	14.65	CHEM	DEMO	4.00	1.00	С		L	0.00
76	64.33	51.59	12.74	CHEM	DEMO	4.00	1.00	В		L	0.00
77	55.41	35.67	19.75	CHEM	DEMO	4.00	1.00	D		L	0.00
78	53.50	35.03	18.47	CHEM	DEMO	4.00	1.00	В		L	0.00
79	67.52	45.22	22.29	CHEM	DEMO	4.00	1.00	С		L	0.00
80	71.34	62.42	8.92	CHEM	DEMO	4.00	1.00	D		L	0.00
81	67.52	60.51	7.01	CHEM	DEMO	4.00	1.00	А		L	0.00
82	62.42	35.03	27.39	CHEM	DEMO	4.00	1.00	С		L	0.00
83	74.52	64.33	10.19	CHEM	DEMO	4.00	1.00	А		L	0.00
84	70.06	49.68	20.38	CHEM	DEMO	4.00	1.00	С		L	0.00
85	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00			С	4.00
86	83.44	70.06	13.38	CHEM	DEMO	4.00	1.00	D		L	0.00
87	72.61	46.50	26.11	CHEM	DEMO	4.00	1.00	С		L	0.00
88	70.06	56.69	13.38	CHEM	DEMO	4.00	1.00	В		L	0.00
89	64.97	49.68	15.29	CHEM	DEMO	4.00	1.00	D		L	0.00
90	63.06	50.32	12.74	CHEM	DEMO	4.00	1.00	В		L	0.00
91	88.54	56.69	31.85	BIOLOGY	DEMO	4.00	1.00	А	В	W	-1.00
92	93.63	74.52	19.11	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
93	96.18	72.61	23.57	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
94	98.09	86.62	11.46	BIOLOGY	DEMO	4.00	1.00	С	В	W	-1.00
95	89.17	62.42	26.75	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
96	95.54	90.45	5.10	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
97	88.54	73.89	14.65	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
98	84.71	43.31	41.40	BIOLOGY	DEMO	4.00	1.00	В	С	W	-1.00
99	98.73	91.08	7.64	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
100	99.36	92.36	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	96.82	90.45	6.37	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
102	100.00	91.72	8.28	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
103	98.09	94.90	3.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
104	99.36	95.54	3.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
105	98.73	94.27	4.46	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
106	98.09	91.72	6.37	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
107	98.09	91.08	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	92.99	82.17	10.83	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
109	92.99	78.34	14.65	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
110	97.45	85.35	12.10	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
111	89.17	58.60	30.57	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
112	98.73	71.97	26.75	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
113	69.43	45.86	23.57	BIOLOGY	DEMO	4.00	1.00	D	-	L	0.00
114	89.81	72.61	17.20	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
115	93.63	78.34	15.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
116	96.82	74.52	22.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
117	94.90	85.99	8.92	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
118	96.82	81.53	15.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	96.82	80.89	15.29	BIOLOGY	DEMO	4.00	1.00	В	C	W	-1.00
120	96.82	94.27	2.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
121	94.90	68.15	26.75	BIOLOGY	DEMO	4.00	1.00	В	С	W	-1.00
122	97.45	73.25	24.20	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
123	81.53	66.88	14.65	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
124	95.54	73.89	21.66	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
127	33.34	10.03	21.00	DIOLOGI	DEIVIO	7.00	1.00	רי			7.00

QUESTION RESPONSE ANALYSIS

 NAME: Arjun Vaghela (ID No. 252005268)
 Your Score: 344.00/720.00 (47.78%)
 Max Score: 685.00

 W1WDXS1TFJ
 Rank: 95
 Min Score: 22.00

Avg Score: 400.27

Total: 344.00

TEST: NEET Excel_Minor Test-06_21-09-2025 (ID: 146 DT: Percentile: 50.22

21-Sep-2025)

21-Se	p-2025)									
QNo	ATT%	R%	W %	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	97.45	93.63	3.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
126	93.63	78.98	14.65	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
127	75.80	68.15	7.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
128	81.53	63.69	17.83	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
129	97.45	90.45	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
130	98.09	92.36	5.73	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
131	91.08	56.05	35.03	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
132	96.18	86.62	9.55	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
133	95.54	87.90	7.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
134	90.45	80.25	10.19	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
135	90.45	79.62	10.83	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
136	98.73	94.27	4.46	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
137	98.73	91.08	7.64	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
138	75.16	47.13	28.03	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
139	89.17	58.60	30.57	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
140	96.82	49.04	47.77	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
141	91.08	71.34	19.75	BIOLOGY	DEMO	4.00	1.00	В	D	W	-1.00
142	92.99	45.22	47.77	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
143	96.82	73.25	23.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
144	98.09	89.81	8.28	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
145	70.06	33.12	36.94	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
146	47.77	6.37	41.40	BIOLOGY	DEMO	4.00	1.00	С	A	W	-1.00
147	92.99	77.07	15.92	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
148	99.36	92.36	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
149	74.52	46.50	28.03	BIOLOGY	DEMO	4.00	1.00	В	С	W	-1.00
150	100.00	90.45	9.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
151	94.90	75.16	19.75	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
152	95.54	73.25	22.29	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
153	96.18	85.99	10.19	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
154	74.52	40.13	34.39	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
155	98.73	93.63	5.10	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
156	85.99	55.41	30.57	BIOLOGY	DEMO	4.00	1.00	С	В	W	-1.00
157	97.45	88.54	8.92	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
158	93.63	79.62	14.01	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
159	76.43	44.59	31.85	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
160	94.27	87.90	6.37	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
161	97.45	87.90	9.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
162	96.18	89.17	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
163			33.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
164	98.09	91.08	7.01	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
165	95.54	92.36	3.18	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
166	91.08	77.07	14.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
167	92.99	72.61	20.38	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
168	60.51	44.59	15.92	BIOLOGY	DEMO	4.00	1.00	В	_	L	0.00
169	95.54	73.25	22.29	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
170	69.43	41.40	28.03	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
171	89.17	82.80	6.37	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
172	98.73	82.80	15.92	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
173	93.63	66.88	26.75	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
174	96.18	75.80	20.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
175	97.45	82.17	15.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
176	82.80	60.51	22.29	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
177	92.36	85.35	7.01	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
178	96.18	57.32	38.85	BIOLOGY	DEMO	4.00	1.00	B	В	R	4.00
179	87.26	58.60	28.66	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
180				BIOLOGY	DEMO	4.00	1.00	С	C	R	
100	91.08	54.14	36.94	DIOLOGI	DEIVIO	4.00	1.00		L C	K	4.00

Total Question: 180 Attempted: 120 (Correct: 88 Incorrect: 32) Score Rate: 0.00 Strike Rate: 0.00

Total Positive Marks: 376.00 Total Negative Marks: 32.00

QUESTION RESPONSE ANALYSIS

Percentile: 50.22

Avg Score: 400.27

 NAME: Arjun Vaghela (ID No. 252005268)
 Your Score: 344.00/720.00 (47.78%)
 Max Score: 685.00

 W1WDXS1TFJ
 Rank: 95
 Min Score: 22.00

TEST: NEET Excel_Minor Test-06_21-09-2025 (**ID:** 146 **DT:**

p-2025)	el_Minor Tes	st-06_21-09-202	5 (ID : 146 D	Т:	Percentile: 50.22	Avg Score: 4	400.
PHY	СНЕМ	BIOLOGY	Total				
74.00	8.00	262.00	344.00				