

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Dhyan Patel (ID No. 242049520)
M96NM45V6C

Your Score: 526.00/720.00 (73.06%)
Rank: 6
Percentile: 92.44

Max Score: 569.00
Min Score: 80.00
Avg Score: 343.74

TEST: NEET Growth_Guj_Part Test-06_24-08-2025 (ID: 127 DT: 24-Aug-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.95	63.16	15.79	PHY	DEMO	4.00	1.00	B	B	R	4.00
2	78.95	52.63	26.32	PHY	DEMO	4.00	1.00	D	D	R	4.00
3	84.21	68.42	15.79	PHY	DEMO	4.00	1.00	C	C	R	4.00
4	73.68	68.42	5.26	PHY	DEMO	4.00	1.00	C	C	R	4.00
5	78.95	63.16	15.79	PHY	DEMO	4.00	1.00	B	B	R	4.00
6	84.21	68.42	15.79	PHY	DEMO	4.00	1.00	C	C	R	4.00
7	73.68	52.63	21.05	PHY	DEMO	4.00	1.00	B	B	R	4.00
8	78.95	63.16	15.79	PHY	DEMO	4.00	1.00	A	A	R	4.00
9	84.21	63.16	21.05	PHY	DEMO	4.00	1.00	A	A	R	4.00
10	78.95	68.42	10.53	PHY	DEMO	4.00	1.00	B	B	R	4.00
11	84.21	57.89	26.32	PHY	DEMO	4.00	1.00	B	B	R	4.00
12	68.42	57.89	10.53	PHY	DEMO	4.00	1.00	D	D	R	4.00
13	73.68	52.63	21.05	PHY	DEMO	4.00	1.00	C	C	R	4.00
14	78.95	52.63	26.32	PHY	DEMO	4.00	1.00	D	D	R	4.00
15	68.42	52.63	15.79	PHY	DEMO	4.00	1.00	D	D	R	4.00
16	78.95	73.68	5.26	PHY	DEMO	4.00	1.00	B	B	R	4.00
17	73.68	57.89	15.79	PHY	DEMO	4.00	1.00	C	B	W	-1.00
18	68.42	52.63	15.79	PHY	DEMO	4.00	1.00	B	B	R	4.00
19	78.95	68.42	10.53	PHY	DEMO	4.00	1.00	A	A	R	4.00
20	73.68	52.63	21.05	PHY	DEMO	4.00	1.00	A	A	R	4.00
21	78.95	63.16	15.79	PHY	DEMO	4.00	1.00	B	B	R	4.00
22	78.95	47.37	31.58	PHY	DEMO	4.00	1.00	D	D	R	4.00
23	89.47	73.68	15.79	PHY	DEMO	4.00	1.00	B	B	R	4.00
24	78.95	57.89	21.05	PHY	DEMO	4.00	1.00	B	B	R	4.00
25	84.21	42.11	42.11	PHY	DEMO	4.00	1.00	C	C	R	4.00
26	84.21	73.68	10.53	PHY	DEMO	4.00	1.00	B	B	R	4.00
27	78.95	47.37	31.58	PHY	DEMO	4.00	1.00	C	C	R	4.00
28	63.16	42.11	21.05	PHY	DEMO	4.00	1.00	B	B	R	4.00
29	68.42	68.42	0.00	PHY	DEMO	4.00	1.00	C	C	R	4.00
30	57.89	26.32	31.58	PHY	DEMO	4.00	1.00	B	A	W	-1.00
31	78.95	57.89	21.05	PHY	DEMO	4.00	1.00	B	B	R	4.00
32	52.63	36.84	15.79	PHY	DEMO	4.00	1.00	B	B	R	4.00
33	57.89	31.58	26.32	PHY	DEMO	4.00	1.00	B	C	W	-1.00
34	68.42	36.84	31.58	PHY	DEMO	4.00	1.00	D		L	0.00
35	31.58	21.05	10.53	PHY	DEMO	4.00	1.00	A	D	W	-1.00
36	73.68	63.16	10.53	PHY	DEMO	4.00	1.00	D	D	R	4.00
37	63.16	15.79	47.37	PHY	DEMO	4.00	1.00	C		L	0.00
38	63.16	15.79	47.37	PHY	DEMO	4.00	1.00	A	B	W	-1.00
39	42.11	10.53	31.58	PHY	DEMO	4.00	1.00	A		L	0.00
40	42.11	21.05	21.05	PHY	DEMO	4.00	1.00	B		L	0.00
41	42.11	21.05	21.05	PHY	DEMO	4.00	1.00	B	B	R	4.00
42	47.37	26.32	21.05	PHY	DEMO	4.00	1.00	B	B	R	4.00
43	36.84	5.26	31.58	PHY	DEMO	4.00	1.00	C		L	0.00
44	15.79	5.26	10.53	PHY	DEMO	4.00	1.00	C		L	0.00
45	42.11	10.53	31.58	PHY	DEMO	4.00	1.00	A		L	0.00
46	89.47	57.89	31.58	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
47	100.00	36.84	63.16	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
48	73.68	57.89	15.79	CHEM	DEMO	4.00	1.00	A	A	R	4.00
49	84.21	57.89	26.32	CHEM	DEMO	4.00	1.00	C	C	R	4.00
50	57.89	47.37	10.53	CHEM	DEMO	4.00	1.00	D	D	R	4.00
51	68.42	52.63	15.79	CHEM	DEMO	4.00	1.00	B	B	R	4.00
52	68.42	21.05	47.37	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
53	63.16	36.84	26.32	CHEM	DEMO	4.00	1.00	B	B	R	4.00
54	52.63	21.05	31.58	CHEM	DEMO	4.00	1.00	C	C	R	4.00
55	89.47	57.89	31.58	CHEM	DEMO	4.00	1.00	D	D	R	4.00
56	84.21	78.95	5.26	CHEM	DEMO	4.00	1.00	B	B	R	4.00
57	84.21	52.63	31.58	CHEM	DEMO	4.00	1.00	B	B	R	4.00
58	84.21	63.16	21.05	CHEM	DEMO	4.00	1.00	A	A	R	4.00
59	84.21	73.68	10.53	CHEM	DEMO	4.00	1.00	B	B	R	4.00
60	89.47	84.21	5.26	CHEM	DEMO	4.00	1.00	B	B	R	4.00
61	84.21	84.21	0.00	CHEM	DEMO	4.00	1.00	A	A	R	4.00
62	73.68	47.37	26.32	CHEM	DEMO	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Dhyan Patel (ID No. 242049520)
M96NM45V6C

Your Score: 526.00/720.00 (73.06%)
Rank: 6
Percentile: 92.44

Max Score: 569.00
Min Score: 80.00
Avg Score: 343.74

TEST: NEET Growth_Guj_Part Test-06_24-08-2025 (ID: 127 DT: 24-Aug-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	89.47	21.05	68.42	CHEM	DEMO	4.00	1.00	A	A	R	4.00
64	73.68	63.16	10.53	CHEM	DEMO	4.00	1.00	D	D	R	4.00
65	63.16	52.63	10.53	CHEM	DEMO	4.00	1.00	A	A	R	4.00
66	84.21	52.63	31.58	CHEM	DEMO	4.00	1.00	C	C	R	4.00
67	68.42	57.89	10.53	CHEM	DEMO	4.00	1.00	D	D	R	4.00
68	89.47	68.42	21.05	CHEM	DEMO	4.00	1.00	D	D	R	4.00
69	84.21	36.84	47.37	CHEM	DEMO	4.00	1.00	A	A	R	4.00
70	57.89	47.37	10.53	CHEM	DEMO	4.00	1.00	D	D	R	4.00
71	84.21	57.89	26.32	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
72	47.37	21.05	26.32	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
73	73.68	68.42	5.26	CHEM	DEMO	4.00	1.00	C	C	R	4.00
74	73.68	57.89	15.79	CHEM	DEMO	4.00	1.00	C	C	R	4.00
75	84.21	57.89	26.32	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
76	78.95	52.63	26.32	CHEM	DEMO	4.00	1.00	D	D	R	4.00
77	73.68	52.63	21.05	CHEM	DEMO	4.00	1.00	D	D	R	4.00
78	68.42	26.32	42.11	CHEM	DEMO	4.00	1.00	A	A	R	4.00
79	78.95	68.42	10.53	CHEM	DEMO	4.00	1.00	C	C	R	4.00
80	63.16	21.05	42.11	CHEM	DEMO	4.00	1.00	D	D	R	4.00
81	68.42	57.89	10.53	CHEM	DEMO	4.00	1.00	B	B	R	4.00
82	57.89	26.32	31.58	CHEM	DEMO	4.00	1.00	C	C	R	4.00
83	47.37	15.79	31.58	CHEM	DEMO	4.00	1.00	D	D	R	4.00
84	78.95	47.37	31.58	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
85	78.95	57.89	21.05	CHEM	DEMO	4.00	1.00	C	C	R	4.00
86	73.68	63.16	10.53	CHEM	DEMO	4.00	1.00	B	B	R	4.00
87	52.63	26.32	26.32	CHEM	DEMO	4.00	1.00	A	A	R	4.00
88	63.16	57.89	5.26	CHEM	DEMO	4.00	1.00	B	B	R	4.00
89	57.89	42.11	15.79	CHEM	DEMO	4.00	1.00	A	A	R	4.00
90	84.21	36.84	47.37	CHEM	DEMO	4.00	1.00	B	B	R	4.00
91	89.47	63.16	26.32	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
92	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
93	84.21	68.42	15.79	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
94	100.00	89.47	10.53	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
95	63.16	21.05	42.11	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
96	84.21	57.89	26.32	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
97	94.74	89.47	5.26	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
98	78.95	63.16	15.79	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
99	94.74	89.47	5.26	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
100	78.95	47.37	31.58	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	100.00	89.47	10.53	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
102	84.21	21.05	63.16	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
103	73.68	42.11	31.58	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
104	78.95	63.16	15.79	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
105	89.47	63.16	26.32	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
106	94.74	57.89	36.84	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
107	78.95	57.89	21.05	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
108	100.00	36.84	63.16	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	89.47	68.42	21.05	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
110	68.42	57.89	10.53	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
111	84.21	78.95	5.26	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
112	84.21	31.58	52.63	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
113	84.21	73.68	10.53	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
114	84.21	63.16	21.05	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
115	52.63	10.53	42.11	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
116	73.68	47.37	26.32	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
117	94.74	68.42	26.32	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
118	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	84.21	73.68	10.53	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
120	84.21	31.58	52.63	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
121	89.47	57.89	31.58	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
122	78.95	42.11	36.84	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
123	89.47	84.21	5.26	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
124	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Dhyan Patel (ID No. 242049520)
M96NM45V6C

Your Score: 526.00/720.00 (73.06%)

Max Score: 569.00

Rank: 6

Min Score: 80.00

TEST: NEET Growth_Guj_Part Test-06_24-08-2025 (ID: 127 DT: 24-Aug-2025)

Percentile: 92.44

Avg Score: 343.74

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	89.47	68.42	21.05	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
126	84.21	42.11	42.11	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
127	78.95	47.37	31.58	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
128	89.47	5.26	84.21	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
129	84.21	47.37	36.84	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
130	68.42	31.58	36.84	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
131	94.74	10.53	84.21	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
132	94.74	73.68	21.05	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
133	84.21	26.32	57.89	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
134	89.47	31.58	57.89	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
135	73.68	26.32	47.37	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
136	94.74	84.21	10.53	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
137	100.00	73.68	26.32	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
138	94.74	73.68	21.05	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
139	100.00	63.16	36.84	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
140	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
141	84.21	73.68	10.53	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
143	84.21	73.68	10.53	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
144	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
145	84.21	47.37	36.84	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
146	100.00	78.95	21.05	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
147	84.21	42.11	42.11	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
148	89.47	68.42	21.05	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
149	78.95	26.32	52.63	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
150	94.74	31.58	63.16	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
151	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
152	78.95	52.63	26.32	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
153	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
154	84.21	52.63	31.58	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
155	94.74	94.74	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
156	84.21	78.95	5.26	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
157	73.68	52.63	21.05	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
158	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
159	84.21	31.58	52.63	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
160	73.68	73.68	0.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
161	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
162	94.74	68.42	26.32	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
163	94.74	73.68	21.05	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
164	94.74	78.95	15.79	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
165	89.47	63.16	26.32	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
166	84.21	63.16	21.05	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
167	89.47	84.21	5.26	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
168	68.42	52.63	15.79	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
169	84.21	42.11	42.11	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
170	78.95	63.16	15.79	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
171	84.21	36.84	47.37	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
172	78.95	52.63	26.32	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
173	78.95	42.11	36.84	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
174	89.47	52.63	36.84	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
175	78.95	68.42	10.53	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
176	89.47	63.16	26.32	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
177	78.95	68.42	10.53	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
178	52.63	42.11	10.53	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
179	94.74	68.42	26.32	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
180	89.47	73.68	15.79	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 169 (**Correct:** 139 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 526.00

Total Positive Marks: 556.00 **Total Negative Marks:** 30.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
127.00		145.00	254.00	526.00