QUESTION RESPONSE ANALYSIS

NAME: Niva Ramanuj (ID No. 242047030)

I96A0CZ7TJ

TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT: 31-Aug-2025)

Your Score: 455.00/720.00 (63.19%) Max Score: 696.00 **Rank:** 48 Min Score: 93.00

Percentile: 65.37 Avg Score: 397.68

No. Prof. Prof. Prof. Prof. Sect. Asset Prof. Column Asset Asset	31-Au	ıg-2025)									
1	QNo	ATT%	R%	W %	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	1	93.85	88.46	5.38	PHY	DEMO	4.00	1.00	С	С	R	4.00
	2	93.08	81.54	11.54	PHY	DEMO	4.00	1.00	D	D	R	4.00
9 PM DEMO 4.09 1.00 A L 0.00 7 91-54 SAGE 30.09 PHY DEMO 4.00 1.00 D B W 1.00 9 92.31 SAGE 30.00 1000 9HY DEMO 4.00 1.00 0 B B C 4.00 11 81.01 26.01 12.31 PHY DEMO 4.00 1.00 C L 1.00 13 78.48 65.15 12.31 PHY DEMO 4.00 1.00 D D R 4.00 16 78.02 27.89 19.22 PHY DEMO 4.00 1.00 B L 1.00 A A A	3	73.85	41.54	32.31	PHY	DEMO	4.00	1.00	D		L	0.00
	4	86.92	71.54	15.38	PHY	DEMO	4.00	1.00	A		L	0.00
7. 9154 5462 3692 PHY DEMO 4409 100 D B B W -1.00 9. 9231 5462 3692 PHY DEMO 4409 100 D C -4.00 9. 9231 5462 3789 PHY DEMO 4409 100 D B B W -1.00 11 88.01 40.01 100 100 100 PHY DEMO 4409 100 D B B W -1.00 11 88.01 40.15 100 100 100 PHY DEMO 4409 100 D B B W -1.00 11 88.01 40.15 100 PHY DEMO 4409 100 C C L L 0.00 13 70.44 60.15 12.31 PHY DEMO 4409 100 C C L L 0.00 14 87.44 60.15 12.31 PHY DEMO 4409 100 C C L L 0.00 15 70.22 57.09 14.22 PHY DEMO 4409 100 D D B B W -1.00 L 0.00 15 70.22 57.09 14.22 PHY DEMO 4409 100 D D B W -1.00 L 0.00 16 70.22 57.09 14.22 PHY DEMO 4409 100 D D L L 0.00 17 80.22 57.09 14.15 PHY DEMO 4409 100 D D L L 0.00 18 70.22 57.09 14.15 PHY DEMO 4409 100 D D L L 0.00 19 45.33 52.31 15.00 PHY DEMO 4409 100 D D L L 0.00 19 45.33 52.31 15.00 PHY DEMO 4409 100 D D L L 0.00 19 45.33 52.31 15.00 PHY DEMO 4409 100 D D L L 0.00 19 45.33 52.31 15.00 PHY DEMO 4409 100 D D L L 0.00 21 80.77 55.09 17.61 PHY DEMO 4409 100 D D L L 0.00 22 80.00 57.7 55.09 PHY DEMO 4409 100 D D D R R 4400 23 57.00 57.00 PHY DEMO 4409 100 D D D R R 4400 24 80.77 55.09 17.61 PHY DEMO 4409 100 D D D R R 4400 25 80.07 75.00 PHY DEMO 4409 100 D D D R R 4400 25 80.07 75.00 PHY DEMO 4409 100 D D D R R 4400 26 80.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 27 100.00 100.00 0.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4409 100 D D D R R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4400 100 D D D R 8 R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4400 100 D D D R 8 R 4400 28 80.00 SEC.00 SEC.00 PHY DEMO 4400 100 D	5	87.69	56.15	31.54	PHY	DEMO	4.00	1.00	A		L	0.00
1	6	93.85	80.00	13.85	PHY	DEMO	4.00	1.00	С		L	0.00
9	7	91.54	54.62	36.92	PHY	DEMO	4.00	1.00	D	В	W	-1.00
19	8	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		D	С	4.00
11 88.13 48.15 40.00 PPHY DEMO	9	92.31	54.62	37.69	PHY	DEMO	4.00	1.00	D	В	W	-1.00
12 8482 2892 5788 PHY DEMO	10	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		В	С	4.00
13	11	86.15	46.15	40.00	PHY	DEMO	4.00	1.00	В	В	R	4.00
14	12	84.62	26.92	57.69	PHY	DEMO	4.00	1.00	С		L	0.00
15	13	78.46	66.15	12.31		DEMO	4.00	1.00	D	D	R	4.00
16 83.08 50.22 22.86 PHY	14	81.54	23.08	58.46	PHY	DEMO	4.00	1.00	С		L	0.00
17 8 76.22 53.08 16.15 PHY DEMO 4.00 1.00 0	15	76.92	27.69	49.23	PHY	DEMO	4.00	1.00	В		L	0.00
18	16	83.08	59.23	23.85			4.00	1.00	D		L	0.00
19	17	69.23	53.08	16.15			4.00	1.00	В		L	0.00
10	18	76.92	50.77	26.15			4.00			A	R	4.00
19 18 18 18 18 18 18 18	19	45.38	32.31	13.08		DEMO	4.00	1.00			L	0.00
22 89.23 89.23 89.23 89.25 80.00 PHY DEMO 4.00 1.00 D	20	80.00	50.77	29.23			4.00	1.00				0.00
1982 1976 1982 1984 1985 1987 DEMO 4.00 1.00 D D B B R 4.00 1.00 D D D D D D D D D	21	80.77	63.08	17.69		DEMO	4.00	1.00				4.00
24 90,77 56,92 33,85 PHY DEMO 4.00 1.00 B B R 4.00		89.23		40.00						С	R	
25 90.77 60.00 30.77 PHY DEMO 4.00 1.00 B B R 4.00	23	57.69		36.15				1.00	D			1
26 50.77 31.54 19.23 PHY DEMO 4.00 1.00 D B W -1.00 27 100.00 100.00 0.00 PHY DEMO 4.00 1.00 D L 0.00 28 83.06 44.62 38.46 PHY DEMO 4.00 1.00 D L 0.00 29 70.77 47.69 23.08 PHY DEMO 4.00 1.00 C C C R 4.00 31 87.66 60.00 27.69 PHY DEMO 4.00 1.00 B B B R 4.00 32 86.92 83.08 3.85 PHY DEMO 4.00 1.00 B B B R 4.00 33 100.00 100.00 0.00 PHY DEMO 4.00 1.00 A A A R 4.00 34 80.77 65.32 <td< td=""><td></td><td>90.77</td><td>56.92</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-1.00</td></td<>		90.77	56.92									-1.00
27												
28 83.08 44.82 38.46 PHY DEMO 4.00 1.00 C L 0.00 29 70.77 47.69 23.08 PHY DEMO 4.00 1.00 C L 0.00 30 86.15 7.231 13.85 PHY DEMO 4.00 1.00 C C R 4.00 31 87.69 6.00 27.69 PHY DEMO 4.00 1.00 B B B R 4.00 32 86.92 83.08 3.85 PHY DEMO 4.00 1.00 A A C 4.00 34 80.77 65.38 15.38 PHY DEMO 4.00 1.00 A A A R 4.00 35 84.62 56.92 27.89 PHY DEMO 4.00 1.00 A A A R 4.00 36 100.00 100.00 0.00 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>D</td><td>В</td><td></td><td></td></t<>									D	В		
29												
30												
87.69 60.00 27.69 PHY DEMO 4.00 1.00 C C R 4.00												
32												-
33 100.00 100.00 0.00 PHY DEMO 4.00 1.00 A A R 4.00												
34 80.77 65.38 15.38 PHY DEMO 4.00 1.00 A A A R 4.00 35 84.62 56.92 27.69 PHY DEMO 4.00 1.00 A A R 4.00 36 100.00 100.00 0.00 PHY DEMO 4.00 1.00 C 4.00 37 100.00 100.00 0.00 PHY DEMO 4.00 1.00 C 4.00 38 100.00 0.00 PHY DEMO 4.00 1.00 C 4.00 39 68.46 23.08 45.38 PHY DEMO 4.00 1.00 C A W 1.00 41 79.23 63.85 15.38 PHY DEMO 4.00 1.00 A A A R 4.00 42 85.38 53.85 31.54 PHY DEMO 4.00 1.00 A A									В			
35									Λ		_	
36												
37									^	^	_	
38												
39												
40 84.62 46.15 38.46 PHY DEMO 4.00 1.00 C A W -1.00 41 79.23 63.85 15.38 PHY DEMO 4.00 1.00 A A R 4.00 42 85.36 53.85 31.54 PHY DEMO 4.00 1.00 B B R 4.00 43 100.00 100.00 0.00 PHY DEMO 4.00 1.00 A A A R 4.00 44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 A A A R 4.00 45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 A A A R 4.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A R 4.00 48 79.23 67									C			
41 79.23 63.85 15.38 PHY DEMO 4.00 1.00 A A R 4.00 42 85.38 53.85 31.54 PHY DEMO 4.00 1.00 B B R 4.00 43 100.00 100.00 0.00 PHY DEMO 4.00 1.00 A A A R 4.00 44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 A A A R 4.00 45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 C C C R 4.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A R 4.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A A R 4.00 49 90.77 54										A	W	
42 85.38 53.85 31.54 PHY DEMO 4.00 1.00 B B R 4.00 43 100.00 100.00 0.00 PHY DEMO 4.00 1.00 A A A R 4.00 44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 A A A R 4.00 45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 C C R 4.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A R 4.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A A R 4.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A A A R 4.00 50 100.00												
43 100.00 100.00 0.00 PHY DEMO 4.00 1.00 A A A R 4.00 44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 A A A R 4.00 45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 C C C R 4.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A A A R 4.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A A A R 4.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A A A R 4.00 <td></td>												
44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 A A A R 4.00 45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 C C R 4.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A A A R 4.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A A A R 4.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A A A R 4.00 50 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51									-	_		
45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 C C R 4.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A A A R 4.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A A A R 4.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A A A R 4.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A R 4.00 52 82									Α	A		
46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A A A R 4.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A A A R 4.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A A A R 4.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A B B B R <td></td>												
47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A A R 4.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A A A R 4.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A A A R 4.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A A A R 4.00 53 100.00 100.00 CHEM DEMO 4.00 1.00 B B B R 4.00 54 </td <td></td>												
48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A A A R 4.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A A A R 4.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A A A R 4.00 53 100.00 100.00 CHEM DEMO 4.00 1.00 B B B R 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 D D L 0.00 55 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>A</td> <td></td> <td></td>										A		
49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A A R 4.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A A A R 4.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 B B B R 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 A A L 0.00 5												
50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A L 0.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 B B B R 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D L 0.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A L 0.00 57 87.69 76.15 11.54							4.00			A		
51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A L 0.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 B B B R 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D L 0.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A L 0.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D L 0.00 58 56.92 40.00 16.92 CHEM DEMO<												
52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A L 0.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 B B R 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D L 0.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A L 0.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D L 0.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00							4.00		A	A		
53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 B B B R 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D L 0.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A L 0.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D L 0.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D D D R 4.00 60 46.92 15.38 31.54 CHEM DEMO<												
54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D L 0.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A L 0.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D L 0.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D D D R 4.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C L 0.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 <											_	
55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D L 0.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A L 0.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D L 0.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D D D R 4.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C L 0.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00							4.00	1.00	В	В	R	
56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A L 0.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D L 0.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D D D R 4.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C L 0.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00	55	56.92			CHEM	DEMO	4.00	1.00	D		L	0.00
57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D L 0.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D D D R 4.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C L 0.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00	56				CHEM	DEMO	4.00	1.00	А		L	0.00
59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D D D R 4.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C L 0.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00	57				CHEM	DEMO	4.00	1.00	D		L	
60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C L 0.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00	58	56.92	40.00	16.92	CHEM	DEMO	4.00	1.00	В		L	0.00
61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00	59	88.46	60.00	28.46	CHEM	DEMO	4.00	1.00	D	D	R	4.00
	60	46.92	15.38	31.54	CHEM	DEMO	4.00	1.00	С		L	0.00
62 53.85 40.00 13.85 CHEM DEMO 4.00 1.00 C	61	63.85	43.85	20.00	CHEM	DEMO	4.00	1.00	Α	A	R	4.00
	62	53.85	40.00	13.85	CHEM	DEMO	4.00	1.00	С		L	0.00

ATT% / R% / W%: Percent candidates attempted / solved correct / solved incorrect. POS / NEG: Positive / Negative marks for correct / incorrect answer KEY: Correct answer of the question. ANS: Answer filled by the candidate. RESULT: Result (correct/left). MARKS: Marks obtained for question. ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

QUESTION RESPONSE ANALYSIS

NAME: Niva Ramanuj (ID No. 242047030)

I96A0CZ7TJ

Rank: 48

Your Score: 455.00/720.00 (63.19%)

Max Score: 696.00 Min Score: 93.00

TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT: Percentile: 65.37 Avg Score: 397.68

31-Au	ıg-2025)	-		•						
QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	63.08	46.92	16.15	CHEM	DEMO	4.00	1.00	A	A	R	4.00
64	64.62	25.38	39.23	CHEM	DEMO	4.00	1.00	В		L	0.00
65	53.85	45.38	8.46	CHEM	DEMO	4.00	1.00	В		L	0.00
66	45.38	32.31	13.08	CHEM	DEMO	4.00	1.00	D		L	0.00
67	43.08	21.54	21.54	CHEM	DEMO	4.00	1.00	D	D	R	4.00
68	29.23	9.23	20.00	CHEM	DEMO	4.00	1.00	А		L	0.00
69	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00			С	4.00
70	76.92	52.31	24.62	CHEM	DEMO	4.00	1.00	С	С	R	4.00
71	63.85	40.00	23.85	CHEM	DEMO	4.00	1.00	Α	А	R	4.00
72	58.46	12.31	46.15	CHEM	DEMO	4.00	1.00	С		L	0.00
73	30.77	23.85	6.92	CHEM	DEMO	4.00	1.00	A		L	0.00
74	79.23	59.23	20.00	CHEM	DEMO	4.00	1.00	В	А	W	-1.00
75	80.00	52.31	27.69	CHEM	DEMO	4.00	1.00	Α		L	0.00
76	50.77	32.31	18.46	CHEM	DEMO	4.00	1.00	D		L	0.00
77	57.69	34.62	23.08	CHEM	DEMO	4.00	1.00	С		L	0.00
78	65.38	31.54	33.85	CHEM	DEMO	4.00	1.00	В		L	0.00
79	36.15	25.38	10.77	CHEM	DEMO	4.00	1.00	С		L	0.00
80	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00			С	4.00
81	80.77	64.62	16.15	CHEM	DEMO	4.00	1.00	Α	A	R	4.00
82	80.00	34.62	45.38	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
83	74.62	65.38	9.23	CHEM	DEMO	4.00	1.00	С	С	R	4.00
84	64.62	50.00	14.62	CHEM	DEMO	4.00	1.00	В		L	0.00
85	64.62	45.38	19.23	CHEM	DEMO	4.00	1.00	С	С	R	4.00
86	69.23	47.69	21.54	CHEM	DEMO	4.00	1.00	A	A	R	4.00
87	73.08	59.23	13.85	CHEM	DEMO	4.00	1.00	С	С	R	4.00
88	70.00	46.92	23.08	CHEM	DEMO	4.00	1.00	В	В	R	4.00
89	74.62	63.08	11.54	CHEM	DEMO	4.00	1.00	D		L	0.00
90	63.85	27.69	36.15	CHEM	DEMO	4.00	1.00	С		L	0.00
91	96.92	81.54	15.38	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
92	88.46	56.15	32.31	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
93	87.69	63.08	24.62	BIOLOGY	DEMO	4.00	1.00	А	A	R	4.00
94	87.69	40.77	46.92	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
95	95.38	93.85	1.54	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
96	93.08	80.77	12.31	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
97	83.85	60.00	23.85	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
98	86.15	76.92	9.23	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
99	91.54	84.62	6.92	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
100	80.00	40.00	40.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	87.69	72.31	15.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
102	96.92	89.23	7.69	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
103	96.15	90.00	6.15	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
104	88.46	59.23	29.23	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
105	70.77	56.92	13.85	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
106	70.00	20.77	49.23	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
107	90.00	75.38	14.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	97.69	83.08	14.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	92.31	87.69	4.62	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
110	98.46	90.00	8.46	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
111	84.62	28.46	56.15	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
112	79.23	28.46	50.77	BIOLOGY	DEMO	4.00	1.00	C	С	R	4.00
113	86.15	64.62	21.54	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
114	93.08	75.38	17.69	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
115	79.23	50.77	28.46	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
116	90.00	83.08	6.92	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
117	96.92	73.85	23.08	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
118	96.15	38.46	57.69	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
119	97.69	80.77	16.92	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
120	95.38	83.85	11.54	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
121	90.77	77.69	13.08	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
122	92.31	79.23	13.08	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
123	96.15	78.46	17.69	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
123	90.15	72.31	20.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
144	92.31	12.31	20.00	DIOLOG I	DLIVIO	7.00	1.00		<u> </u>		+.00

QUESTION RESPONSE ANALYSIS

Percentile: 65.37

Avg Score: 397.68

Total: 455.00

Your Score: 455.00/720.00 (63.19%) Max Score: 696.00 NAME: Niva Ramanuj (ID No. 242047030) I96A0CZ7TJ **Rank:** 48 Min Score: 93.00

TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT:

31-Au	ig-2025)									
QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	83.08	56.15	26.92	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
126	75.38	50.77	24.62	BIOLOGY	DEMO	4.00	1.00	С	В	W	-1.00
127	93.08	78.46	14.62	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
128	90.00	68.46	21.54	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
129	93.85	83.85	10.00	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
130	92.31	64.62	27.69	BIOLOGY	DEMO	4.00	1.00	Α	А	R	4.00
131	90.00	74.62	15.38	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
132	84.62	56.92	27.69	BIOLOGY	DEMO	4.00	1.00	A	Α	R	4.00
133	88.46	66.92	21.54	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
134	92.31	87.69	4.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
135	90.00	31.54	58.46	BIOLOGY	DEMO	4.00	1.00	В	D	W	-1.00
136	86.92	59.23	27.69	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
137	95.38	71.54	23.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
138	86.92	53.08	33.85	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
139	87.69	55.38	32.31	BIOLOGY	DEMO	4.00	1.00	С	В	W	-1.00
140	96.15	90.77	5.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
141	89.23	65.38	23.85	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
142	97.69	86.92	10.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
143	73.08	40.77	32.31	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
144	94.62	89.23	5.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
145	76.92	23.08	53.85	BIOLOGY	DEMO	4.00	1.00	D	··	L	0.00
146	86.92	71.54	15.38	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
147	72.31	49.23	23.08	BIOLOGY	DEMO	4.00	1.00	В		L	0.00
148	81.54	56.92	24.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
149	86.92	42.31	44.62	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
150	87.69	62.31	25.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
151	84.62	46.15	38.46	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
152	92.31	80.77	11.54	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
153	86.92	71.54	15.38	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
154	78.46	26.15	52.31	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
155	71.54	35.38	36.15	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
156	71.54			BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
157		39.23	33.08	BIOLOGY	DEMO	4.00	1.00	В	D	W	
	66.92	26.92	40.00	BIOLOGY		4.00	1.00	С	C	R	-1.00
158	78.46	42.31	36.15	BIOLOGY	DEMO DEMO		1.00	С	C		4.00
159	87.69	73.08	14.62			4.00			<u> </u>	R	4.00
160	69.23	60.00	9.23	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
161	88.46	66.15	22.31	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
162	74.62	49.23	25.38	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
163	89.23	70.00	19.23	BIOLOGY	DEMO	4.00	1.00	В	B	R	4.00
164	94.62	80.77	13.85	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
165	97.69	79.23	18.46	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
166	95.38	86.92	8.46	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
167	97.69	88.46	9.23	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
168	92.31	72.31	20.00	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
169	96.15	94.62	1.54	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
170	63.85	40.00	23.85	BIOLOGY	DEMO	4.00	1.00	А	A	R	4.00
171	88.46	65.38	23.08	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
172	93.85	75.38	18.46	BIOLOGY	DEMO	4.00	1.00	В	С	W	-1.00
173	90.00	73.08	16.92	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
174	94.62	81.54	13.08	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
175	90.00	80.77	9.23	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
176	94.62	76.15	18.46	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
177	95.38	80.77	14.62	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
178	85.38	69.23	16.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
179	96.92	92.31	4.62	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
180	93.08	59.23	33.85	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
-4-1		100			· 106 Incorrect: 17)			00.00		T.4.1	455.00

Total Question: 180 Attempted: 123 (Correct: 106 Incorrect: 17) Score Rate: 0.00 Strike Rate: 0.00

Total Positive Marks: 472.00 Total Negative Marks: 17.00

QUESTION RESPONSE ANALYSIS

Percentile: 65.37

Avg Score: 397.68

 NAME: Niva Ramanuj (ID No. 242047030)
 Your Score: 455.00/720.00 (63.19%)
 Max Score: 696.00

 I96A0CZ7TJ
 Rank: 48
 Min Score: 93.00

TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT:

ig-2025)			-2025 (ID. 155 D	1	I	
PHY	CHEM	BIOLOGY	Total			
95.00	82.00	278.00	455.00			