

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Dax Vyas (ID No. 252015729)
QY7H7UGZT9

Your Score: 370.00/720.00 (51.39%)

Max Score: 604.00

Rank: 8

Min Score: 63.00

TEST: NEET Growth_(Gujarati)_Part Test-07_14-09-2025 (ID: 142 DT: 14-Sep-2025)

Percentile: 61.26

Avg Score: 323.10

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	95.24	85.71	9.52	PHY	DEMO	4.00	1.00	A	A	R	4.00
2	80.95	57.14	23.81	PHY	DEMO	4.00	1.00	A	A	R	4.00
3	76.19	42.86	33.33	PHY	DEMO	4.00	1.00	C	C	R	4.00
4	76.19	52.38	23.81	PHY	DEMO	4.00	1.00	A	D	W	-1.00
5	52.38	28.57	23.81	PHY	DEMO	4.00	1.00	A	A	R	4.00
6	52.38	28.57	23.81	PHY	DEMO	4.00	1.00	C	B	W	-1.00
7	61.90	52.38	9.52	PHY	DEMO	4.00	1.00	D	D	R	4.00
8	47.62	38.10	9.52	PHY	DEMO	4.00	1.00	A	C	W	-1.00
9	52.38	19.05	33.33	PHY	DEMO	4.00	1.00	A	A	R	4.00
10	66.67	52.38	14.29	PHY	DEMO	4.00	1.00	A	A	R	4.00
11	52.38	38.10	14.29	PHY	DEMO	4.00	1.00	B	A	W	-1.00
12	52.38	28.57	23.81	PHY	DEMO	4.00	1.00	B	D	W	-1.00
13	61.90	33.33	28.57	PHY	DEMO	4.00	1.00	A	B	W	-1.00
14	52.38	14.29	38.10	PHY	DEMO	4.00	1.00	B	C	W	-1.00
15	38.10	33.33	4.76	PHY	DEMO	4.00	1.00	A	A	R	4.00
16	47.62	19.05	28.57	PHY	DEMO	4.00	1.00	C	A	W	-1.00
17	57.14	33.33	23.81	PHY	DEMO	4.00	1.00	A	B	W	-1.00
18	80.95	66.67	14.29	PHY	DEMO	4.00	1.00	B	C	W	-1.00
19	61.90	38.10	23.81	PHY	DEMO	4.00	1.00	C	B	W	-1.00
20	80.95	52.38	28.57	PHY	DEMO	4.00	1.00	C	C	R	4.00
21	14.29	4.76	9.52	PHY	DEMO	4.00	1.00	B	D	W	-1.00
22	52.38	38.10	14.29	PHY	DEMO	4.00	1.00	D	A	W	-1.00
23	33.33	14.29	19.05	PHY	DEMO	4.00	1.00	C	B	W	-1.00
24	14.29	4.76	9.52	PHY	DEMO	4.00	1.00	C	B	W	-1.00
25	14.29	0.00	14.29	PHY	DEMO	4.00	1.00	C	B	W	-1.00
26	47.62	23.81	23.81	PHY	DEMO	4.00	1.00	A	C	W	-1.00
27	47.62	14.29	33.33	PHY	DEMO	4.00	1.00	B	A	W	-1.00
28	28.57	9.52	19.05	PHY	DEMO	4.00	1.00	A	C	W	-1.00
29	38.10	28.57	9.52	PHY	DEMO	4.00	1.00	C	D	W	-1.00
30	80.95	42.86	38.10	PHY	DEMO	4.00	1.00	C	B	W	-1.00
31	80.95	38.10	42.86	PHY	DEMO	4.00	1.00	C	A	W	-1.00
32	9.52	0.00	9.52	PHY	DEMO	4.00	1.00	A	C	W	-1.00
33	80.95	33.33	47.62	PHY	DEMO	4.00	1.00	C	B	W	-1.00
34	66.67	28.57	38.10	PHY	DEMO	4.00	1.00	A	C	W	-1.00
35	90.48	66.67	23.81	PHY	DEMO	4.00	1.00	C	D	W	-1.00
36	47.62	23.81	23.81	PHY	DEMO	4.00	1.00	B	A	W	-1.00
37	52.38	33.33	19.05	PHY	DEMO	4.00	1.00	B	B	R	4.00
38	57.14	23.81	33.33	PHY	DEMO	4.00	1.00	B	B	R	4.00
39	85.71	57.14	28.57	PHY	DEMO	4.00	1.00	B	B	R	4.00
40	76.19	28.57	47.62	PHY	DEMO	4.00	1.00	C	C	R	4.00
41	57.14	47.62	9.52	PHY	DEMO	4.00	1.00	A	A	R	4.00
42	61.90	14.29	47.62	PHY	DEMO	4.00	1.00	C	B	W	-1.00
43	28.57	23.81	4.76	PHY	DEMO	4.00	1.00	B	D	W	-1.00
44	33.33	0.00	33.33	PHY	DEMO	4.00	1.00	B	C	W	-1.00
45	38.10	9.52	28.57	PHY	DEMO	4.00	1.00	A	A	R	4.00
46	66.67	28.57	38.10	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
47	42.86	23.81	19.05	CHEM	DEMO	4.00	1.00	B	B	R	4.00
48	47.62	33.33	14.29	CHEM	DEMO	4.00	1.00	C	C	R	4.00
49	71.43	47.62	23.81	CHEM	DEMO	4.00	1.00	C	C	R	4.00
50	42.86	9.52	33.33	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
51	28.57	19.05	9.52	CHEM	DEMO	4.00	1.00	D	D	R	4.00
52	76.19	52.38	23.81	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
53	61.90	23.81	38.10	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
54	76.19	28.57	47.62	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
55	52.38	33.33	19.05	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
56	28.57	14.29	14.29	CHEM	DEMO	4.00	1.00	B	B	R	4.00
57	66.67	23.81	42.86	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
58	47.62	33.33	14.29	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
59	76.19	47.62	28.57	CHEM	DEMO	4.00	1.00	B	B	R	4.00
60	61.90	38.10	23.81	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
61	76.19	28.57	47.62	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
62	76.19	47.62	28.57	CHEM	DEMO	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Dax Vyas (ID No. 252015729)

QY7H7UGZT9

Your Score: 370.00/720.00 (51.39%)

Rank: 8

Max Score: 604.00

Min Score: 63.00

TEST: NEET Growth_(Gujarati)_Part Test-07_14-09-2025 (ID: 142 DT: 14-Sep-2025)

Percentile: 61.26

Avg Score: 323.10

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	61.90	38.10	23.81	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
64	66.67	52.38	14.29	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
65	52.38	33.33	19.05	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
66	42.86	23.81	19.05	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
67	52.38	38.10	14.29	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
68	33.33	14.29	19.05	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
69	47.62	9.52	38.10	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
70	42.86	19.05	23.81	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
71	42.86	28.57	14.29	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
72	90.48	76.19	14.29	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
73	61.90	28.57	33.33	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
74	52.38	19.05	33.33	CHEM	DEMO	4.00	1.00	A	A	R	4.00
75	66.67	47.62	19.05	CHEM	DEMO	4.00	1.00	D	D	R	4.00
76	85.71	80.95	4.76	CHEM	DEMO	4.00	1.00	D	D	R	4.00
77	33.33	9.52	23.81	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
78	47.62	38.10	9.52	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
79	52.38	42.86	9.52	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
80	57.14	33.33	23.81	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
81	76.19	66.67	9.52	CHEM	DEMO	4.00	1.00	A	A	R	4.00
82	47.62	14.29	33.33	CHEM	DEMO	4.00	1.00	A	A	R	4.00
83	66.67	23.81	42.86	CHEM	DEMO	4.00	1.00	C	D	W	-1.00
84	52.38	14.29	38.10	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
85	47.62	14.29	33.33	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
86	90.48	57.14	33.33	CHEM	DEMO	4.00	1.00	C	B	W	-1.00
87	61.90	47.62	14.29	CHEM	DEMO	4.00	1.00	D	D	R	4.00
88	71.43	57.14	14.29	CHEM	DEMO	4.00	1.00	B	B	R	4.00
89	9.52	0.00	9.52	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
90	100.00	95.24	4.76	CHEM	DEMO	4.00	1.00	C	C	R	4.00
91	80.95	71.43	9.52	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
92	95.24	76.19	19.05	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
93	52.38	23.81	28.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
94	100.00	85.71	14.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
95	66.67	57.14	9.52	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
96	90.48	80.95	9.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
97	95.24	80.95	14.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
98	95.24	85.71	9.52	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
99	80.95	61.90	19.05	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
100	95.24	76.19	19.05	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
101	76.19	71.43	4.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
102	85.71	71.43	14.29	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
103	66.67	61.90	4.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
104	90.48	52.38	38.10	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
105	85.71	52.38	33.33	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
106	95.24	47.62	47.62	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
107	80.95	76.19	4.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
108	95.24	52.38	42.86	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	80.95	80.95	0.00	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
110	76.19	52.38	23.81	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
111	95.24	85.71	9.52	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
112	100.00	52.38	47.62	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
113	80.95	66.67	14.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
114	42.86	38.10	4.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
115	90.48	47.62	42.86	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
116	100.00	90.48	9.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
117	95.24	76.19	19.05	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
118	85.71	66.67	19.05	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	80.95	71.43	9.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
120	100.00	95.24	4.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
121	85.71	61.90	23.81	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
122	61.90	33.33	28.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
123	76.19	61.90	14.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
124	85.71	76.19	9.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Dax Vyas (ID No. 252015729)
QY7H7UGZT9

Your Score: 370.00/720.00 (51.39%)

Max Score: 604.00

Rank: 8

Min Score: 63.00

TEST: NEET Growth_(Gujarati)_Part Test-07_14-09-2025 (ID: 142 DT: 14-Sep-2025)

Percentile: 61.26

Avg Score: 323.10

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	71.43	66.67	4.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
126	76.19	47.62	28.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
127	80.95	38.10	42.86	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
128	90.48	66.67	23.81	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
129	85.71	52.38	33.33	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
130	90.48	85.71	4.76	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
131	85.71	61.90	23.81	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
132	66.67	33.33	33.33	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
133	100.00	85.71	14.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
134	90.48	85.71	4.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
135	90.48	85.71	4.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
136	90.48	61.90	28.57	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
137	100.00	95.24	4.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
138	90.48	66.67	23.81	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
139	95.24	85.71	9.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
140	100.00	95.24	4.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
141	90.48	80.95	9.52	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
142	90.48	61.90	28.57	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
143	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		C	C	4.00
144	100.00	80.95	19.05	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
145	90.48	47.62	42.86	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
146	100.00	95.24	4.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
147	76.19	61.90	14.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
148	76.19	71.43	4.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
149	90.48	80.95	9.52	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
150	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
151	66.67	61.90	4.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
152	90.48	71.43	19.05	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
153	90.48	76.19	14.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
154	100.00	85.71	14.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
155	85.71	61.90	23.81	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
156	61.90	19.05	42.86	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
157	90.48	71.43	19.05	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
158	52.38	42.86	9.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
159	85.71	57.14	28.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
160	76.19	66.67	9.52	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
161	90.48	80.95	9.52	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
162	76.19	71.43	4.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
163	66.67	47.62	19.05	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
164	61.90	38.10	23.81	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
165	76.19	19.05	57.14	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
166	90.48	90.48	0.00	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
167	80.95	28.57	52.38	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
168	61.90	47.62	14.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
169	90.48	85.71	4.76	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
170	85.71	42.86	42.86	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
171	85.71	52.38	33.33	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
172	80.95	66.67	14.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
173	90.48	80.95	9.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
174	85.71	76.19	9.52	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
175	100.00	80.95	19.05	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
176	100.00	76.19	23.81	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
177	90.48	85.71	4.76	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
178	100.00	80.95	19.05	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
179	95.24	90.48	4.76	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
180	90.48	42.86	47.62	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 179 (Correct: 109 Incorrect: 70) Score Rate: 0.00 Strike Rate: 0.00

Total: 370.00

Total Positive Marks: 440.00 Total Negative Marks: 70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
30.00		25.00	315.00	370.00