

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Aafiya Gotiwala (ID No. 252023810)
VN3RU8TRFU

Your Score: 296.00/720.00 (41.11%)

Max Score: 666.00

Rank: 18

Min Score: 85.00

TEST: NEET_Conquer-2_Part Test-05_21092025 (ID: 148 DT: 21-Sep-2025)

Percentile: 44.44

Avg Score: 352.64

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.29	57.14	7.14	PHY	DEMO	4.00	1.00	A		L	0.00
2	71.43	35.71	35.71	PHY	DEMO	4.00	1.00	A	A	R	4.00
3	89.29	60.71	28.57	PHY	DEMO	4.00	1.00	A	A	R	4.00
4	42.86	39.29	3.57	PHY	DEMO	4.00	1.00	B		L	0.00
5	50.00	32.14	17.86	PHY	DEMO	4.00	1.00	D		L	0.00
6	35.71	0.00	35.71	PHY	DEMO	4.00	1.00	A		L	0.00
7	42.86	28.57	14.29	PHY	DEMO	4.00	1.00	C		L	0.00
8	64.29	35.71	28.57	PHY	DEMO	4.00	1.00	A	B	W	-1.00
9	39.29	14.29	25.00	PHY	DEMO	4.00	1.00	D		L	0.00
10	17.86	3.57	14.29	PHY	DEMO	4.00	1.00	A		L	0.00
11	25.00	21.43	3.57	PHY	DEMO	4.00	1.00	C		L	0.00
12	42.86	17.86	25.00	PHY	DEMO	4.00	1.00	D	D	R	4.00
13	82.14	35.71	46.43	PHY	DEMO	4.00	1.00	C	B	W	-1.00
14	35.71	10.71	25.00	PHY	DEMO	4.00	1.00	B		L	0.00
15	57.14	42.86	14.29	PHY	DEMO	4.00	1.00	C		L	0.00
16	64.29	42.86	21.43	PHY	DEMO	4.00	1.00	D		L	0.00
17	78.57	50.00	28.57	PHY	DEMO	4.00	1.00	B	B	R	4.00
18	67.86	53.57	14.29	PHY	DEMO	4.00	1.00	B	C	W	-1.00
19	46.43	21.43	25.00	PHY	DEMO	4.00	1.00	C		L	0.00
20	75.00	7.14	67.86	PHY	DEMO	4.00	1.00	C		L	0.00
21	82.14	78.57	3.57	PHY	DEMO	4.00	1.00	B	B	R	4.00
22	57.14	35.71	21.43	PHY	DEMO	4.00	1.00	D	B	W	-1.00
23	53.57	46.43	7.14	PHY	DEMO	4.00	1.00	B		L	0.00
24	42.86	32.14	10.71	PHY	DEMO	4.00	1.00	D		L	0.00
25	60.71	46.43	14.29	PHY	DEMO	4.00	1.00	B	A	W	-1.00
26	71.43	57.14	14.29	PHY	DEMO	4.00	1.00	D	D	R	4.00
27	75.00	64.29	10.71	PHY	DEMO	4.00	1.00	A	A	R	4.00
28	39.29	10.71	28.57	PHY	DEMO	4.00	1.00	D	A	W	-1.00
29	57.14	53.57	3.57	PHY	DEMO	4.00	1.00	A		L	0.00
30	39.29	25.00	14.29	PHY	DEMO	4.00	1.00	B		L	0.00
31	64.29	25.00	39.29	PHY	DEMO	4.00	1.00	C		L	0.00
32	53.57	21.43	32.14	PHY	DEMO	4.00	1.00	B	A	W	-1.00
33	50.00	50.00	0.00	PHY	DEMO	4.00	1.00	B		L	0.00
34	42.86	28.57	14.29	PHY	DEMO	4.00	1.00	A		L	0.00
35	53.57	17.86	35.71	PHY	DEMO	4.00	1.00	A	B	W	-1.00
36	42.86	21.43	21.43	PHY	DEMO	4.00	1.00	A		L	0.00
37	75.00	57.14	17.86	PHY	DEMO	4.00	1.00	B	A	W	-1.00
38	46.43	42.86	3.57	PHY	DEMO	4.00	1.00	B	B	R	4.00
39	67.86	64.29	3.57	PHY	DEMO	4.00	1.00	B	B	R	4.00
40	78.57	67.86	10.71	PHY	DEMO	4.00	1.00	C	C	R	4.00
41	71.43	32.14	39.29	PHY	DEMO	4.00	1.00	C	B	W	-1.00
42	64.29	53.57	10.71	PHY	DEMO	4.00	1.00	B	B	R	4.00
43	67.86	39.29	28.57	PHY	DEMO	4.00	1.00	B		L	0.00
44	42.86	28.57	14.29	PHY	DEMO	4.00	1.00	B		L	0.00
45	28.57	17.86	10.71	PHY	DEMO	4.00	1.00	D		L	0.00
46	67.86	21.43	46.43	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
47	53.57	39.29	14.29	CHEM	DEMO	4.00	1.00	A	A	R	4.00
48	71.43	42.86	28.57	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
49	60.71	39.29	21.43	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
50	64.29	35.71	28.57	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
51	53.57	32.14	21.43	CHEM	DEMO	4.00	1.00	B		L	0.00
52	60.71	50.00	10.71	CHEM	DEMO	4.00	1.00	A	A	R	4.00
53	53.57	21.43	32.14	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
54	67.86	35.71	32.14	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
55	60.71	50.00	10.71	CHEM	DEMO	4.00	1.00	D	D	R	4.00
56	50.00	17.86	32.14	CHEM	DEMO	4.00	1.00	D		L	0.00
57	71.43	42.86	28.57	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
58	67.86	60.71	7.14	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
59	60.71	46.43	14.29	CHEM	DEMO	4.00	1.00	D	D	R	4.00
60	57.14	35.71	21.43	CHEM	DEMO	4.00	1.00	A		L	0.00
61	67.86	57.14	10.71	CHEM	DEMO	4.00	1.00	B	B	R	4.00
62	64.29	35.71	28.57	CHEM	DEMO	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy
QUESTION RESPONSE ANALYSIS

NAME: Aafiya Gotiwala (ID No. 252023810)
VN3RU8TRFU

Your Score: 296.00/720.00 (41.11%)
Rank: 18
Percentile: 44.44

Max Score: 666.00
Min Score: 85.00
Avg Score: 352.64

TEST: NEET_Conquer-2_Part Test-05_21092025 (ID: 148 DT: 21-Sep-2025)

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	57.14	10.71	46.43	CHEM	DEMO	4.00	1.00	B		L	0.00
64	67.86	21.43	46.43	CHEM	DEMO	4.00	1.00	A	A	R	4.00
65	67.86	57.14	10.71	CHEM	DEMO	4.00	1.00	B	B	R	4.00
66	75.00	71.43	3.57	CHEM	DEMO	4.00	1.00	A	A	R	4.00
67	71.43	42.86	28.57	CHEM	DEMO	4.00	1.00	A	A	R	4.00
68	78.57	57.14	21.43	CHEM	DEMO	4.00	1.00	C	C	R	4.00
69	64.29	17.86	46.43	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
70	60.71	39.29	21.43	CHEM	DEMO	4.00	1.00	A		L	0.00
71	64.29	39.29	25.00	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
72	64.29	57.14	7.14	CHEM	DEMO	4.00	1.00	C	C	R	4.00
73	64.29	50.00	14.29	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
74	64.29	39.29	25.00	CHEM	DEMO	4.00	1.00	C		L	0.00
75	71.43	53.57	17.86	CHEM	DEMO	4.00	1.00	B	D	W	-1.00
76	35.71	32.14	3.57	CHEM	DEMO	4.00	1.00	B		L	0.00
77	60.71	46.43	14.29	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
78	60.71	57.14	3.57	CHEM	DEMO	4.00	1.00	A		L	0.00
79	25.00	7.14	17.86	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
80	32.14	0.00	32.14	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
81	78.57	57.14	21.43	CHEM	DEMO	4.00	1.00	A	A	R	4.00
82	71.43	39.29	32.14	CHEM	DEMO	4.00	1.00	A	A	R	4.00
83	60.71	25.00	35.71	CHEM	DEMO	4.00	1.00	B	C	W	-1.00
84	64.29	46.43	17.86	CHEM	DEMO	4.00	1.00	C		L	0.00
85	60.71	42.86	17.86	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
86	71.43	42.86	28.57	CHEM	DEMO	4.00	1.00	D	D	R	4.00
87	46.43	25.00	21.43	CHEM	DEMO	4.00	1.00	D		L	0.00
88	60.71	25.00	35.71	CHEM	DEMO	4.00	1.00	A		L	0.00
89	78.57	67.86	10.71	CHEM	DEMO	4.00	1.00	A	A	R	4.00
90	60.71	35.71	25.00	CHEM	DEMO	4.00	1.00	B		L	0.00
91	100.00	96.43	3.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
92	100.00	92.86	7.14	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
93	85.71	42.86	42.86	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
94	92.86	75.00	17.86	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
95	92.86	60.71	32.14	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
96	89.29	53.57	35.71	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
97	100.00	82.14	17.86	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
98	100.00	53.57	46.43	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
99	92.86	50.00	42.86	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
100	89.29	46.43	42.86	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
101	100.00	89.29	10.71	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
102	100.00	85.71	14.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
103	100.00	96.43	3.57	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
104	96.43	75.00	21.43	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
105	85.71	46.43	39.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
106	100.00	85.71	14.29	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
107	92.86	71.43	21.43	BIOLOGY	DEMO	4.00	1.00	C	B	W	-1.00
108	82.14	57.14	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	71.43	53.57	17.86	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
110	96.43	67.86	28.57	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
111	82.14	53.57	28.57	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
112	92.86	75.00	17.86	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
113	96.43	89.29	7.14	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
114	96.43	35.71	60.71	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
115	92.86	78.57	14.29	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
116	89.29	82.14	7.14	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
117	92.86	85.71	7.14	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
118	92.86	39.29	53.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
119	100.00	82.14	17.86	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
120	85.71	39.29	46.43	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
121	85.71	60.71	25.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
122	96.43	71.43	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
123	92.86	75.00	17.86	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
124	92.86	82.14	10.71	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Aafiya Gotiwala (ID No. 252023810)
VN3RU8TRFU

Your Score: 296.00/720.00 (41.11%)

Max Score: 666.00

Rank: 18

Min Score: 85.00

TEST: NEET_Conquer-2_Part Test-05_21092025 (ID: 148 DT: 21-Sep-2025)

Percentile: 44.44

Avg Score: 352.64

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	92.86	75.00	17.86	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
126	82.14	71.43	10.71	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
127	89.29	75.00	14.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
128	85.71	67.86	17.86	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
129	92.86	42.86	50.00	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
130	82.14	71.43	10.71	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
131	92.86	85.71	7.14	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
132	82.14	64.29	17.86	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
133	85.71	53.57	32.14	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
134	85.71	75.00	10.71	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
135	89.29	57.14	32.14	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
136	96.43	85.71	10.71	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
137	89.29	89.29	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
138	78.57	60.71	17.86	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
139	89.29	67.86	21.43	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
140	89.29	78.57	10.71	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
141	89.29	67.86	21.43	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
142	89.29	89.29	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
143	89.29	67.86	21.43	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
144	92.86	85.71	7.14	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
145	92.86	78.57	14.29	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
146	89.29	89.29	0.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
147	100.00	96.43	3.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
148	92.86	78.57	14.29	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
149	89.29	64.29	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
150	89.29	78.57	10.71	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
151	92.86	82.14	10.71	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
152	85.71	67.86	17.86	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
153	75.00	53.57	21.43	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
154	92.86	67.86	25.00	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
155	100.00	75.00	25.00	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
156	82.14	57.14	25.00	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
157	92.86	85.71	7.14	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
158	82.14	75.00	7.14	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
159	92.86	78.57	14.29	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
160	92.86	64.29	28.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
161	89.29	85.71	3.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
162	82.14	46.43	35.71	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
163	96.43	92.86	3.57	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
164	92.86	85.71	7.14	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
165	89.29	75.00	14.29	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
166	92.86	78.57	14.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
167	82.14	39.29	42.86	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
168	92.86	89.29	3.57	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
169	89.29	82.14	7.14	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
170	82.14	67.86	14.29	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
171	89.29	75.00	14.29	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
172	89.29	82.14	7.14	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
173	92.86	89.29	3.57	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
174	82.14	64.29	17.86	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
175	85.71	67.86	17.86	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
176	89.29	50.00	39.29	BIOLOGY	DEMO	4.00	1.00	B	D	W	-1.00
177	71.43	25.00	46.43	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
178	92.86	75.00	17.86	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
179	89.29	60.71	28.57	BIOLOGY	DEMO	4.00	1.00	C	AC	W	-1.00
180	82.14	50.00	32.14	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 144 (**Correct:** 88 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 296.00

Total Positive Marks: 352.00 **Total Negative Marks:** 56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
34.00		42.00	220.00	296.00