## **QUESTION RESPONSE ANALYSIS**

NAME: Rimi Patel ( ID No. 252018771 ) Your Score: 295.00/720.00 (40.97%) Max Score: 602.00 25L5XM9XOH **Rank:** 46 Min Score: 104.00

TEST: NEET Conquer 1\_Part Test-08\_21-09-2025 ( ID: 147 DT: Percentile: 49.00 Avg Score: 361.83

1   0.4.42   78.78   13.84   PHY   DEMO	)2	25)				,						
2	9	6	R%	<b>W</b> %	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
3	4	2	78.79	13.64	PHY	DEMO	4.00	1.00	С	С	R	4.00
1	2	1	65.15	6.06	PHY	DEMO	4.00	1.00	В	А	W	-1.00
1	2	1	69.70	1.52	PHY	DEMO	4.00	1.00	С	С	R	4.00
6 8 818 6515 303 PHY DEMO 4.00 1.00 C C C C 7	6	7	36.36	30.30	PHY	DEMO	4.00	1.00	В	D	W	-1.00
7 334 222 167 167 PHY DEMO 4.00 1.00 A A A A A DEMO 9.00 D B PHY DEMO 4.00 1.00 A A A A A A A A A A A A A A A A A A	7	9	74.24	4.55	PHY	DEMO	4.00	1.00	В	D	W	-1.00
7	1	8	65.15	3.03	PHY	DEMO	4.00	1.00	С	С	R	4.00
8	9,	4	27.27	16.67	PHY	DEMO	4.00	1.00	A	A	R	4.00
9 0.00 34.85 15.15 PHY DEMO 4.00 1.00 A A A A A A A A A A A A A A A A A A	1:	5		18.18	PHY	DEMO	4.00	1.00	D		L	0.00
10	_	_							Α		L	0.00
11   24.22   24.24   18.18   PHY   DEMO   4.00   1.00   8		-			PHY	DEMO	4.00	1.00		A	R	4.00
12 S 30.30 13.64 30.30 PHY DEMO 4.00 1.00 A A A A A A A A A A A A A A A A A A	_	_									L	0.00
13   37.88   69.70   18.18   PHY   DEMO   4.00   1.00   A   A   A		_									L	0.00
14	_	_								Α	R	4.00
15   50.00   86.58   3.54   PHY   DEMO   4.00   1.00   C   A   A		_									L	0.00
16	_	_										0.00
17		_								Δ	W	-1.00
18		_									R	
199		_								^		4.00
20   34.85   24.24   10.61   PHY   DEMO   4.00   1.00   D		_									L	0.00
21   27.27   18.67   10.61   PHY   DEMO		_									L	0.00
22   38.36   30.30   6.06   PHY   DEMO   4.00   1.00   C		_									L	0.00
23   39.39   18.18   21.21   PHY   DEMO   4.00   1.00   D		_									L	0.00
24         45.54         21.21         24.24         PHY         DEMO         4.00         1.00         B           25         54.55         39.39         15.15         PHY         DEMO         4.00         1.00         C           27         56.06         48.48         7.58         PHY         DEMO         4.00         1.00         A         A           28         69.70         39.39         30.30         PHY         DEMO         4.00         1.00         A         A           30         68.18         34.85         33.33         PHY         DEMO         4.00         1.00         D           31         67.58         34.94         10.61         PHY         DEMO         4.00         1.00         D           31         67.58         33.33         PHY         DEMO         4.00         1.00         D           32         25.76         22.73         3.03         PHY         DEMO         4.00         1.00         D           33         15.52         33.33         18.18         PHY         DEMO         4.00         1.00         C           34         67.58         27.788         318.28		_									L	0.00
25   54.55   39.39   15.15   PHY   DEMO   4.00   1.00   D   D   D   D   D   D   D   D   D	3	9	18.18	21.21							L	0.00
26 43.94 24.24 19.70 PHY DEMO 4.00 1.00 D A A A A A B   89.70 39.99 30.30 PHY DEMO 4.00 1.00 A A A A   27 56.06 48.48 7.58 PHY DEMO 4.00 1.00 A A A   28 68.70 39.99 30.30 PHY DEMO 4.00 1.00 D   29 54.55 43.94 10.61 PHY DEMO 4.00 1.00 D   30 68.18 34.85 33.33 PHY DEMO 4.00 1.00 D   31 57.58 34.85 22.73 PHY DEMO 4.00 1.00 D   31 57.58 34.85 22.73 PHY DEMO 4.00 1.00 D   32 25.76 22.73 3.03 PHY DEMO 4.00 1.00 D   33 51.52 39.33 18.18 PHY DEMO 4.00 1.00 C   34 57.58 27.27 30.30 PHY DEMO 4.00 1.00 D   35 34.85 16.67 18.18 PHY DEMO 4.00 1.00 B   36 69.70 37.88 31.82 PHY DEMO 4.00 1.00 B   37 57.58 46.97 10.61 PHY DEMO 4.00 1.00 B   38 48.48 42.42 6.06 PHY DEMO 4.00 1.00 D   38 48.48 42.42 6.06 PHY DEMO 4.00 1.00 D   39 54.55 27.27 27.27 PHY DEMO 4.00 1.00 D   41 50.00 10.61 39.39 PHY DEMO 4.00 1.00 D   41 55.00 10.61 39.39 PHY DEMO 4.00 1.00 D   41 55.00 10.61 39.39 PHY DEMO 4.00 1.00 D   41 55.00 0 0.66 PHY DEMO 4.00 1.00 D   41 55.00 0 0.66 PHY DEMO 4.00 1.00 D   41 55.00 0 0.66 PHY DEMO 4.00 1.00 D   41 55.00 0 0.61 39.39 PHY DEMO 4.00 1.00 A   42 40.91 36.36 4.55 PHY DEMO 4.00 1.00 A   43 54.55 30.30 24.24 PHY DEMO 4.00 1.00 A   45 66.67 45.45 21.21 PHY DEMO 4.00 1.00 A   46 69.70 4.91 28.79 CHEM DEMO 4.00 1.00 B   47 100.00 10.00 0.00 CHEM DEMO 4.00 1.00 B   48 72.73 56.06 16.67 CHEM DEMO 4.00 1.00 B   48 72.73 56.06 16.67 CHEM DEMO 4.00 1.00 B   49 77.27 43.94 33.33 CHEM DEMO 4.00 1.00 B   50 62.12 42.42 19.70 CHEM DEMO 4.00 1.00 B   51 53.03 40.91 12.12 CHEM DEMO 4.00 1.00 B   52 66.67 59.09 7.58 CHEM DEMO 4.00 1.00 B   53 60.61 37.88 22.73 CHEM DEMO 4.00 1.00 B   54 65.75 83.33 13.64 CHEM DEMO 4.00 1.00 D   55 66.65 46.97 33.33 13.64 CHEM DEMO 4.00 1.00 D   56 66.15 46.97 13.33 13.64 CHEM DEMO 4.00 1.00 D   57 77.72 43.94 18.18 CHEM DEMO 4.00 1.00 D   58 60.15 46.97 18.18 CHEM DEMO 4.00 1.00 D   58 60.15 46.97 18.18 CHEM DEMO 4.00 1.00 D   58 60.15 46.97 18.18 CHEM DEMO 4.00 1.00 D   58 60.15 46.97 18.18 CHEM DEMO 4.00 1.00 D   58 60.15 46.97 18.18 CHEM DEMO 4.00 1.00 D   59 66.15 46.97 18.18 CHEM DEMO 4.00 1.	4	5	21.21	24.24	PHY		4.00	1.00			L	0.00
27   56.06   48.48   7.58   PHY   DEMO   4.00   1.00   A   A   A   A	5	5	39.39	15.15	PHY	DEMO	4.00	1.00	С		L	0.00
28         69.70         39.39         30.30         PHY         DEMO         4.00         1.00         D           29         54.55         43.94         10.61         PHY         DEMO         4.00         1.00         A         A           30         68.18         34.85         33.33         PHY         DEMO         4.00         1.00         D           31         57.58         34.85         22.73         PHY         DEMO         4.00         1.00         D           32         25.76         22.73         3.03         PHY         DEMO         4.00         1.00         D           34         57.58         27.27         30.30         PHY         DEMO         4.00         1.00         D           35         34.85         16.67         18.18         PHY         DEMO         4.00         1.00         B           36         69.70         37.88         31.82         PHY         DEMO         4.00         1.00         B           37         57.58         46.97         10.61         PHY         DEMO         4.00         1.00         A           40         30.30         21.21         9.09	9	4	24.24	19.70	PHY	DEMO	4.00	1.00	D		L	0.00
29   54.55   43.94   10.61   PHY   DEMO   4.00   1.00   D   D   D	0	6	48.48	7.58	PHY	DEMO	4.00	1.00	Α	Α	R	4.00
30   68.18   34.85   33.33   PHY   DEMO   4.00   1.00   D	7	0	39.39	30.30	PHY	DEMO	4.00	1.00	D		L	0.00
31   57.58   34.85   22.73   PHY   DEMO   4.00   1.00   D	5	5	43.94	10.61	PHY	DEMO	4.00	1.00	A	A	R	4.00
32 25.76 22.73 3.03 PHY DEMO 4.00 1.00 D 33 51.52 33.33 18.18 PHY DEMO 4.00 1.00 D 34 57.58 27.27 30.30 PHY DEMO 4.00 1.00 D 35 34.85 16.67 18.18 PHY DEMO 4.00 1.00 B 36 69.70 37.88 31.82 PHY DEMO 4.00 1.00 B 37 57.58 46.97 10.61 PHY DEMO 4.00 1.00 D 39 54.55 27.27 27.27 PHY DEMO 4.00 1.00 D 39 54.55 27.27 27.27 PHY DEMO 4.00 1.00 D 40 30.30 21.21 9.09 PHY DEMO 4.00 1.00 D 41 50.00 10.61 39.39 PHY DEMO 4.00 1.00 A 42 40.91 36.36 4.55 PHY DEMO 4.00 1.00 A 43 54.55 30.30 24.24 PHY DEMO 4.00 1.00 A 44 56.06 50.00 6.06 PHY DEMO 4.00 1.00 B 50 66.67 45.45 21.21 PHY DEMO 4.00 1.00 B 61 69.70 40.91 28.79 CHEM DEMO 4.00 1.00 B 62 12 42.42 19.70 CHEM DEMO 4.00 1.00 B 63 66.67 45.45 21.21 PHY DEMO 4.00 1.00 A 64 6 69.70 40.91 28.79 CHEM DEMO 4.00 1.00 B 65 66.67 45.45 21.21 PHY DEMO 4.00 1.00 B 66 153.03 40.91 12.12 CHEM DEMO 4.00 1.00 B 67 72.73 55.06 16.67 CHEM DEMO 4.00 1.00 D 68 B 68 B 69.70 57.58 43.33 24.24 CHEM DEMO 4.00 1.00 D 69 62.12 42.24 19.70 CHEM DEMO 4.00 1.00 B 60 67.58 33.33 24.24 CHEM DEMO 4.00 1.00 D 60 62.12 42.42 19.70 CHEM DEMO 4.00 1.00 D 60 62.12 42.42 19.70 CHEM DEMO 4.00 1.00 D 61 77.77 54.55 22.73 CHEM DEMO 4.00 1.00 B 61 74.24 68.67 18.18 CHEM DEMO 4.00 1.00 D 62 66.67 75.58 33.33 24.24 CHEM DEMO 4.00 1.00 D 63 66.67 77.72 54.55 22.73 CHEM DEMO 4.00 1.00 D 64 69.70 57.58 45.55 22.73 CHEM DEMO 4.00 1.00 D 65 66.67 67.77 77 75 65.65 22.73 CHEM DEMO 4.00 1.00 D 65 66.67 69.09 7.58 CHEM DEMO 4.00 1.00 D 66 67 77.27 54.55 22.73 CHEM DEMO 4.00 1.00 D 67 77.72 54.55 22.73 CHEM DEMO 4.00 1.00 D 68 66.67 67.58 12.12 CHEM DEMO 4.00 1.00 D 69 65.15 46.97 18.18 CHEM DEMO 4.00 1.00 D 60 65.15 46.97 18.18 CHEM DEMO 4.00 1.00 D 60 65.15 46.97 18.18 CHEM DEMO 4.00 1.00 D 60 65.16 46.97 18.18 CHEM DEMO 4.00 1.00 D 60 65.16 46.97 18.18 CHEM DEMO 4.00 1.00 D 60 65.16 46.97 18.18 CHEM DEMO 4.00 1.00 D 61 74.24 68.18 6.06 CHEM DEMO 4.00 1.00 D 61 74.24 68.18 6.06 CHEM DEMO 4.00 1.00 A 61 74.24 68.18 6.06 CHEM DEMO 4.00 1.00 A	1	8	34.85	33.33	PHY	DEMO	4.00	1.00	D		L	0.00
33   51.52   33.33   18.18   PHY   DEMO   4.00   1.00   C	5	8	34.85	22.73	PHY	DEMO	4.00	1.00	D		L	0.00
34         57.58         27.27         30.30         PHY         DEMO         4.00         1.00         D           35         34.85         16.67         18.18         PHY         DEMO         4.00         1.00         B           36         69.70         37.88         31.82         PHY         DEMO         4.00         1.00         B           37         57.58         46.97         10.61         PHY         DEMO         4.00         1.00         A           38         48.48         42.42         6.06         PHY         DEMO         4.00         1.00         D           40         30.30         21.21         9.09         PHY         DEMO         4.00         1.00         D           41         50.00         10.61         39.39         PHY         DEMO         4.00         1.00         A           42         40.91         36.36         4.55         PHY         DEMO         4.00         1.00         A         A           43         54.55         30.30         24.24         PHY         DEMO         4.00         1.00         A         A           44         56.06         75.60	7	6	22.73	3.03	PHY	DEMO	4.00	1.00	D		L	0.00
34         57.58         27.27         30.30         PHY         DEMO         4.00         1.00         D           35         34.85         16.67         18.18         PHY         DEMO         4.00         1.00         B           36         69.70         37.88         31.82         PHY         DEMO         4.00         1.00         B           37         57.58         46.97         10.61         PHY         DEMO         4.00         1.00         A           38         48.48         42.42         6.06         PHY         DEMO         4.00         1.00         D           40         30.30         21.21         9.09         PHY         DEMO         4.00         1.00         D           41         50.00         10.61         39.39         PHY         DEMO         4.00         1.00         A           42         40.91         36.36         4.55         PHY         DEMO         4.00         1.00         A         A           44         56.06         50.00         6.06         PHY         DEMO         4.00         1.00         A         A           45         66.67         45.45         <	5	2	33.33	18.18	PHY	DEMO	4.00	1.00	С		L	0.00
35	_	_			PHY	DEMO	4.00	1.00	D		L	0.00
36   69.70   37.88   31.82   PHY   DEMO   4.00   1.00   B		_			PHY	DEMO	4.00		В		L	0.00
37         57.58         46.97         10.61         PHY         DEMO         4.00         1.00         A         1.00         D           38         48.48         42.42         6.06         PHY         DEMO         4.00         1.00         D         D           40         30.30         21.21         9.09         PHY         DEMO         4.00         1.00         D         D           41         50.00         10.61         39.39         PHY         DEMO         4.00         1.00         A         A         A           42         40.91         36.36         4.55         PHY         DEMO         4.00         1.00         A         A         A           43         54.55         30.30         24.24         PHY         DEMO         4.00         1.00         B         C           44         56.06         50.00         6.06         PHY         DEMO         4.00         1.00         A         A         A           45         56.67         45.45         21.21         PHY         DEMO         4.00         1.00         A         A         A           49         72.73         56.06 <td< td=""><td>_</td><td>_</td><td></td><td></td><td>PHY</td><td></td><td>4.00</td><td>1.00</td><td>В</td><td></td><td>L</td><td>0.00</td></td<>	_	_			PHY		4.00	1.00	В		L	0.00
38         48.48         42.42         6.06         PHY         DEMO         4.00         1.00         D         1.00         D           39         54.55         27.27         27.27         PHY         DEMO         4.00         1.00         D         D           40         30.30         21.21         9.09         PHY         DEMO         4.00         1.00         D           41         50.00         10.61         39.39         PHY         DEMO         4.00         1.00         A           42         40.91         36.36         4.55         PHY         DEMO         4.00         1.00         A         A           44         56.06         50.00         6.06         PHY         DEMO         4.00         1.00         A         A         A           45         56.06         50.00         6.06         PHY         DEMO         4.00         1.00         A         A         A           45         56.06         16.07         CHEM         DEMO         4.00         1.00         B         B         B           47         100.00         0.00         CHEM         DEMO         4.00         1.00		_									L	0.00
39   54.55   27.27   27.27   PHY   DEMO   4.00   1.00   D   D	_	_									L	0.00
40         30.30         21.21         9.09         PHY         DEMO         4.00         1.00         D           41         50.00         10.61         39.39         PHY         DEMO         4.00         1.00         A           42         40.91         36.36         4.55         PHY         DEMO         4.00         1.00         A         A           43         54.55         30.30         24.24         PHY         DEMO         4.00         1.00         B         C           44         56.06         50.00         6.06         PHY         DEMO         4.00         1.00         A         A         A           45         66.67         45.45         21.21         PHY         DEMO         4.00         1.00         A         A         A           46         69.70         40.91         28.79         CHEM         DEMO         4.00         1.00         B         B         B           47         100.00         10.00         0.00         CHEM         DEMO         4.00         1.00         A         A           48         72.73         56.06         16.67         CHEM         DEMO         4.00 <td>_</td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td>L</td> <td>0.00</td>	_	_							_		L	0.00
41         50.00         10.61         39.39         PHY         DEMO         4.00         1.00         A         A         A           42         40.91         36.36         4.55         PHY         DEMO         4.00         1.00         B         C           44         56.06         50.00         6.06         PHY         DEMO         4.00         1.00         A         A         A           45         66.67         54.56         21.21         PHY         DEMO         4.00         1.00         A         A         A           46         69.70         40.91         28.79         CHEM         DEMO         4.00         1.00         B         B           47         100.00         100.00         0.00         CHEM         DEMO         4.00         1.00         A         A           48         72.73         56.06         16.67         CHEM         DEMO         4.00         1.00         A         A           49         77.27         43.94         33.33         CHEM         DEMO         4.00         1.00         D         D         D           50         62.12         42.42         19.70	-	_									L	0.00
42         40.91         36.36         4.55         PHY         DEMO         4.00         1.00         A         A         A           43         54.55         30.30         24.24         PHY         DEMO         4.00         1.00         B         C           44         56.06         50.00         6.06         PHY         DEMO         4.00         1.00         A         A         A           45         66.67         45.45         21.21         PHY         DEMO         4.00         1.00         A         A         A           46         69.70         40.91         28.79         CHEM         DEMO         4.00         1.00         B         B         B           47         100.00         100.00         CHEM         DEMO         4.00         1.00         A         A         A           48         72.73         56.06         16.67         CHEM         DEMO         4.00         1.00         D         D         D           50         62.12         42.42         19.70         CHEM         DEMO         4.00         1.00         B         D         D           51         53.03         40		_									L	0.00
43         54.55         30.30         24.24         PHY         DEMO         4.00         1.00         B         C           44         56.06         50.00         6.06         PHY         DEMO         4.00         1.00         A         A         A           45         66.67         45.45         21.21         PHY         DEMO         4.00         1.00         A         A         A           46         69.70         40.91         28.79         CHEM         DEMO         4.00         1.00         B         B           47         100.00         100.00         0.00         CHEM         DEMO         4.00         1.00         A           48         72.73         56.06         16.67         CHEM         DEMO         4.00         1.00         A           49         77.27         43.94         33.33         CHEM         DEMO         4.00         1.00         D           50         62.12         42.42         19.70         CHEM         DEMO         4.00         1.00         B         D           51         53.03         40.91         12.12         CHEM         DEMO         4.00         1.00	_	_								Δ	R	4.00
44         56.06         50.00         6.06         PHY         DEMO         4.00         1.00         A         A         A           45         66.67         45.45         21.21         PHY         DEMO         4.00         1.00         A         A         A           46         69.70         40.91         28.79         CHEM         DEMO         4.00         1.00         B         B         B           47         100.00         100.00         0.00         CHEM         DEMO         4.00         1.00         A         A         A           48         72.73         56.06         16.67         CHEM         DEMO         4.00         1.00         A         A           49         77.27         43.94         33.33         CHEM         DEMO         4.00         1.00         D         D           50         62.12         42.42         19.70         CHEM         DEMO         4.00         1.00         B         D         D           51         53.03         40.91         12.12         CHEM         DEMO         4.00         1.00         B         A         A           52         66.67		_									W	-1.00
45         66.67         45.45         21.21         PHY         DEMO         4.00         1.00         A         A         A           46         69.70         40.91         28.79         CHEM         DEMO         4.00         1.00         B         B         B           47         100.00         100.00         0.00         CHEM         DEMO         4.00         1.00         A         A           48         72.73         56.06         16.67         CHEM         DEMO         4.00         1.00         A         A           49         77.27         43.94         33.33         CHEM         DEMO         4.00         1.00         D         D           50         62.12         42.42         19.70         CHEM         DEMO         4.00         1.00         B         D         D           51         53.03         40.91         12.12         CHEM         DEMO         4.00         1.00         B         D         D           52         66.67         59.09         7.58         CHEM         DEMO         4.00         1.00         B         A         A           53         60.61         37.88	_	_									R	4.00
46         69.70         40.91         28.79         CHEM         DEMO         4.00         1.00         B         B           47         100.00         100.00         0.00         CHEM         DEMO         4.00         1.00         A           48         72.73         56.06         16.67         CHEM         DEMO         4.00         1.00         D           49         77.27         43.94         33.33         CHEM         DEMO         4.00         1.00         D           50         62.12         42.42         19.70         CHEM         DEMO         4.00         1.00         D         D           51         53.03         40.91         12.12         CHEM         DEMO         4.00         1.00         B         D         D           52         66.67         59.09         7.58         CHEM         DEMO         4.00         1.00         B         A         B           53         60.61         37.88         22.73         CHEM         DEMO         4.00         1.00         D         D           55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00		_									R	
47         100.00         100.00         0.00         CHEM         DEMO         4.00         1.00         A           48         72.73         56.06         16.67         CHEM         DEMO         4.00         1.00         A           49         77.27         43.94         33.33         CHEM         DEMO         4.00         1.00         D           50         62.12         42.42         19.70         CHEM         DEMO         4.00         1.00         D         D           51         53.03         40.91         12.12         CHEM         DEMO         4.00         1.00         B         D           52         66.67         59.09         7.58         CHEM         DEMO         4.00         1.00         A         B           53         60.61         37.88         22.73         CHEM         DEMO         4.00         1.00         B         A           54         57.58         33.33         24.24         CHEM         DEMO         4.00         1.00         D           55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00         D           57		_									R	4.00
48         72.73         56.06         16.67         CHEM         DEMO         4.00         1.00         A           49         77.27         43.94         33.33         CHEM         DEMO         4.00         1.00         D           50         62.12         42.42         19.70         CHEM         DEMO         4.00         1.00         D         D           51         53.03         40.91         12.12         CHEM         DEMO         4.00         1.00         B         D           52         66.67         59.09         7.58         CHEM         DEMO         4.00         1.00         A         B           53         60.61         37.88         22.73         CHEM         DEMO         4.00         1.00         B         A           54         57.58         33.33         24.24         CHEM         DEMO         4.00         1.00         D           55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00         D           57         77.27         54.55         22.73         CHEM         DEMO         4.00         1.00         A           59	_	_							D			4.00
49         77.27         43.94         33.33         CHEM         DEMO         4.00         1.00         D           50         62.12         42.42         19.70         CHEM         DEMO         4.00         1.00         D         D           51         53.03         40.91         12.12         CHEM         DEMO         4.00         1.00         B         D           52         66.67         59.09         7.58         CHEM         DEMO         4.00         1.00         A         B           53         60.61         37.88         22.73         CHEM         DEMO         4.00         1.00         B         A           54         57.58         33.33         24.24         CHEM         DEMO         4.00         1.00         D           55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00         D           56         46.97         33.33         13.64         CHEM         DEMO         4.00         1.00         D           57         77.27         54.55         22.73         CHEM         DEMO         4.00         1.00         A           59	_	_							Α.	A	С	4.00
50         62.12         42.42         19.70         CHEM         DEMO         4.00         1.00         D         D           51         53.03         40.91         12.12         CHEM         DEMO         4.00         1.00         B         D           52         66.67         59.09         7.58         CHEM         DEMO         4.00         1.00         A         B           53         60.61         37.88         22.73         CHEM         DEMO         4.00         1.00         B         A           54         57.58         33.33         24.24         CHEM         DEMO         4.00         1.00         D           55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00         D           56         46.97         33.33         13.64         CHEM         DEMO         4.00         1.00         D           57         77.27         54.55         22.73         CHEM         DEMO         4.00         1.00         A           58         69.70         57.58         12.12         CHEM         DEMO         4.00         1.00         A           59	_	_									L	0.00
51         53.03         40.91         12.12         CHEM         DEMO         4.00         1.00         B         D           52         66.67         59.09         7.58         CHEM         DEMO         4.00         1.00         A         B           53         60.61         37.88         22.73         CHEM         DEMO         4.00         1.00         B         A           54         57.58         33.33         24.24         CHEM         DEMO         4.00         1.00         D           55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00         D           56         46.97         33.33         13.64         CHEM         DEMO         4.00         1.00         D           57         77.27         54.55         22.73         CHEM         DEMO         4.00         1.00         A           58         69.70         57.58         12.12         CHEM         DEMO         4.00         1.00         A           59         65.15         46.97         18.18         CHEM         DEMO         4.00         1.00         A           60         57.58		_									L	0.00
52         66.67         59.09         7.58         CHEM         DEMO         4.00         1.00         A         B           53         60.61         37.88         22.73         CHEM         DEMO         4.00         1.00         B         A           54         57.58         33.33         24.24         CHEM         DEMO         4.00         1.00         D           55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00         D           56         46.97         33.33         13.64         CHEM         DEMO         4.00         1.00         D           57         77.27         54.55         22.73         CHEM         DEMO         4.00         1.00         A           58         69.70         57.58         12.12         CHEM         DEMO         4.00         1.00         A           59         65.15         46.97         18.18         CHEM         DEMO         4.00         1.00         D           60         57.58         51.52         6.06         CHEM         DEMO         4.00         1.00         A           61         74.24         68.18 <td>_</td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>R</td> <td>4.00</td>	_	_									R	4.00
53         60.61         37.88         22.73         CHEM         DEMO         4.00         1.00         B         A           54         57.58         33.33         24.24         CHEM         DEMO         4.00         1.00         D           55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00         D           56         46.97         33.33         13.64         CHEM         DEMO         4.00         1.00         D           57         77.27         54.55         22.73         CHEM         DEMO         4.00         1.00         A           58         69.70         57.58         12.12         CHEM         DEMO         4.00         1.00         A           59         65.15         46.97         18.18         CHEM         DEMO         4.00         1.00         D           60         57.58         51.52         6.06         CHEM         DEMO         4.00         1.00         A           61         74.24         68.18         6.06         CHEM         DEMO         4.00         1.00         B		_									W	-1.00
54         57.58         33.33         24.24         CHEM         DEMO         4.00         1.00         D           55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00         D           56         46.97         33.33         13.64         CHEM         DEMO         4.00         1.00         D           57         77.27         54.55         22.73         CHEM         DEMO         4.00         1.00         A           58         69.70         57.58         12.12         CHEM         DEMO         4.00         1.00         A           59         65.15         46.97         18.18         CHEM         DEMO         4.00         1.00         D           60         57.58         51.52         6.06         CHEM         DEMO         4.00         1.00         A           61         74.24         68.18         6.06         CHEM         DEMO         4.00         1.00         B	_	_									W	-1.00
55         57.58         45.45         12.12         CHEM         DEMO         4.00         1.00         D           56         46.97         33.33         13.64         CHEM         DEMO         4.00         1.00         D           57         77.27         54.55         22.73         CHEM         DEMO         4.00         1.00         A           58         69.70         57.58         12.12         CHEM         DEMO         4.00         1.00         A           59         65.15         46.97         18.18         CHEM         DEMO         4.00         1.00         D           60         57.58         51.52         6.06         CHEM         DEMO         4.00         1.00         A           61         74.24         68.18         6.06         CHEM         DEMO         4.00         1.00         B	6	_		22.73			-			А	W	-1.00
56         46.97         33.33         13.64         CHEM         DEMO         4.00         1.00         D           57         77.27         54.55         22.73         CHEM         DEMO         4.00         1.00         A           58         69.70         57.58         12.12         CHEM         DEMO         4.00         1.00         A           59         65.15         46.97         18.18         CHEM         DEMO         4.00         1.00         D           60         57.58         51.52         6.06         CHEM         DEMO         4.00         1.00         A           61         74.24         68.18         6.06         CHEM         DEMO         4.00         1.00         B	5	8	33.33	24.24							L	0.00
57     77.27     54.55     22.73     CHEM     DEMO     4.00     1.00     A       58     69.70     57.58     12.12     CHEM     DEMO     4.00     1.00     A       59     65.15     46.97     18.18     CHEM     DEMO     4.00     1.00     D       60     57.58     51.52     6.06     CHEM     DEMO     4.00     1.00     A       61     74.24     68.18     6.06     CHEM     DEMO     4.00     1.00     B	5	8	45.45	12.12	CHEM		4.00	1.00			L	0.00
58         69.70         57.58         12.12         CHEM         DEMO         4.00         1.00         A           59         65.15         46.97         18.18         CHEM         DEMO         4.00         1.00         D           60         57.58         51.52         6.06         CHEM         DEMO         4.00         1.00         A           61         74.24         68.18         6.06         CHEM         DEMO         4.00         1.00         B	9	7	33.33	13.64	CHEM	DEMO	4.00	1.00	D		L	0.00
59     65.15     46.97     18.18     CHEM     DEMO     4.00     1.00     D       60     57.58     51.52     6.06     CHEM     DEMO     4.00     1.00     A       61     74.24     68.18     6.06     CHEM     DEMO     4.00     1.00     B	2	7	54.55	22.73	CHEM	DEMO	4.00	1.00	A		L	0.00
60     57.58     51.52     6.06     CHEM     DEMO     4.00     1.00     A       61     74.24     68.18     6.06     CHEM     DEMO     4.00     1.00     B	7	0	57.58	12.12	CHEM	DEMO	4.00	1.00	A		L	0.00
61 74.24 68.18 6.06 CHEM DEMO 4.00 1.00 B	1	5	46.97	18.18	CHEM	DEMO	4.00	1.00	D		L	0.00
61 74.24 68.18 6.06 CHEM DEMO 4.00 1.00 B	5	8	51.52	6.06	CHEM	DEMO	4.00	1.00	A		L	0.00
		_				DEMO		1.00			L	0.00
62 83.33 56.06 27.27 CHEM DEMO 4.00 1.00 A B		_				DEMO	4.00	1.00	A	В	W	-1.00

## **QUESTION RESPONSE ANALYSIS**

 NAME: Rimi Patel ( ID No. 252018771 )
 Your Score: 295.00/720.00 (40.97%)
 Max Score: 602.00

 25L5XM9XOH
 Rank: 46
 Min Score: 104.00

**TEST:** NEET Conquer 1\_Part Test-08\_21-09-2025 ( **ID:** 147 **DT: Percentile:** 49.00 **Avg Score:** 361.83

21-Sep-2025)

21-Se	p-2025	)									
QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	56.06	24.24	31.82	CHEM	DEMO	4.00	1.00	В		L	0.00
64	54.55	25.76	28.79	CHEM	DEMO	4.00	1.00	Α		L	0.00
65	78.79	57.58	21.21	CHEM	DEMO	4.00	1.00	В	A	W	-1.00
66	89.39	75.76	13.64	CHEM	DEMO	4.00	1.00	A	A	R	4.00
67	68.18	34.85	33.33	CHEM	DEMO	4.00	1.00	В		L	0.00
68	28.79	6.06	22.73	CHEM	DEMO	4.00	1.00	С		L	0.00
69	86.36	77.27	9.09	CHEM	DEMO	4.00	1.00	В		L	0.00
70	51.52	22.73	28.79	CHEM	DEMO	4.00	1.00	A		L	0.00
71	71.21	45.45	25.76	CHEM	DEMO	4.00	1.00	A		L	0.00
72	80.30	43.94	36.36	CHEM	DEMO	4.00	1.00	A		L	0.00
73	74.24	18.18	56.06	CHEM	DEMO	4.00	1.00	A		L	0.00
74	77.27	59.09	18.18	CHEM	DEMO	4.00	1.00	С		L	0.00
75	60.61	33.33	27.27	CHEM	DEMO	4.00	1.00	С		L	0.00
76	92.42	63.64	28.79	CHEM	DEMO	4.00	1.00	С	С	R	4.00
77	80.30	27.27	53.03	CHEM	DEMO	4.00	1.00	В	A	W	-1.00
78	80.30	66.67	13.64	CHEM	DEMO	4.00	1.00	С		L	0.00
79	75.76	40.91	34.85	CHEM	DEMO	4.00	1.00	D		L	0.00
80	80.30	48.48	31.82	CHEM	DEMO	4.00	1.00	А	С	W	-1.00
81	66.67	33.33	33.33	CHEM	DEMO	4.00	1.00	В		L	0.00
82	39.39	22.73	16.67	CHEM	DEMO	4.00	1.00	С		L	0.00
83	63.64	31.82	31.82	CHEM	DEMO	4.00	1.00	A		L	0.00
84	77.27	51.52	25.76	CHEM	DEMO	4.00	1.00	D		L	0.00
85	84.85	62.12	22.73	CHEM	DEMO	4.00	1.00	С	С	R	4.00
86	77.27	50.00	27.27	CHEM	DEMO	4.00	1.00	В	В	R	4.00
87	80.30	57.58	22.73	CHEM	DEMO	4.00	1.00	В	В	R	4.00
88	80.30	63.64	16.67	CHEM	DEMO	4.00	1.00	D	D	R	4.00
89	89.39	50.00	39.39	CHEM	DEMO	4.00	1.00	С	В	W	-1.00
90	86.36	65.15	21.21	CHEM	DEMO	4.00	1.00	С	С	R	4.00
91	98.48	89.39	9.09	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
92	100.00	81.82	18.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
93	100.00	95.45	4.55	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
94	92.42	65.15	27.27	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
95	96.97	92.42	4.55	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
96	96.97	66.67	30.30	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
97	96.97	90.91	6.06	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
98	100.00	98.48	1.52	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
99	86.36	48.48	37.88	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
100	90.91	72.73	18.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
101	95.45	78.79	16.67	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
102	92.42	63.64	28.79	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
103	96.97	90.91	6.06	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
104	89.39	63.64	25.76	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
105	98.48	93.94	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
106	92.42	51.52	40.91	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
107	98.48	83.33	15.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	93.94	92.42	1.52	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	95.45	80.30	15.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
110	86.36	63.64	22.73	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
111	96.97	84.85	12.12	BIOLOGY	DEMO	4.00	1.00	В	C	W	-1.00
112	81.82	56.06	25.76	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
113	68.18	48.48	19.70	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
114	96.97	77.27	19.70	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
115	83.33	54.55	28.79	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
116	89.39	69.70	19.70	BIOLOGY	DEMO	4.00	1.00	С	D	W	-1.00
117	96.97	80.30	16.67	BIOLOGY	DEMO	4.00	1.00	С	A	W	-1.00
118	93.94	72.73	21.21	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
119	86.36	51.52	34.85	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
120	96.97	87.88	9.09	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
121	100.00	96.97	3.03	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
122	90.91	59.09	31.82	BIOLOGY	DEMO DEMO	4.00	1.00	С	A D	W	-1.00
123	93.94	63.64	30.30			4.00	1.00	D D	В	R	4.00
124	93.94	62.12	31.82	BIOLOGY	DEMO	4.00	1.00	U	В	VV	-1.00

### **QUESTION RESPONSE ANALYSIS**

NAME: Rimi Patel (ID No. 252018771) Your Score: 295.00/720.00 (40.97%) Max Score: 602.00 25L5XM9XOH **Rank:** 46 Min Score: 104.00 Percentile: 49.00 Avg Score: 361.83

**TEST:** NEET Conquer 1\_Part Test-08\_21-09-2025 ( **ID:** 147 **DT:** 

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	96.97	89.39	7.58	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
126	95.45	60.61	34.85	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
127	90.91	78.79	12.12	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
128	83.33	68.18	15.15	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
129	89.39	63.64	25.76	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
130	98.48	71.21	27.27	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
131	92.42	87.88	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
132	89.39	80.30	9.09	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
133	74.24	30.30	43.94	BIOLOGY	DEMO	4.00	1.00	D	С	W	-1.00
134	80.30	60.61	19.70	BIOLOGY	DEMO	4.00	1.00	В		L	0.00
135	90.91	68.18	22.73	BIOLOGY	DEMO	4.00	1.00	D	С	W	-1.00
136	98.48	93.94	4.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
137	92.42	71.21	21.21	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
138	98.48	54.55	43.94	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
139	98.48	86.36	12.12	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
140	84.85	54.55	30.30	BIOLOGY	DEMO	4.00	1.00	В		L	0.00
141	93.94	42.42	51.52	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
142	100.00	87.88	12.12	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
143	86.36	74.24	12.12	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
144	95.45	84.85	10.61	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
145	98.48	78.79	19.70	BIOLOGY	DEMO	4.00	1.00	В	D	W	-1.00
146	90.91	83.33	7.58	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
147	90.91	57.58	33.33	BIOLOGY	DEMO	4.00	1.00		A	L	0.00
148	93.94	75.76	18.18	BIOLOGY	DEMO	4.00	1.00	B	A	R	4.00
149		96.97	3.03	BIOLOGY	DEMO	4.00	1.00	C	C	R	
150	100.00 90.91	78.79	12.12	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
151				BIOLOGY	DEMO	4.00	1.00	В	В	R	
	68.18	43.94	24.24		DEMO						4.00
152	77.27	43.94	33.33	BIOLOGY		4.00	1.00	В	В	R	4.00
153	95.45	60.61	34.85	BIOLOGY	DEMO	4.00	1.00	A	В	W	-1.00
154	98.48	90.91	7.58	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
155	95.45	69.70	25.76	BIOLOGY	DEMO	4.00	1.00	В	С	W	-1.00
156	75.76	27.27	48.48	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
157	95.45	95.45	0.00	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
158	65.15	56.06	9.09	BIOLOGY	DEMO	4.00	1.00	C	С	R	4.00
159	92.42	69.70	22.73	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
160	72.73	36.36	36.36	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
161	95.45	66.67	28.79	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
162	98.48	84.85	13.64	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
163	84.85	66.67	18.18	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
164	84.85	43.94	40.91	BIOLOGY	DEMO	4.00	1.00	Α	С	W	-1.00
165	84.85	4.55	80.30	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
166	89.39	4.55	84.85	BIOLOGY	DEMO	4.00	1.00	В		L	0.00
167	80.30	46.97	33.33	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
168	93.94	66.67	27.27	BIOLOGY	DEMO	4.00	1.00	А	Α	R	4.00
169	71.21	10.61	60.61	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
170	95.45	87.88	7.58	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
171	81.82	78.79	3.03	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
172	46.97	27.27	19.70	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
173	92.42	80.30	12.12	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
174	90.91	56.06	34.85	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
175	86.36	66.67	19.70	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
176	56.06	18.18	37.88	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
	95.45	92.42	3.03	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
177											1
	92.42	84.85	7.58	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
177 178 179	92.42 96.97	84.85 90.91	7.58 6.06	BIOLOGY	DEMO DEMO	4.00	1.00	C A	C A	R	4.00

Total Question: 180 Attempted: 109 (Correct: 80 Incorrect: 29) Score Rate: 0.00 Strike Rate: 0.00

Total Positive Marks: 324.00 Total Negative Marks: 29.00

Total: 295.00

### **QUESTION RESPONSE ANALYSIS**

NAME: Rimi Patel ( ID No. 252018771 ) Your Score: 295.00/720.00 (40.97%) Max Score: 602.00 25L5XM9XOH **Rank**: 46 Min Score: 104.00

Percentile: 49.00 **TEST:** NEET Conquer 1\_Part Test-08\_21-09-2025 ( **ID:** 147 **DT:** Avg Score: 361.83

2025 )							Γ
PHY	СНЕМ	BIOLOGY	Total				
13.00	32.00	220.00	295.00				