

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Dhruv Palan (ID No. 242008284)
X416ZO19MM

Your Score: 452.00/720.00 (62.78%)

Max Score: 700.00

Rank: 69

Min Score: 87.00

TEST: NEET Excel_Minor Test-05_31-08-2025 (ID: 134 DT: 31-Aug-2025)

Percentile: 64.57

Avg Score: 399.06

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.17	57.45	28.72	PHY	DEMO	4.00	1.00	A		L	0.00
2	84.57	44.68	39.89	PHY	DEMO	4.00	1.00	B	C	W	-1.00
3	81.38	70.21	11.17	PHY	DEMO	4.00	1.00	B	B	R	4.00
4	83.51	20.21	63.30	PHY	DEMO	4.00	1.00	B		L	0.00
5	76.06	65.43	10.64	PHY	DEMO	4.00	1.00	C	C	R	4.00
6	82.98	76.06	6.91	PHY	DEMO	4.00	1.00	A	A	R	4.00
7	66.49	39.89	26.60	PHY	DEMO	4.00	1.00	A	B	W	-1.00
8	74.47	46.28	28.19	PHY	DEMO	4.00	1.00	C	C	R	4.00
9	65.96	31.38	34.57	PHY	DEMO	4.00	1.00	C	B	W	-1.00
10	74.47	65.96	8.51	PHY	DEMO	4.00	1.00	C	C	R	4.00
11	68.09	48.40	19.68	PHY	DEMO	4.00	1.00	A	A	R	4.00
12	61.17	45.74	15.43	PHY	DEMO	4.00	1.00	D	B	W	-1.00
13	63.83	40.96	22.87	PHY	DEMO	4.00	1.00	B	B	R	4.00
14	70.21	58.51	11.70	PHY	DEMO	4.00	1.00	C		L	0.00
15	68.62	47.87	20.74	PHY	DEMO	4.00	1.00	A	A	R	4.00
16	39.36	23.40	15.96	PHY	DEMO	4.00	1.00	D	D	R	4.00
17	67.55	36.17	31.38	PHY	DEMO	4.00	1.00	C	C	R	4.00
18	35.11	22.87	12.23	PHY	DEMO	4.00	1.00	B	B	R	4.00
19	23.94	11.17	12.77	PHY	DEMO	4.00	1.00	A		L	0.00
20	53.19	45.74	7.45	PHY	DEMO	4.00	1.00	C		L	0.00
21	37.23	23.94	13.30	PHY	DEMO	4.00	1.00	C	C	R	4.00
22	36.70	23.40	13.30	PHY	DEMO	4.00	1.00	B	B	R	4.00
23	61.17	27.66	33.51	PHY	DEMO	4.00	1.00	A	D	W	-1.00
24	73.40	46.81	26.60	PHY	DEMO	4.00	1.00	C	C	R	4.00
25	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		C	C	4.00
26	79.26	51.06	28.19	PHY	DEMO	4.00	1.00	D	A	W	-1.00
27	71.81	21.28	50.53	PHY	DEMO	4.00	1.00	B	B	R	4.00
28	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
29	47.34	19.15	28.19	PHY	DEMO	4.00	1.00	C	B	W	-1.00
30	79.26	61.17	18.09	PHY	DEMO	4.00	1.00	C	C	R	4.00
31	67.02	47.87	19.15	PHY	DEMO	4.00	1.00	A	A	R	4.00
32	71.28	61.70	9.57	PHY	DEMO	4.00	1.00	B	B	R	4.00
33	62.23	25.53	36.70	PHY	DEMO	4.00	1.00	C	D	W	-1.00
34	52.13	34.04	18.09	PHY	DEMO	4.00	1.00	B	B	R	4.00
35	63.83	39.36	24.47	PHY	DEMO	4.00	1.00	C	D	W	-1.00
36	68.62	43.09	25.53	PHY	DEMO	4.00	1.00	C	D	W	-1.00
37	67.55	40.43	27.13	PHY	DEMO	4.00	1.00	B	D	W	-1.00
38	72.87	35.64	37.23	PHY	DEMO	4.00	1.00	D	D	R	4.00
39	20.74	9.57	11.17	PHY	DEMO	4.00	1.00	B		L	0.00
40	57.98	32.98	25.00	PHY	DEMO	4.00	1.00	C	C	R	4.00
41	54.79	41.49	13.30	PHY	DEMO	4.00	1.00	A	A	R	4.00
42	53.72	39.89	13.83	PHY	DEMO	4.00	1.00	B	B	R	4.00
43	64.36	38.83	25.53	PHY	DEMO	4.00	1.00	D	D	R	4.00
44	59.04	21.81	37.23	PHY	DEMO	4.00	1.00	D	A	W	-1.00
45	100.00	100.00	0.00	PHY	DEMO	4.00	1.00			C	4.00
46	91.49	67.55	23.94	CHEM	DEMO	4.00	1.00	B	A	W	-1.00
47	87.23	18.62	68.62	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
48	89.36	80.85	8.51	CHEM	DEMO	4.00	1.00	D	D	R	4.00
49	87.23	67.55	19.68	CHEM	DEMO	4.00	1.00	C	C	R	4.00
50	75.00	25.53	49.47	CHEM	DEMO	4.00	1.00	A	B	W	-1.00
51	77.66	58.51	19.15	CHEM	DEMO	4.00	1.00	D		L	0.00
52	82.98	69.68	13.30	CHEM	DEMO	4.00	1.00	B	B	R	4.00
53	75.00	51.06	23.94	CHEM	DEMO	4.00	1.00	C	C	R	4.00
54	67.55	47.87	19.68	CHEM	DEMO	4.00	1.00	C		L	0.00
55	69.68	42.02	27.66	CHEM	DEMO	4.00	1.00	C	C	R	4.00
56	72.34	52.66	19.68	CHEM	DEMO	4.00	1.00	B	B	R	4.00
57	69.68	54.79	14.89	CHEM	DEMO	4.00	1.00	A	A	R	4.00
58	85.64	71.28	14.36	CHEM	DEMO	4.00	1.00	B	B	R	4.00
59	79.79	57.45	22.34	CHEM	DEMO	4.00	1.00	D	B	W	-1.00
60	67.02	21.28	45.74	CHEM	DEMO	4.00	1.00	C		L	0.00
61	87.23	67.55	19.68	CHEM	DEMO	4.00	1.00	B	B	R	4.00
62	59.57	31.38	28.19	CHEM	DEMO	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Dhruv Palan (ID No. 242008284)
X4I6ZO19MM

Your Score: 452.00/720.00 (62.78%)

Max Score: 700.00

Rank: 69

Min Score: 87.00

TEST: NEET Excel_Minor Test-05_31-08-2025 (ID: 134 DT: 31-Aug-2025)

Percentile: 64.57

Avg Score: 399.06

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	64.36	29.79	34.57	CHEM	DEMO	4.00	1.00	B	B	R	4.00
64	72.87	45.74	27.13	CHEM	DEMO	4.00	1.00	D	D	R	4.00
65	84.04	75.00	9.04	CHEM	DEMO	4.00	1.00	B	B	R	4.00
66	60.11	28.72	31.38	CHEM	DEMO	4.00	1.00	B	B	R	4.00
67	71.28	36.70	34.57	CHEM	DEMO	4.00	1.00	C	C	R	4.00
68	81.38	51.06	30.32	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
69	72.87	46.81	26.06	CHEM	DEMO	4.00	1.00	A	A	R	4.00
70	68.09	26.06	42.02	CHEM	DEMO	4.00	1.00	D	A	W	-1.00
71	77.66	65.43	12.23	CHEM	DEMO	4.00	1.00	C	C	R	4.00
72	44.15	31.91	12.23	CHEM	DEMO	4.00	1.00	C		L	0.00
73	69.15	53.72	15.43	CHEM	DEMO	4.00	1.00	A	A	R	4.00
74	64.36	59.04	5.32	CHEM	DEMO	4.00	1.00	B	B	R	4.00
75	56.38	12.77	43.62	CHEM	DEMO	4.00	1.00	D	C	W	-1.00
76	67.02	51.06	15.96	CHEM	DEMO	4.00	1.00	D	D	R	4.00
77	51.60	34.04	17.55	CHEM	DEMO	4.00	1.00	B	B	R	4.00
78	76.60	59.57	17.02	CHEM	DEMO	4.00	1.00	C	C	R	4.00
79	42.02	20.74	21.28	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
80	55.85	24.47	31.38	CHEM	DEMO	4.00	1.00	A	C	W	-1.00
81	73.94	46.81	27.13	CHEM	DEMO	4.00	1.00	C	C	R	4.00
82	54.79	40.96	13.83	CHEM	DEMO	4.00	1.00	A	A	R	4.00
83	70.21	57.45	12.77	CHEM	DEMO	4.00	1.00	B	B	R	4.00
84	56.91	48.40	8.51	CHEM	DEMO	4.00	1.00	B	B	R	4.00
85	27.66	19.15	8.51	CHEM	DEMO	4.00	1.00	A		L	0.00
86	42.55	28.19	14.36	CHEM	DEMO	4.00	1.00	B	B	R	4.00
87	64.36	27.13	37.23	CHEM	DEMO	4.00	1.00	C	C	R	4.00
88	69.68	48.94	20.74	CHEM	DEMO	4.00	1.00	D	D	R	4.00
89	51.60	17.02	34.57	CHEM	DEMO	4.00	1.00	A	A	R	4.00
90	54.79	17.02	37.77	CHEM	DEMO	4.00	1.00	C	A	W	-1.00
91	98.40	91.49	6.91	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
92	98.94	76.06	22.87	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
93	98.40	96.81	1.60	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
94	96.28	59.04	37.23	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
95	96.28	76.60	19.68	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
96	92.02	71.28	20.74	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
97	94.68	78.72	15.96	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
98	98.40	87.23	11.17	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
99	95.74	75.53	20.21	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
100	94.15	71.81	22.34	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
101	96.28	89.89	6.38	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
102	93.62	80.85	12.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
103	98.40	85.64	12.77	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
104	97.87	67.02	30.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
105	81.91	69.15	12.77	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
106	90.43	75.53	14.89	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
107	97.34	95.21	2.13	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
108	93.62	70.21	23.40	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
109	93.62	81.38	12.23	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
110	92.02	76.06	15.96	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
111	92.02	78.19	13.83	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
112	95.74	76.06	19.68	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
113	94.15	68.62	25.53	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
114	90.43	71.81	18.62	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
115	94.68	80.85	13.83	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
116	77.66	48.94	28.72	BIOLOGY	DEMO	4.00	1.00	D	AD	W	-1.00
117	95.21	88.83	6.38	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
118	80.85	55.85	25.00	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
119	96.81	87.77	9.04	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
120	86.17	55.85	30.32	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
121	90.96	70.74	20.21	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
122	89.89	67.55	22.34	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
123	96.81	90.43	6.38	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
124	93.62	85.64	7.98	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

Unacademy

QUESTION RESPONSE ANALYSIS

NAME: Dhruv Palan (ID No. 242008284)
X4I6ZO19MM

Your Score: 452.00/720.00 (62.78%)

Max Score: 700.00

Rank: 69

Min Score: 87.00

TEST: NEET Excel_Minor Test-05_31-08-2025 (ID: 134 DT: 31-Aug-2025)

Percentile: 64.57

Avg Score: 399.06

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	95.21	81.91	13.30	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
126	92.02	60.64	31.38	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
127	97.87	93.09	4.79	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
128	94.68	56.38	38.30	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
129	92.55	82.45	10.11	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
130	94.15	80.85	13.30	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
131	96.28	81.38	14.89	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
132	95.74	76.60	19.15	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
133	84.04	44.15	39.89	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
134	87.77	81.38	6.38	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
135	90.96	71.28	19.68	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
136	99.47	42.02	57.45	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
137	76.06	47.34	28.72	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
138	99.47	98.94	0.53	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
139	98.40	93.62	4.79	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
140	99.47	95.21	4.26	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
141	87.23	61.17	26.06	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
142	98.40	97.34	1.06	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
143	98.40	67.02	31.38	BIOLOGY	DEMO	4.00	1.00	B	C	W	-1.00
144	99.47	96.28	3.19	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
145	98.40	93.62	4.79	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
146	97.87	92.55	5.32	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
147	94.68	80.32	14.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
148	84.04	44.15	39.89	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
149	97.87	93.62	4.26	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
150	94.68	73.94	20.74	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
151	97.87	82.45	15.43	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
152	97.34	89.36	7.98	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
153	93.09	86.70	6.38	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
154	99.47	89.36	10.11	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
155	96.81	91.49	5.32	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
156	93.62	74.47	19.15	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
157	91.49	66.49	25.00	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
158	98.94	72.87	26.06	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
159	92.55	81.91	10.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
160	96.81	90.43	6.38	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
161	64.89	18.62	46.28	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
162	91.49	24.47	67.02	BIOLOGY	DEMO	4.00	1.00	D	B	W	-1.00
163	88.83	77.66	11.17	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
164	100.00	97.87	2.13	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
165	85.11	65.43	19.68	BIOLOGY	DEMO	4.00	1.00	C		L	0.00
166	97.34	69.68	27.66	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
167	96.28	84.57	11.70	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
168	93.09	86.17	6.91	BIOLOGY	DEMO	4.00	1.00	A	B	W	-1.00
169	100.00	97.87	2.13	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
170	98.94	97.87	1.06	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
171	97.34	89.36	7.98	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
172	95.21	85.64	9.57	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
173	95.74	70.21	25.53	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
174	99.47	97.34	2.13	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
175	90.96	81.38	9.57	BIOLOGY	DEMO	4.00	1.00	C	A	W	-1.00
176	100.00	98.40	1.60	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
177	99.47	18.62	80.85	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
178	97.34	82.45	14.89	BIOLOGY	DEMO	4.00	1.00	B	B	R	4.00
179	97.34	69.15	28.19	BIOLOGY	DEMO	4.00	1.00	B	A	W	-1.00
180	96.81	75.00	21.81	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 160 (**Correct:** 120 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 452.00

Total Positive Marks: 492.00 **Total Negative Marks:** 40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

PHY		CHEM	BIOLOGY	Total
96.00		106.00	250.00	452.00