QUESTION RESPONSE ANALYSIS

NAME: Rudra Kavathiya (ID No. 252016106) KZ7RU9EPMO

TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT:

Percentile: 42.67

Rank: 95

Your Score: 297.00/720.00 (41.25%)

Max Score: 696.00 **Min Score:** 93.00 **Avg Score:** 397.68

31-Aug-2025)

Dec Part P	31-Au	-Aug-2025)										
2 90.00 81.4 19.4 23.5 PPY DEMO 4.00 1.00 D B W 1.00 4 80.02 71.5 19.5 31.5 PPY DEMO 4.00 1.00 A A A R 4.00 5 87.50 55.5 31.5 PPY DEMO 4.00 1.00 A A C W 1.00 6 93.05 90.00 13.05 PPY DEMO 4.00 1.00 C A W 1.00 7 97.5 52.5 31.5 PPY DEMO 4.00 1.00 D D R 4.00 8 10.00 10.00 00.00 00.00 PPY DEMO 4.00 1.00 D D R 4.00 9 92.11 64.5 40.00 PPY DEMO 4.00 1.00 D D R 4.00 10 10.00 10.00 00.00 00.00 PPY DEMO 4.00 1.00 D D R 4.00 11 80.15 64.5 40.00 PPY DEMO 4.00 1.00 D D R 4.00 12 84.62 28.52 57.60 PPY DEMO 4.00 1.00 D D R 4.00 13 76.46 65.5 12.35 PPY DEMO 4.00 1.00 D D R 4.00 14 87.5 32.05 86.46 PPY DEMO 4.00 1.00 D D L L 0.00 14 87.5 32.05 86.46 PPY DEMO 4.00 1.00 D L L 0.00 15 76.02 27.5 64.52 PPY DEMO 4.00 1.00 D D R 4.00 16 80.05 82.2 27.66 86.25 PPY DEMO 4.00 1.00 D D R 4.00 17 80.25 35.05 66.45 PPY DEMO 4.00 1.00 D D R 4.00 18 76.05 87.7 27.15 PPY DEMO 4.00 1.00 D D R 4.00 19 76.05 76.77 27.15 PPY DEMO 4.00 1.00 D D R 4.00 10 76.05 76.07 27.15 PPY DEMO 4.00 1.00 D D R 4.00 10 76.05 76.07 27.15 PPY DEMO 4.00 1.00 D D R 4.00 10 76.05 76.07 27.15 PPY DEMO 4.00 1.00 D D R 4.00 10 76.05 76.07 77.7 77.00 PPY DEMO 4.00 1.00 D D R 4.00 10 76.05 77.7 77.15 PPY DEMO 4.00 1.00 D D R 4.00 10 77.7 77.00 77.7 PPY DEMO 4.00 1.00 D D R 4.00 10 77.7 77.60 77.7 PPY DEMO 4.00 1.00 D D R 4.00 10 77.7 77.60 77.7 PPY DEMO 4.00 1.00 D D R 4.00 10 77.7 77.6	QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
18	1	93.85	88.46	5.38	PHY	DEMO	4.00	1.00	С	С	R	4.00
13	2	93.08		11.54	PHY	DEMO	4.00	1.00	D	D	R	4.00
1	3				PHY	DEMO	4.00	1.00	D	В	W	
6												
6												
7 91:54 54:62 58:22 PHY DEMO 4.00 1.00 D D R 4.00 8 100:00 100:00 100:00 100:00 100:00 B C 4.00 9 92:31 54:02 76:00 PHY DEMO 4.00 1.00 D D R 4.00 11 85:13 48:15 40:00 PHY DEMO 4.00 1.00 D B C 4.00 12 94:82 28:20 76:00 PHY DEMO 4.00 1.00 D D R 4.00 13 78:40 78:15 78:10 78:												
B												
9 22.1 5.6.22 37.96 PHY									U			
10 100												
11 11 24 15 24 15 24 25 27 28 28									U			
12												
13 78.46 60.15 12.31 PHY DEMO 4.00 1.00 D L 0.00	11	86.15	46.15	40.00	PHY	DEMO	4.00	1.00		С		-1.00
14	12	84.62	26.92	57.69	PHY	DEMO	4.00	1.00	С	Α	W	-1.00
15 Fa2 27.80 40-22 PHY	13	78.46	66.15	12.31	PHY	DEMO	4.00	1.00	D		L	0.00
16	14	81.54	23.08	58.46	PHY	DEMO	4.00	1.00	С	A	W	-1.00
17 02.21 03.06 16.15 PHY DEMO 4.00 1.00 B B R 4.00 1.00 19 45.38 32.31 13.08 PHY DEMO 4.00 1.00 C C R 4.00 1.00 C C A W -1.00 C C C C C C C C C	15	76.92	27.69	49.23	PHY	DEMO	4.00	1.00	В	D	W	-1.00
18	16	83.08	59.23	23.85	PHY	DEMO	4.00	1.00	D	D	R	4.00
18	17	69.23	53.08	16.15	PHY	DEMO	4.00	1.00	В	В	R	4.00
19	18			26.15	PHY	DEMO	4.00	1.00	Α	A	R	4.00
20 80.00 50.77 82.93 PHY DEMO 4.00 1.00 B D W -1.00	19				PHY	DEMO	4.00	1.00				
21 80.77 63.08 71.69 PHY DEMO 4.00 1.00 D D R 4.00												
22 89.23 49.22 40.00 PHY DEMO												
23 57.68 21.54 33.15 PHY DEMO												
24 90.77 56.92 33.85 PHY DEMO 4.00 1.00 A D W -1.00										A	_	
25 90.77 60.00 30.77 PHY DEMO 4.00 1.00 B A W -1.00												
26 50.77 31.54 19.23 PHY DEMO 4.00 1.00 D D D D D D D D D												
27 100.00 100.00 0.00 PHY DEMO 4.00 1.00 D D D R 4.00 4.00 4.00 4.00 4.00 1.00 D D D R 4.00										A		
28 83.08 44.62 38.46 PHY DEMO 4.00 1.00 D D R 4.00 29 70.77 47.69 23.08 PHY DEMO 4.00 1.00 C C R 4.00 30 88.15 7.231 13.55 PHY DEMO 4.00 1.00 B B B R R 4.00 31 87.69 60.00 27.69 PHY DEMO 4.00 1.00 B B B R R 4.00 32 88.92 83.08 3.85 PHY DEMO 4.00 1.00 B B B R R 4.00 33 100.00 100.00 0.00 PHY DEMO 4.00 1.00 B B B C C 4.00 44 80.77 65.38 15.38 PHY DEMO 4.00 1.00 A B B W 1.00 35 84.62 56.92 27.69 PHY DEMO 4.00 1.00 A B B W 1.00 36 100.00 100.00 0.00 PHY DEMO 4.00 1.00 A A R 4.00 37 100.00 100.00 0.00 PHY DEMO 4.00 1.00 D C C C C R 4.00 39 68.46 23.08 45.38 PHY DEMO 4.00 1.00 D D C C 4.00 40 84.62 46.15 38.46 PHY DEMO 4.00 1.00 D D C C 4.00 41 77 26.38 15.38 PHY DEMO 4.00 1.00 D D C C 4.00 40 84.62 46.15 38.46 PHY DEMO 4.00 1.00 D D C C 4.00 41 79 28.63 85 15.38 PHY DEMO 4.00 1.00 D D C C 4.00 40 84.62 46.15 38.46 PHY DEMO 4.00 1.00 D D C C 4.00 41 79 28.63 85 15.38 PHY DEMO 4.00 1.00 D D C C 4.00 42 85.38 53.85 15.38 PHY DEMO 4.00 1.00 C D D W 1.00 42 85.38 53.85 15.38 PHY DEMO 4.00 1.00 D D C C 4.00 43 83.00 0.00 D D PHY DEMO 4.00 1.00 D D C C 4.00 44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 D D C C 4.00 45 87.69 67.615 12.31 PHY DEMO 4.00 1.00 D D C C 4.00 46 77.15 38.32 PHY DEMO 4.00 1.00 D D C C 4.00 47 792.3 67.69 11.54 CHEM DEMO 4.00 1.00 D D C C 4.00 48 79.69 85.38 12.31 PHY DEMO 4.00 1.00 D D C C 4.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 D A D W 1.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A D D W 1.00 51 76.92 63.93 13.55 CHEM DEMO 4.00 1.00 D D D C 4.00 51 76.92 63.93 13.85 CHEM DEMO 4.00 1.00 D B B R A 4.00 52 82.31 63.95 15.35 15.35 CHEM DEMO 4.00 1.00 D D D C 4.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 D D B B R A 4.00 51 76.92 63.93 13.85 CHEM DEMO 4.00 1.00 D D D C 4.00 51 76.92 63.93 13.85 CHEM DEMO 4.00 1.00 D D D R 4.00 51 76.92 63.93 13.85 CHEM DEMO 4.00 1.00 D D D R 4.00 51 76.92 63.93 13.85 CHEM DEMO 4.00 1.00 D D D R 4.00 51 76.92 63.93 13.85 CHEM DEMO 4.00 1.00 D D D R 4.00 51 76.92 63.93 13.85 CHEM DEMO 4.00 1.00 D D D R 4.00 51 76.92 63.93 13.85 CHEM DEMO 4.00 1.00 D D D R 4.00 51 76.9		50.77	31.54	19.23					D			0.00
29	27	100.00	100.00	0.00	PHY	DEMO	4.00	1.00				4.00
30	28	83.08	44.62	38.46	PHY	DEMO	4.00	1.00	D	D	R	4.00
31	29	70.77	47.69	23.08	PHY	DEMO	4.00	1.00	С	С	R	4.00
32	30	86.15	72.31	13.85	PHY	DEMO	4.00	1.00	В	В	R	4.00
33 100.00 100.00 0.00 PHY DEMO 4.00 1.00 A B C 4.00	31	87.69	60.00	27.69	PHY	DEMO	4.00	1.00	С	С	R	4.00
34 80.77 65.38 15.38 PHY DEMO 4.00 1.00 A B W -1.00	32	86.92	83.08	3.85	PHY	DEMO	4.00	1.00	В	В	R	4.00
34 80.77 65.38 15.38 PHY DEMO 4.00 1.00 A B W -1.00	33	100.00	100.00	0.00	PHY	DEMO	4.00	1.00		В	С	4.00
35	34				PHY	DEMO	4.00	1.00	A	В	W	
36												
37 100.00 100.00 0.00 PHY DEMO 4.00 1.00 D C 4.00												
38												
39 68.46 23.06 45.38 PHY DEMO 4.00 1.00 C D W -1.00										D		
40										D		
41 79.23 63.85 15.38 PHY DEMO 4.00 1.00 A D W -1.00 42 85.38 53.85 31.54 PHY DEMO 4.00 1.00 B B R 4.00 43 100.00 100.00 0.00 D C 4.00 44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 A C W -1.00 45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 A C W -1.00 46 77.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A D W -1.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A B										0		
42 85.38 53.85 31.54 PHY DEMO 4.00 1.00 B B R 4.00 43 100.00 100.00 0.00 PHY DEMO 4.00 1.00 D C 4.00 44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 A C W -1.00 45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 A A R 4.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A D W -1.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A B W -1.00 49 90.77 54.62 36.15 CHEM												
43 100.00 100.00 0.00 PHY DEMO 4.00 1.00 D C 4.00 44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 A C W -1.00 45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 C B W -1.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A D W -1.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A D W -1.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A B W -1.00 50 100.00 100.00 0.00 CHEM DE												
44 88.46 76.15 12.31 PHY DEMO 4.00 1.00 A C W -1.00 45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 C B W -1.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A D W -1.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A D W -1.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A B W -1.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A R 4.00 52 82.31 63.85 18.46 CHEM<									В			
45 97.69 85.38 12.31 PHY DEMO 4.00 1.00 C B W -1.00 46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A L 0.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A D W -1.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A B W -1.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A R 4.00 52 82.31 63.85 18.46 CHEM DEM												
46 71.54 32.31 39.23 CHEM DEMO 4.00 1.00 A A R 4.00 47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A D W -1.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A D W -1.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A B W -1.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 D D C 4.00 53 100.00 100.00												
47 79.23 67.69 11.54 CHEM DEMO 4.00 1.00 A D W -1.00 48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A D W -1.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A B W -1.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A C W -1.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 B B B R 4.00 54 87.69 46.92 40.77 </td <td>45</td> <td>97.69</td> <td>85.38</td> <td>12.31</td> <td></td> <td></td> <td>4.00</td> <td>1.00</td> <td></td> <td>В</td> <td></td> <td>-1.00</td>	45	97.69	85.38	12.31			4.00	1.00		В		-1.00
48 79.23 43.85 35.38 CHEM DEMO 4.00 1.00 A D W -1.00 49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A B W -1.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A C W -1.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 B B B R 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 D B B W -1.00 56	46	71.54	32.31	39.23	CHEM	DEMO	4.00	1.00	A	A	R	4.00
49 90.77 54.62 36.15 CHEM DEMO 4.00 1.00 A B W -1.00 50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A C W -1.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 D D C 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D B W -1.00 56 73.08 52.31	47	79.23	67.69	11.54	CHEM	DEMO	4.00	1.00	A		L	0.00
50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A C W -1.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 D D C 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D B W -1.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A A A R 4.00 57 <t< td=""><td>48</td><td>79.23</td><td>43.85</td><td>35.38</td><td>CHEM</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>A</td><td>D</td><td>W</td><td>-1.00</td></t<>	48	79.23	43.85	35.38	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
50 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A A A R 4.00 51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A C W -1.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 D D C 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D B W -1.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A A A R 4.00 57 <t< td=""><td>49</td><td>90.77</td><td>54.62</td><td>36.15</td><td>CHEM</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>А</td><td>В</td><td>W</td><td>-1.00</td></t<>	49	90.77	54.62	36.15	CHEM	DEMO	4.00	1.00	А	В	W	-1.00
51 76.92 63.08 13.85 CHEM DEMO 4.00 1.00 A A R 4.00 52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A C W -1.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 D D C 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D B W -1.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A A A R 4.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 B D L 0.00 58 56.92 40.00	50	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00			С	4.00
52 82.31 63.85 18.46 CHEM DEMO 4.00 1.00 A C W -1.00 53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 D D C 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D B B W -1.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A A A R 4.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D D D R 4.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B E L 0.00 59 <td< td=""><td>51</td><td></td><td></td><td></td><td>CHEM</td><td>DEMO</td><td>4.00</td><td>1.00</td><td>A</td><td>A</td><td>R</td><td></td></td<>	51				CHEM	DEMO	4.00	1.00	A	A	R	
53 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 B B B R 4.00 54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D B W -1.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A A A R 4.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D D D R 4.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D C W -1.00 60 46.92												
54 87.69 46.92 40.77 CHEM DEMO 4.00 1.00 B B B R 4.00 55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D B W -1.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A A A R 4.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D D D R 4.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D C W -1.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C C C R 4.00 61 63.85												
55 56.92 10.77 46.15 CHEM DEMO 4.00 1.00 D B W -1.00 56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A A A R 4.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D D D R 4.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D C W -1.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C C R 4.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00									R			
56 73.08 52.31 20.77 CHEM DEMO 4.00 1.00 A A A R 4.00 57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D D D R 4.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D C W -1.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C C R 4.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00												
57 87.69 76.15 11.54 CHEM DEMO 4.00 1.00 D D D R 4.00 58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D C W -1.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C C C R 4.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00												
58 56.92 40.00 16.92 CHEM DEMO 4.00 1.00 B L 0.00 59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D C W -1.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C C C R 4.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00												
59 88.46 60.00 28.46 CHEM DEMO 4.00 1.00 D C W -1.00 60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C C C R 4.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00										ט		
60 46.92 15.38 31.54 CHEM DEMO 4.00 1.00 C C C R 4.00 61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00												
61 63.85 43.85 20.00 CHEM DEMO 4.00 1.00 A A A R 4.00												
1000 2000												
62 53.85 40.00 13.85 CHEM DEMO 4.00 1.00 C A W -1.00												
	62	53.85	40.00	13.85	CHEM	DEMO	4.00	1.00	С	A	W	-1.00

QUESTION RESPONSE ANALYSIS

NAME: Rudra Kavathiya (ID No. 252016106)

KZ7RU9EPMO TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT: Your Score: 297.00/720.00 (41.25%) Max Score: 696.00 **Rank:** 95 Min Score: 93.00

Percentile: 42.67 Avg Score: 397.68

63 63.08 46.92 16.15 CHEM DEMO 4.00 1.00 A 64 64.62 25.38 39.23 CHEM DEMO 4.00 1.00 B 65 53.85 45.38 39.23 CHEM DEMO 4.00 1.00 B 66 45.38 32.31 13.08 CHEM DEMO 4.00 1.00 D 67 43.08 21.54 21.54 CHEM DEMO 4.00 1.00 D 68 29.23 29.23 20.00 CHEM DEMO 4.00 1.00 A 70 76.92 52.31 24.62 CHEM DEMO 4.00 1.00 C 71 63.85 40.00 23.85 CHEM DEMO 4.00 1.00 A 72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 <td< th=""><th>WER RESULT A R C W L L L L B C C R L D W L C W B W A W</th><th>## ACKS 4.00 -1.00 0.00 0.00 0.00 4.00 4.00 -1.00 0.00 -1.00 -1.00 -1.00</th></td<>	WER RESULT A R C W L L L L B C C R L D W L C W B W A W	## ACKS 4.00 -1.00 0.00 0.00 0.00 4.00 4.00 -1.00 0.00 -1.00 -1.00 -1.00
64 64,62 25.38 39.23 CHEM DEMO 4.00 1.00 B 65 53.85 45.38 8.46 CHEM DEMO 4.00 1.00 B 66 45.38 32.31 13.08 CHEM DEMO 4.00 1.00 D 67 43.08 21.54 CHEM DEMO 4.00 1.00 D 68 29.23 9.23 20.00 CHEM DEMO 4.00 1.00 A 70 76.92 52.31 24.62 CHEM DEMO 4.00 1.00 C 71 63.85 40.00 23.85 CHEM DEMO 4.00 1.00 A 72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 A 75 80.00 52.31 27.69 CHEM DE	C W L L L B C C R L D W L C W B W	-1.00 0.00 0.00 0.00 0.00 4.00 4.00 0.00 -1.00
65 53.85 45.38 8.46 CHEM DEMO 4.00 1.00 B 66 45.38 32.31 13.08 CHEM DEMO 4.00 1.00 D 67 43.08 21.54 21.54 CHEM DEMO 4.00 1.00 D 68 29.23 9.23 20.00 CHEM DEMO 4.00 1.00 A 69 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 C 70 76.92 52.31 24.62 CHEM DEMO 4.00 1.00 C 71 63.85 40.00 23.85 CHEM DEMO 4.00 1.00 A 72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 C 73 30.77 23.85 6.92 CHEM DEMO 4.00 1.00 C 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 B 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 B 76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 D 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 C 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 C 81 80.00 52.31 CHEM DEMO 4.00 1.00 C 82 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 C 83 66.38 31.54 33.85 CHEM DEMO 4.00 1.00 C 84 68.38 31.54 33.85 CHEM DEMO 4.00 1.00 C 85 68.38 31.54 33.85 CHEM DEMO 4.00 1.00 C 86 69.23 47.62 65.38 10.77 CHEM DEMO 4.00 1.00 C 87 64.62 16.15 CHEM DEMO 4.00 1.00 C 88 60.00 34.62 45.38 CHEM DEMO 4.00 1.00 C 89 64.62 65.38 19.23 CHEM DEMO 4.00 1.00 C 80 74.00 1.00 C 81 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 C 82 65.38 39.23 CHEM DEMO 4.00 1.00 C 84 64.62 65.38 19.23 CHEM DEMO 4.00 1.00 C 85 64.62 45.38 19.23 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 C 87 65.38 59.23 13.85 CHEM DEMO 4.00 1.00 C 88 70.00 46.92 23.08 CHEM DEMO 4.00 1.00 C 89 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 C 80 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 C 80 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 C 80 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 C 80 69.23 47.69 23.08 CHEM DEMO 4.00 1.00 C 80 69.23 47.69 23.08 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 D 80 63.85 27.69 36.15 CH	L L L L L L L L L L L L L L L L L L L	0.00 0.00 0.00 0.00 4.00 4.00 0.00 -1.00
66 45.38 32.31 13.08 CHEM DEMO 4.00 1.00 D 67 43.08 21.54 21.54 CHEM DEMO 4.00 1.00 D 68 29.23 29.23 20.00 CHEM DEMO 4.00 1.00 A 70 76.92 52.31 24.62 CHEM DEMO 4.00 1.00 C 71 63.85 40.00 23.85 CHEM DEMO 4.00 1.00 A 72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 C 73 30.77 23.85 6.92 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 A 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 76 50.777 32.31 18.46 <td< td=""><td>L L L L L L L L L L L L L L L L L L L</td><td>0.00 0.00 0.00 4.00 4.00 0.00 -1.00 -1.00</td></td<>	L L L L L L L L L L L L L L L L L L L	0.00 0.00 0.00 4.00 4.00 0.00 -1.00 -1.00
67 43.08 21.54 21.54 CHEM DEMO 4.00 1.00 D 68 29.23 9.23 20.00 CHEM DEMO 4.00 1.00 A 70 76.92 52.31 24.62 CHEM DEMO 4.00 1.00 C 71 63.85 40.00 23.85 CHEM DEMO 4.00 1.00 A 72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 A 73 30.77 23.85 6.92 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 B 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 75 80.53.83 31.54 33.85 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 <t< td=""><td>L L L L L L L L L L L L L L L L L L L</td><td>0.00 0.00 4.00 4.00 0.00 -1.00 0.00</td></t<>	L L L L L L L L L L L L L L L L L L L	0.00 0.00 4.00 4.00 0.00 -1.00 0.00
68 29.23 9.23 20.00 CHEM DEMO 4.00 1.00 A 69 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 70 76.92 52.31 24.62 CHEM DEMO 4.00 1.00 A 71 63.85 40.00 23.85 CHEM DEMO 4.00 1.00 A 72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 A 73 30.77 23.85 6.92 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 B 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM <	L B C C R L D W L C W B W	0.00 4.00 4.00 0.00 -1.00 0.00 -1.00
69 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 70 76.92 52.31 24.62 CHEM DEMO 4.00 1.00 C 71 63.85 40.00 23.85 CHEM DEMO 4.00 1.00 A 72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 A 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 D 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 C 80 100.00 10.00 O CHEM <t< td=""><td>B C C R L L D W L C W B W</td><td>4.00 4.00 0.00 -1.00 0.00 -1.00</td></t<>	B C C R L L D W L C W B W	4.00 4.00 0.00 -1.00 0.00 -1.00
70 76.92 52.31 24.62 CHEM DEMO 4.00 1.00 C 71 63.85 40.00 23.85 CHEM DEMO 4.00 1.00 A 72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 C 73 30.77 23.85 6.92 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 B 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 C 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 C 80 100.00 100.00 0.00 <td< td=""><td>C R L D W L C W B W</td><td>4.00 0.00 -1.00 0.00 -1.00</td></td<>	C R L D W L C W B W	4.00 0.00 -1.00 0.00 -1.00
71 63.85 40.00 23.85 CHEM DEMO 4.00 1.00 A 72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 C 73 30.77 23.85 6.92 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 B 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 C 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 B 79 36.15 25.38 10.77 CHEM DEMO 4.00 1.00 C 80 10.00 10.00 O CHEM	L W L C W B W	0.00 -1.00 0.00 -1.00
72 58.46 12.31 46.15 CHEM DEMO 4.00 1.00 C 73 30.77 23.85 6.92 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 B 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 C 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 B 79 36.15 25.38 10.77 CHEM DEMO 4.00 1.00 C 80 100.00 10.00 CHEM DEMO 4.00 1.00 A 81 80.77 64.62 16.15 CHEM	D W L C W B W	-1.00 0.00 -1.00
73 30.77 23.85 6.92 CHEM DEMO 4.00 1.00 A 74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 B 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 C 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 B 79 36.15 25.38 10.77 CHEM DEMO 4.00 1.00 C 80 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A 81 80.77 64.62 16.15 CHEM DEMO 4.00 1.00 A 82 80.00 34.62 45.38 <td< td=""><td>L C W B W</td><td>0.00</td></td<>	L C W B W	0.00
74 79.23 59.23 20.00 CHEM DEMO 4.00 1.00 B 75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 C 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 B 79 36.15 25.38 10.77 CHEM DEMO 4.00 1.00 C 80 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A 81 80.77 64.62 16.15 CHEM DEMO 4.00 1.00 A 82 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 A 83 74.62 65.38 9.23 <td< td=""><td>C W B W</td><td>-1.00</td></td<>	C W B W	-1.00
75 80.00 52.31 27.69 CHEM DEMO 4.00 1.00 A 76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 C 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 B 79 36.15 25.38 10.77 CHEM DEMO 4.00 1.00 C 80 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 81 80.77 64.62 16.15 CHEM DEMO 4.00 1.00 A 82 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 A 83 74.62 65.38 9.23 CHEM DEMO 4.00 1.00 B 85 64.62 45.38 19.23 CHEM	B W	
76 50.77 32.31 18.46 CHEM DEMO 4.00 1.00 D 77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 C 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 B 79 36.15 25.38 10.77 CHEM DEMO 4.00 1.00 C 80 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A 81 80.77 64.62 16.15 CHEM DEMO 4.00 1.00 A 82 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 A 83 74.62 65.38 9.23 CHEM DEMO 4.00 1.00 B 84 64.62 50.00 14.62 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 <td< td=""><td></td><td>-1.00</td></td<>		-1.00
77 57.69 34.62 23.08 CHEM DEMO 4.00 1.00 C 78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 B 79 36.15 25.38 10.77 CHEM DEMO 4.00 1.00 C 80 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A 81 80.77 64.62 16.15 CHEM DEMO 4.00 1.00 A 82 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 A 83 74.62 65.38 9.23 CHEM DEMO 4.00 1.00 C 84 64.62 50.00 14.62 CHEM DEMO 4.00 1.00 B 85 64.62 45.38 19.23 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 <td< td=""><td></td><td>-1.00</td></td<>		-1.00
78 65.38 31.54 33.85 CHEM DEMO 4.00 1.00 B 79 36.15 25.38 10.77 CHEM DEMO 4.00 1.00 C 80 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 A 81 80.77 64.62 16.15 CHEM DEMO 4.00 1.00 A 82 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 A 83 74.62 65.38 9.23 CHEM DEMO 4.00 1.00 C 84 64.62 50.00 14.62 CHEM DEMO 4.00 1.00 B 85 64.62 45.38 19.23 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 A 87 73.08 59.23 13.85 <td< td=""><td>C R</td><td>4.00</td></td<>	C R	4.00
79 36.15 25.38 10.77 CHEM DEMO 4.00 1.00 C 80 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 81 80.77 64.62 16.15 CHEM DEMO 4.00 1.00 A 82 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 A 83 74.62 65.38 9.23 CHEM DEMO 4.00 1.00 C 84 64.62 50.00 14.62 CHEM DEMO 4.00 1.00 B 85 64.62 45.38 19.23 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 A 87 73.08 59.23 13.85 CHEM DEMO 4.00 1.00 B 89 74.62 63.08 11.54 CHEM	C W	-1.00
80 100.00 100.00 0.00 CHEM DEMO 4.00 1.00 81 80.77 64.62 16.15 CHEM DEMO 4.00 1.00 A 82 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 A 83 74.62 65.38 9.23 CHEM DEMO 4.00 1.00 C 84 64.62 50.00 14.62 CHEM DEMO 4.00 1.00 B 85 64.62 45.38 19.23 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 A 87 73.08 59.23 13.85 CHEM DEMO 4.00 1.00 C 88 70.00 46.92 23.08 CHEM DEMO 4.00 1.00 B 89 74.62 63.08 11.54 CHEM	L	0.00
81 80.77 64.62 16.15 CHEM DEMO 4.00 1.00 A 82 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 A 83 74.62 65.38 9.23 CHEM DEMO 4.00 1.00 C 84 64.62 50.00 14.62 CHEM DEMO 4.00 1.00 B 85 64.62 45.38 19.23 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 A 87 73.08 59.23 13.85 CHEM DEMO 4.00 1.00 C 88 70.00 46.92 23.08 CHEM DEMO 4.00 1.00 B 89 74.62 63.08 11.54 CHEM DEMO 4.00 1.00 D 90 63.85 27.69 36.15	D C	4.00
82 80.00 34.62 45.38 CHEM DEMO 4.00 1.00 A 83 74.62 65.38 9.23 CHEM DEMO 4.00 1.00 C 84 64.62 50.00 14.62 CHEM DEMO 4.00 1.00 B 85 64.62 45.38 19.23 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 A 87 73.08 59.23 13.85 CHEM DEMO 4.00 1.00 C 88 70.00 46.92 23.08 CHEM DEMO 4.00 1.00 B 89 74.62 63.08 11.54 CHEM DEMO 4.00 1.00 D 90 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 B 92 88.46 56.15 32.31	A R	4.00
84 64.62 50.00 14.62 CHEM DEMO 4.00 1.00 B 85 64.62 45.38 19.23 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 A 87 73.08 59.23 13.85 CHEM DEMO 4.00 1.00 C 88 70.00 46.92 23.08 CHEM DEMO 4.00 1.00 B 89 74.62 63.08 11.54 CHEM DEMO 4.00 1.00 D 90 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 C 91 96.92 81.54 15.38 BIOLOGY DEMO 4.00 1.00 B 92 88.46 56.15 32.31 BIOLOGY DEMO 4.00 1.00 A 93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	D W	-1.00
85 64.62 45.38 19.23 CHEM DEMO 4.00 1.00 C 86 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 A 87 73.08 59.23 13.85 CHEM DEMO 4.00 1.00 C 88 70.00 46.92 23.08 CHEM DEMO 4.00 1.00 B 89 74.62 63.08 11.54 CHEM DEMO 4.00 1.00 D 90 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 C 91 96.92 81.54 15.38 BIOLOGY DEMO 4.00 1.00 B 92 88.46 56.15 32.31 BIOLOGY DEMO 4.00 1.00 A 93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	C R	4.00
86 69.23 47.69 21.54 CHEM DEMO 4.00 1.00 A 87 73.08 59.23 13.85 CHEM DEMO 4.00 1.00 C 88 70.00 46.92 23.08 CHEM DEMO 4.00 1.00 B 89 74.62 63.08 11.54 CHEM DEMO 4.00 1.00 D 90 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 C 91 96.92 81.54 15.38 BIOLOGY DEMO 4.00 1.00 B 92 88.46 56.15 32.31 BIOLOGY DEMO 4.00 1.00 D 93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	A W	-1.00
87 73.08 59.23 13.85 CHEM DEMO 4.00 1.00 C 88 70.00 46.92 23.08 CHEM DEMO 4.00 1.00 B 89 74.62 63.08 11.54 CHEM DEMO 4.00 1.00 D 90 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 C 91 96.92 81.54 15.38 BIOLOGY DEMO 4.00 1.00 B 92 88.46 56.15 32.31 BIOLOGY DEMO 4.00 1.00 D 93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	L	0.00
88 70.00 46.92 23.08 CHEM DEMO 4.00 1.00 B 89 74.62 63.08 11.54 CHEM DEMO 4.00 1.00 D 90 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 C 91 96.92 81.54 15.38 BIOLOGY DEMO 4.00 1.00 B 92 88.46 56.15 32.31 BIOLOGY DEMO 4.00 1.00 D 93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	C W	-1.00
89 74.62 63.08 11.54 CHEM DEMO 4.00 1.00 D 90 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 C 91 96.92 81.54 15.38 BIOLOGY DEMO 4.00 1.00 B 92 88.46 56.15 32.31 BIOLOGY DEMO 4.00 1.00 D 93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	B W	-1.00
90 63.85 27.69 36.15 CHEM DEMO 4.00 1.00 C 91 96.92 81.54 15.38 BIOLOGY DEMO 4.00 1.00 B 92 88.46 56.15 32.31 BIOLOGY DEMO 4.00 1.00 D 93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	C W	-1.00
91 96.92 81.54 15.38 BIOLOGY DEMO 4.00 1.00 B 92 88.46 56.15 32.31 BIOLOGY DEMO 4.00 1.00 D 93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	D R	4.00
92 88.46 56.15 32.31 BIOLOGY DEMO 4.00 1.00 D 93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	B W	-1.00
93 87.69 63.08 24.62 BIOLOGY DEMO 4.00 1.00 A	A W	-1.00
2.112	A W	-1.00
	A R	4.00
94 87.69 40.77 46.92 BIOLOGY DEMO 4.00 1.00 B	A W	-1.00
95 95.38 93.85 1.54 BIOLOGY DEMO 4.00 1.00 A	A R	4.00
96 93.08 80.77 12.31 BIOLOGY DEMO 4.00 1.00 C	B W	-1.00
97 83.85 60.00 23.85 BIOLOGY DEMO 4.00 1.00 C	A W	-1.00
98 86.15 76.92 9.23 BIOLOGY DEMO 4.00 1.00 C	C R	4.00
99 91.54 84.62 6.92 BIOLOGY DEMO 4.00 1.00 B	C W	-1.00
100 80.00 40.00 40.00 BIOLOGY DEMO 4.00 1.00 D	D R	4.00
101 87.69 72.31 15.38 BIOLOGY DEMO 4.00 1.00 D 102 96.92 89.23 7.69 BIOLOGY DEMO 4.00 1.00 D	D R	0.00
102 96.92 89.23 7.69 BIOLOGY DEMO 4.00 1.00 D 103 96.15 90.00 6.15 BIOLOGY DEMO 4.00 1.00 A	A R	4.00
103 90.13 90.00 0.13 BIOLOGY DEMO 4.00 1.00 C	L	0.00
105 70.77 56.92 13.85 BIOLOGY DEMO 4.00 1.00 B	B R	4.00
106 70.00 20.77 49.23 BIOLOGY DEMO 4.00 1.00 D	L	0.00
	D R	4.00
	D R	4.00
109 92.31 87.69 4.62 BIOLOGY DEMO 4.00 1.00 A	B W	-1.00
110 98.46 90.00 8.46 BIOLOGY DEMO 4.00 1.00 B	B R	4.00
111 84.62 28.46 56.15 BIOLOGY DEMO 4.00 1.00 A	A R	4.00
112 79.23 28.46 50.77 BIOLOGY DEMO 4.00 1.00 C	A W	-1.00
113 86.15 64.62 21.54 BIOLOGY DEMO 4.00 1.00 A	A R	4.00
114 93.08 75.38 17.69 BIOLOGY DEMO 4.00 1.00 D	D R	4.00
115 79.23 50.77 28.46 BIOLOGY DEMO 4.00 1.00 D	C W	-1.00
116 90.00 83.08 6.92 BIOLOGY DEMO 4.00 1.00 A	A R	4.00
117 96.92 73.85 23.08 BIOLOGY DEMO 4.00 1.00 B	B R	4.00
118 96.15 38.46 57.69 BIOLOGY DEMO 4.00 1.00 A	B W	-1.00
119 97.69 80.77 16.92 BIOLOGY DEMO 4.00 1.00 B	B R	4.00
120 95.38 83.85 11.54 BIOLOGY DEMO 4.00 1.00 A	A R	4.00
121 90.77 77.69 13.08 BIOLOGY DEMO 4.00 1.00 C	A W	-1.00
122 92.31 79.23 13.08 BIOLOGY DEMO 4.00 1.00 A	A R	4.00
123 96.15 78.46 17.69 BIOLOGY DEMO 4.00 1.00 C	C R	4.00
124 92.31 72.31 20.00 BIOLOGY DEMO 4.00 1.00 D	D R	4.00

QUESTION RESPONSE ANALYSIS

Percentile: 42.67

Avg Score: 397.68

Total: 297.00

Your Score: 297.00/720.00 (41.25%) Max Score: 696.00 NAME: Rudra Kavathiya (ID No. 252016106) KZ7RU9EPMO Rank: 95 Min Score: 93.00

TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT:

31-Au	ıg-2025)									,
QNo	ATT%	R%	W %	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	83.08	56.15	26.92	BIOLOGY	DEMO	4.00	1.00	С	В	W	-1.00
126	75.38	50.77	24.62	BIOLOGY	DEMO	4.00	1.00	С		L	0.00
127	93.08	78.46	14.62	BIOLOGY	DEMO	4.00	1.00	С	В	W	-1.00
128	90.00	68.46	21.54	BIOLOGY	DEMO	4.00	1.00	В	С	W	-1.00
129	93.85	83.85	10.00	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
130	92.31	64.62	27.69	BIOLOGY	DEMO	4.00	1.00	А	С	W	-1.00
131	90.00	74.62	15.38	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
132	84.62	56.92	27.69	BIOLOGY	DEMO	4.00	1.00	A	С	W	-1.00
133	88.46	66.92	21.54	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
134	92.31	87.69	4.62	BIOLOGY	DEMO	4.00	1.00	D	С	W	-1.00
135	90.00	31.54	58.46	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
136	86.92	59.23	27.69	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
137	95.38	71.54	23.85	BIOLOGY	DEMO	4.00	1.00	A	А	R	4.00
138	86.92	53.08	33.85	BIOLOGY	DEMO	4.00	1.00	D	С	W	-1.00
139	87.69	55.38	32.31	BIOLOGY	DEMO	4.00	1.00	С	А	W	-1.00
140	96.15	90.77	5.38	BIOLOGY	DEMO	4.00	1.00	Α	Α	R	4.00
141	89.23	65.38	23.85	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
142	97.69	86.92	10.77	BIOLOGY	DEMO	4.00	1.00	Α	А	R	4.00
143	73.08	40.77	32.31	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
144	94.62	89.23	5.38	BIOLOGY	DEMO	4.00	1.00	А	А	R	4.00
145	76.92	23.08	53.85	BIOLOGY	DEMO	4.00	1.00	D	A	W	-1.00
146	86.92	71.54	15.38	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
147	72.31	49.23	23.08	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
148	81.54	56.92	24.62	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
149	86.92	42.31	44.62	BIOLOGY	DEMO	4.00	1.00	C	D	W	-1.00
150	87.69	62.31	25.38	BIOLOGY	DEMO	4.00	1.00	A	В	W	-1.00
151	84.62	46.15	38.46	BIOLOGY	DEMO	4.00	1.00	A	C	W	-1.00
152	92.31	80.77	11.54	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
153	86.92	71.54	15.38	BIOLOGY	DEMO	4.00	1.00	В	A	W	-1.00
154	78.46	26.15	52.31	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
155	71.54	35.38	36.15	BIOLOGY	DEMO	4.00	1.00	C	•	L	0.00
156	72.31	39.23	33.08	BIOLOGY	DEMO	4.00	1.00	D		L	0.00
157	66.92	26.92	40.00	BIOLOGY	DEMO	4.00	1.00	В	С	W	-1.00
158	78.46	42.31	36.15	BIOLOGY	DEMO	4.00	1.00	C	<u> </u>	L	0.00
159	87.69	73.08	14.62	BIOLOGY	DEMO	4.00	1.00	C	С	R	4.00
160	69.23	60.00	9.23	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
161	88.46	66.15	22.31	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
162	74.62	49.23		BIOLOGY	DEMO	4.00	1.00	D	В	W	
163	89.23	70.00	25.38 19.23	BIOLOGY	DEMO	4.00	1.00		•	W	-1.00 -1.00
164				BIOLOGY	DEMO	4.00	1.00	С	C	R	
	94.62	80.77	13.85	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
165	97.69	79.23	18.46			4.00		В	В		4.00
166	95.38	86.92	8.46	BIOLOGY	DEMO		1.00			R	4.00
167	97.69	88.46	9.23	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
168	92.31	72.31	20.00	BIOLOGY	DEMO	4.00	1.00	С	В	W	-1.00
169	96.15	94.62	1.54	BIOLOGY	DEMO	4.00	1.00	C	С	R	4.00
170	63.85	40.00	23.85	BIOLOGY	DEMO	4.00	1.00	A		L	0.00
171	88.46	65.38	23.08	BIOLOGY	DEMO	4.00	1.00	A	D	W	-1.00
172	93.85	75.38	18.46	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
173	90.00	73.08	16.92	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
174	94.62	81.54	13.08	BIOLOGY	DEMO	4.00	1.00	С	A	W	-1.00
175	90.00	80.77	9.23	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
176	94.62	76.15	18.46	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
177	95.38	80.77	14.62	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
178	85.38	69.23	16.15	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
179	96.92	92.31	4.62	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
180	93.08	59.23	33.85	BIOLOGY	DEMO	4.00	1.00	D	С	W	-1.00

Total Question: 180 Attempted: 146 (Correct: 79 Incorrect: 67) Score Rate: 0.00 Strike Rate: 0.00

Total Positive Marks: 364.00 Total Negative Marks: 67.00

QUESTION RESPONSE ANALYSIS

Percentile: 42.67

Avg Score: 397.68

 NAME: Rudra Kavathiya (ID No. 252016106)
 Your Score: 297.00/720.00 (41.25%)
 Max Score: 696.00

 KZ7RU9EPMO
 Rank: 95
 Min Score: 93.00

TEST: NEET Growth All_Major Test-01_31-08-2025 (ID: 133 DT:

ug-2025)		1 1631-01_31-01		 -	1 6106Hale: 42.07	9	00010. 0	
PHY	CHEM	BIOLOGY	Total					
88.00	50.00	159.00	297.00					
					NEG · Pocitivo / Nogativo marke			