QUESTION RESPONSE ANALYSIS

 NAME: Dhruvi Patel (ID No. 252018275)
 Your Score: 625.00/720.00 (86.81%)
 Max Score: 653.00

 JW0A77N2ZW
 Rank: 2
 Min Score: 94.00

Percentile: 95.71

Avg Score: 369.07

TEST: NEET_Conquer-GUJ_Part Test-08_21092025 (ID: 150 DT:

QNo ATT% R% W% SUBJECT TOPIC/SCHEME POS NEG 1 79.55 29.55 50.00 PHY DEMO 4.00 1.00 2 88.64 65.91 22.73 PHY DEMO 4.00 1.00 4 79.55 61.36 18.18 PHY DEMO 4.00 1.00 5 77.27 40.91 36.36 PHY DEMO 4.00 1.00 6 77.27 50.00 27.27 PHY DEMO 4.00 1.00 7 75.00 61.36 13.64 PHY DEMO 4.00 1.00 8 70.45 68.18 2.27 PHY DEMO 4.00 1.00 9 43.18 22.73 20.45 PHY DEMO 4.00 1.00 10 34.09 9.09 25.00 PHY DEMO 4.00 1.00 11 75.00 59.09 15.91	B C B B B B B B B B B B B B B B B B B B	B C B D D B C C C D A B D A B D A B D C C C C D C C D C C C D C C C C C C	RESULT	## MARKS 4.00 4.00 4.00 4.00 -1.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00
2 88.64 65.91 22.73 PHY DEMO 4.00 1.00 3 86.36 70.45 15.91 PHY DEMO 4.00 1.00 4 79.55 61.36 18.18 PHY DEMO 4.00 1.00 5 77.27 40.91 36.36 PHY DEMO 4.00 1.00 6 77.27 50.00 27.27 PHY DEMO 4.00 1.00 7 75.00 61.36 13.64 PHY DEMO 4.00 1.00 9 43.18 22.73 20.45 PHY DEMO 4.00 1.00 10 34.09 9.09 25.00 PHY DEMO 4.00 1.00 11 75.00 59.09 15.91 PHY DEMO 4.00 1.00 12 70.45 43.18 18.18 PHY DEMO 4.00 1.00 12 70.45 43.18 18.18	C B D B B A C D A B D A B D C D A A A A A A A A A A A A A A A A A	C B D D B C C C D A B D A B D A B D	R R R W R W R R R R R	4.00 4.00 -1.00 4.00 -1.00 4.00 4.00 4.00 4.00 4.00
3 86.36 70.45 15.91 PHY DEMO 4.00 1.00 4 79.55 61.36 18.18 PHY DEMO 4.00 1.00 5 77.27 40.91 36.36 PHY DEMO 4.00 1.00 6 77.27 50.00 27.27 PHY DEMO 4.00 1.00 7 75.00 61.36 13.64 PHY DEMO 4.00 1.00 8 70.45 68.18 22.27 PHY DEMO 4.00 1.00 10 34.09 9.09 25.00 PHY DEMO 4.00 1.00 11 75.00 59.09 15.91 PHY DEMO 4.00 1.00 12 70.45 43.18 18.18 PHY DEMO 4.00 1.00 13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82	B D B B A C D A B D A B D C D A B D A A A A A A A A A A A A A A A A	B D D B C C C D A B D A A B D A B D	R R W R W R R R R R R	4.00 4.00 -1.00 4.00 -1.00 4.00 4.00 4.00 4.00 4.00
4 79.55 61.36 18.18 PHY DEMO 4.00 1.00 5 77.27 40.91 36.36 PHY DEMO 4.00 1.00 6 77.27 50.00 27.27 PHY DEMO 4.00 1.00 7 75.00 61.36 13.64 PHY DEMO 4.00 1.00 8 70.45 68.18 2.27 PHY DEMO 4.00 1.00 9 43.18 22.73 20.45 PHY DEMO 4.00 1.00 10 34.09 9.09 25.00 PHY DEMO 4.00 1.00 11 75.00 59.09 15.91 PHY DEMO 4.00 1.00 12 70.45 43.18 18.18 PHY DEMO 4.00 1.00 13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82	D B B A C C D A B D A A B D C C D A A A A A A A A A A A A A A A A	D D B C C C D A B D A A B D A	R W R W R R R R R	4.00 -1.00 4.00 -1.00 4.00 4.00 4.00 4.00 4.00
5 77.27 40.91 36.36 PHY DEMO 4.00 1.00 6 77.27 50.00 27.27 PHY DEMO 4.00 1.00 7 75.00 61.36 13.64 PHY DEMO 4.00 1.00 8 70.45 68.18 2.27 PHY DEMO 4.00 1.00 9 43.18 22.73 20.45 PHY DEMO 4.00 1.00 10 34.09 9.09 25.00 PHY DEMO 4.00 1.00 11 75.00 59.09 15.91 PHY DEMO 4.00 1.00 12 70.45 43.18 27.27 PHY DEMO 4.00 1.00 13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 14 77.27 54.55 22.73 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82	B B A C C D A B D A A B D C C D A A A A A B D C A A A A A A A A A A A A A A A A A A	D B C C D A B D A B D A B D	W R W R R R R R R R R	-1.00 4.00 -1.00 4.00 4.00 4.00 4.00 4.00
6 77.27 50.00 27.27 PHY DEMO 4.00 1.00 7 75.00 61.36 13.64 PHY DEMO 4.00 1.00 8 70.45 68.18 2.27 PHY DEMO 4.00 1.00 9 43.18 22.73 20.45 PHY DEMO 4.00 1.00 10 34.09 9.09 25.00 PHY DEMO 4.00 1.00 11 75.00 59.09 15.91 PHY DEMO 4.00 1.00 12 70.45 43.18 27.27 PHY DEMO 4.00 1.00 13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 14 77.27 54.55 22.73 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64	B A C C D A B D A A A B D C C D A A A A A B D C C D A	B C C D A B D A A B D A	R W R R R R R	4.00 -1.00 4.00 4.00 4.00 4.00 4.00
7 75.00 61.36 13.64 PHY DEMO 4.00 1.00 8 70.45 68.18 2.27 PHY DEMO 4.00 1.00 9 43.18 22.73 20.45 PHY DEMO 4.00 1.00 10 34.09 9.09 25.00 PHY DEMO 4.00 1.00 11 75.00 59.09 15.91 PHY DEMO 4.00 1.00 12 70.45 43.18 27.27 PHY DEMO 4.00 1.00 13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 14 77.27 54.55 22.73 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82 PHY DEMO 4.00 1.00 16 77.27 75.00 2.27 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64	A C D A B D A A B D C C D C D A	C C D A B D A A B D A	W R R R R R R R	-1.00 4.00 4.00 4.00 4.00 4.00
8 70.45 68.18 2.27 PHY DEMO 4.00 1.00 9 43.18 22.73 20.45 PHY DEMO 4.00 1.00 10 34.09 9.09 25.00 PHY DEMO 4.00 1.00 11 75.00 59.09 15.91 PHY DEMO 4.00 1.00 12 70.45 43.18 18.18 PHY DEMO 4.00 1.00 13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 14 77.27 54.55 22.73 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82 PHY DEMO 4.00 1.00 16 77.27 75.00 2.27 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64 PHY DEMO 4.00 1.00 18 40.91 34.09 9.09	C D A B D A A B D C D C D A	C D A B D A A B D A	R R R R R	4.00 4.00 4.00 4.00 4.00
9	D A B D A A A B D C C D A	D A B D A A B D D	R R R R	4.00 4.00 4.00 4.00
10 34.09 9.09 25.00 PHY DEMO 4.00 1.00 11 75.00 59.09 15.91 PHY DEMO 4.00 1.00 12 70.45 43.18 27.27 PHY DEMO 4.00 1.00 13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 14 77.27 54.55 22.73 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82 PHY DEMO 4.00 1.00 16 77.27 75.00 2.27 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64 PHY DEMO 4.00 1.00 18 40.91 34.09 6.82 PHY DEMO 4.00 1.00 19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73	A B D A A B D C C D A	A B D A B D	R R R R	4.00 4.00 4.00
11 75.00 59.09 15.91 PHY DEMO 4.00 1.00 12 70.45 43.18 27.27 PHY DEMO 4.00 1.00 13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 14 77.27 54.55 22.73 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82 PHY DEMO 4.00 1.00 16 77.27 75.00 2.27 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64 PHY DEMO 4.00 1.00 18 40.91 34.09 6.82 PHY DEMO 4.00 1.00 19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09	B D A A B D C D A	B D A A B D	R R R	4.00 4.00
12 70.45 43.18 27.27 PHY DEMO 4.00 1.00 13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 14 77.27 54.55 22.73 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82 PHY DEMO 4.00 1.00 16 77.27 75.00 2.27 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64 PHY DEMO 4.00 1.00 18 40.91 34.09 6.82 PHY DEMO 4.00 1.00 19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18	D A A B D C D A	D A A B D	R R R	4.00
13 61.36 43.18 18.18 PHY DEMO 4.00 1.00 14 77.27 54.55 22.73 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82 PHY DEMO 4.00 1.00 16 77.27 75.00 2.27 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64 PHY DEMO 4.00 1.00 18 40.91 34.09 6.82 PHY DEMO 4.00 1.00 19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82	A A B D C D A	A A B D	R R	
14 77.27 54.55 22.73 PHY DEMO 4.00 1.00 15 75.00 68.18 6.82 PHY DEMO 4.00 1.00 16 77.27 75.00 2.27 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64 PHY DEMO 4.00 1.00 18 40.91 34.09 6.82 PHY DEMO 4.00 1.00 19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73	A B D C D A	A B D	R	4.00
15 75.00 68.18 6.82 PHY DEMO 4.00 1.00 16 77.27 75.00 2.27 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64 PHY DEMO 4.00 1.00 18 40.91 34.09 6.82 PHY DEMO 4.00 1.00 19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 2.2.7	B D C D A	B D		
16 77.27 75.00 2.27 PHY DEMO 4.00 1.00 17 50.00 36.36 13.64 PHY DEMO 4.00 1.00 18 40.91 34.09 6.82 PHY DEMO 4.00 1.00 19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27	D C D A	D	1	4.00
17 50.00 36.36 13.64 PHY DEMO 4.00 1.00 18 40.91 34.09 6.82 PHY DEMO 4.00 1.00 19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36	C D A			4.00
18 40.91 34.09 6.82 PHY DEMO 4.00 1.00 19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 31.82	D A		R	4.00
19 70.45 61.36 9.09 PHY DEMO 4.00 1.00 20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 31.82 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09	А	С	R	4.00
20 68.18 45.45 22.73 PHY DEMO 4.00 1.00 21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 31.82 PHY DEMO 4.00 1.00 29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09		D	R	4.00
21 70.45 61.36 9.09 PHY DEMO 4.00 1.00 22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 31.82 PHY DEMO 4.00 1.00 29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64	A	A	R	4.00
22 38.64 20.45 18.18 PHY DEMO 4.00 1.00 23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 31.82 PHY DEMO 4.00 1.00 29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73		D	W	-1.00
23 61.36 54.55 6.82 PHY DEMO 4.00 1.00 24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 31.82 PHY DEMO 4.00 1.00 29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09	С	С	R	4.00
24 38.64 15.91 22.73 PHY DEMO 4.00 1.00 25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 31.82 PHY DEMO 4.00 1.00 29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18	С	A	W	-1.00
25 47.73 20.45 27.27 PHY DEMO 4.00 1.00 26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 31.82 PHY DEMO 4.00 1.00 29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64	В	В	R	4.00
26 22.73 20.45 2.27 PHY DEMO 4.00 1.00 27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 31.82 PHY DEMO 4.00 1.00 29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	D	D	R	4.00
27 40.91 29.55 11.36 PHY DEMO 4.00 1.00 28 63.64 31.82 PHY DEMO 4.00 1.00 29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	В	В	R	4.00
28 63.64 31.82 PHY DEMO 4.00 1.00 29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	D	D	R	4.00
29 40.91 15.91 25.00 PHY DEMO 4.00 1.00 30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	D	D	R	4.00
30 43.18 34.09 9.09 PHY DEMO 4.00 1.00 31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	D	D	R	4.00
31 38.64 25.00 13.64 PHY DEMO 4.00 1.00 32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	D	В	W	-1.00
32 54.55 31.82 22.73 PHY DEMO 4.00 1.00 33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	A	A	R	4.00
33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	С	С	R	4.00
33 50.00 40.91 9.09 PHY DEMO 4.00 1.00 34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	С	С	R	4.00
34 45.45 27.27 18.18 PHY DEMO 4.00 1.00 35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	В	В	R	4.00
35 79.55 65.91 13.64 PHY DEMO 4.00 1.00	В	В	R	4.00
	A	A	R	4.00
36 38.64 9.09 29.55 PHY DEMO 4.00 1.00	A	A	R	4.00
37 65.91 34.09 31.82 PHY DEMO 4.00 1.00	A	A	R	4.00
38 56.82 36.36 20.45 PHY DEMO 4.00 1.00	В	В	R	4.00
39 29.55 20.45 9.09 PHY DEMO 4.00 1.00	A	A	R	4.00
40 43.18 31.82 11.36 PHY DEMO 4.00 1.00	C	C	R	4.00
41 34.09 22.73 11.36 PHY DEMO 4.00 1.00	D	D	R	4.00
42 38.64 9.09 29.55 PHY DEMO 4.00 1.00	C	C	R	4.00
43 38.64 15.91 22.73 PHY DEMO 4.00 1.00	В	A	W	-1.00
44 77.27 52.27 25.00 PHY DEMO 4.00 1.00	В	В	R	4.00
45 61.36 43.18 18.18 PHY DEMO 4.00 1.00	В	В	R	4.00
46 90.91 72.73 18.18 CHEM DEMO 4.00 1.00	В	В	R	4.00
47 79.55 63.64 15.91 CHEM DEMO 4.00 1.00	C	С	R	4.00
	A		R	
	C	A	W	4.00
	D	C	W	-1.00
55.5				-1.00
51 54.55 20.45 34.09 CHEM DEMO 4.00 1.00	D	D	R	4.00
52 81.82 59.09 22.73 CHEM DEMO 4.00 1.00	В	В	R	4.00
53 63.64 43.18 20.45 CHEM DEMO 4.00 1.00	C	C	R	4.00
54 77.27 54.55 22.73 CHEM DEMO 4.00 1.00	A	A	R	4.00
55 75.00 56.82 18.18 CHEM DEMO 4.00 1.00	D	D	R	4.00
56 54.55 25.00 29.55 CHEM DEMO 4.00 1.00	С	A	W	-1.00
57 65.91 61.36 4.55 CHEM DEMO 4.00 1.00	С	С	R	4.00
58 61.36 40.91 20.45 CHEM DEMO 4.00 1.00	С	С	R	4.00
59 68.18 61.36 6.82 CHEM DEMO 4.00 1.00		D	R	4.00
60 65.91 18.18 47.73 CHEM DEMO 4.00 1.00	D	D	R	4.00
61 54.55 43.18 11.36 CHEM DEMO 4.00 1.00	D D	С	R	4.00
62 65.91 50.00 15.91 CHEM DEMO 4.00 1.00			r<	4.00

QUESTION RESPONSE ANALYSIS

NAME: Dhruvi Patel (ID No. 252018275) Your Score: 625.00/720.00 (86.81%) Max Score: 653.00 JW0A77N2ZW Rank: 2 **Min Score:** 94.00 Percentile: 95.71 Avg Score: 369.07

TEST: NEET_Conquer-GUJ_Part Test-08_21092025 (ID: 150 DT:

QNo	ep-2025 ATT%	, R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
63	72.73	63.64	9.09	CHEM	DEMO	4.00	1.00	A	D	W	-1.00
64	27.27	15.91	11.36	CHEM	DEMO	4.00	1.00	C	C	R	4.00
65	70.45	59.09	11.36	CHEM	DEMO	4.00	1.00	A	A	R	4.00
66	50.00	31.82	18.18	CHEM	DEMO	4.00	1.00	D	D	R	4.00
67	77.27	38.64	38.64	CHEM	DEMO	4.00	1.00	A	A	R	4.00
68		36.36	4.55	CHEM	DEMO	4.00	1.00	A	A	R	
69	40.91 31.82	29.55	2.27	CHEM	DEMO	4.00	1.00	В	В	R	4.00
					DEMO						4.00
70	52.27	47.73	4.55	CHEM		4.00	1.00	A	A	R	4.00
71	36.36	20.45	15.91	CHEM	DEMO	4.00	1.00	C	C	R	4.00
72	56.82	40.91	15.91	CHEM	DEMO	4.00	1.00	A	A	R	4.00
73	27.27	13.64	13.64	CHEM	DEMO	4.00	1.00	C	С	R	4.00
74	68.18	40.91	27.27	CHEM	DEMO	4.00	1.00	D	D	R	4.00
75	68.18	59.09	9.09	CHEM	DEMO	4.00	1.00	С	С	R	4.00
76	59.09	34.09	25.00	CHEM	DEMO	4.00	1.00	В	В	R	4.00
77	50.00	40.91	9.09	CHEM	DEMO	4.00	1.00	В	В	R	4.00
78	86.36	77.27	9.09	CHEM	DEMO	4.00	1.00	В	В	R	4.00
79	54.55	4.55	50.00	CHEM	DEMO	4.00	1.00	С	D	W	-1.00
80	50.00	34.09	15.91	CHEM	DEMO	4.00	1.00	В	В	R	4.00
81	75.00	54.55	20.45	CHEM	DEMO	4.00	1.00	С	С	R	4.00
82	63.64	34.09	29.55	CHEM	DEMO	4.00	1.00	D	D	R	4.00
83	88.64	77.27	11.36	CHEM	DEMO	4.00	1.00	D	D	R	4.00
84	63.64	40.91	22.73	CHEM	DEMO	4.00	1.00	Α	С	W	-1.00
85	56.82	25.00	31.82	CHEM	DEMO	4.00	1.00	С	С	R	4.00
86	100.00	100.00	0.00	CHEM	DEMO	4.00	1.00		D	С	4.00
87	65.91	59.09	6.82	CHEM	DEMO	4.00	1.00	A	A	R	4.00
88	75.00	36.36	38.64	CHEM	DEMO	4.00	1.00	C	В	W	-1.00
89	70.45	54.55	15.91	CHEM	DEMO	4.00	1.00	В	В	R	4.00
90	56.82	20.45	36.36	CHEM	DEMO	4.00	1.00	A	A	R	4.00
91				BIOLOGY	DEMO	4.00	1.00	D	D	R	
	97.73	86.36	11.36	BIOLOGY	DEMO					_	4.00
92	90.91	63.64	27.27			4.00	1.00	A	A	R	4.00
93	90.91	56.82	34.09	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
94	93.18	79.55	13.64	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
95	68.18	50.00	18.18	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
96	95.45	77.27	18.18	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
97	97.73	95.45	2.27	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
98	93.18	79.55	13.64	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
99	86.36	75.00	11.36	BIOLOGY	DEMO	4.00	1.00	Α	Α	R	4.00
100	90.91	86.36	4.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
101	93.18	72.73	20.45	BIOLOGY	DEMO	4.00	1.00	О	С	R	4.00
102	86.36	65.91	20.45	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
103	93.18	75.00	18.18	BIOLOGY	DEMO	4.00	1.00	A	Α	R	4.00
104	86.36	59.09	27.27	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
105	84.09	65.91	18.18	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
106	81.82	38.64	43.18	BIOLOGY	DEMO	4.00	1.00	D	С	W	-1.00
107	88.64	52.27	36.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
108	97.73	90.91	6.82	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
109	79.55	65.91	13.64	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
110	84.09	54.55	29.55	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
111		86.36	4.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	
	90.91			BIOLOGY	DEMO		1.00				4.00
112	86.36	20.45	65.91			4.00		A	A	R	4.00
113	95.45	90.91	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
114	88.64	77.27	11.36	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
115	93.18	84.09	9.09	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
116	81.82	50.00	31.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
117	84.09	31.82	52.27	BIOLOGY	DEMO	4.00	1.00	D	С	W	-1.00
118	90.91	72.73	18.18	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
119	100.00	93.18	6.82	BIOLOGY	DEMO	4.00	1.00	А	А	R	4.00
120	72.73	52.27	20.45	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
121	86.36	79.55	6.82	BIOLOGY	DEMO	4.00	1.00	A	А	R	4.00
122	88.64	47.73	40.91	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
123	90.91	59.09	31.82	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
124	95.45	90.91	4.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
					1	1	1			1	1

QUESTION RESPONSE ANALYSIS

 NAME: Dhruvi Patel (ID No. 252018275)
 Your Score: 625.00/720.00 (86.81%)
 Max Score: 653.00

 JW0A77N2ZW
 Rank: 2
 Min Score: 94.00

Percentile: 95.71

Avg Score: 369.07

Total: 625.00

TEST: NEET_Conquer-GUJ_Part Test-08_21092025 (ID: 150 DT:

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
125	72.73	20.45	52.27	BIOLOGY	DEMO	4.00	1.00	С	D	W	-1.00
126	88.64	34.09	54.55	BIOLOGY	DEMO	4.00	1.00	D	В	W	-1.00
127	93.18	84.09	9.09	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
128	90.91	84.09	6.82	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
129	84.09	68.18	15.91	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
130	81.82	52.27	29.55	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
131	93.18	79.55	13.64	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
132	97.73	68.18	29.55	BIOLOGY	DEMO	4.00	1.00	A	В	W	-1.00
133	97.73	86.36	11.36	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
134	100.00	95.45	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
135	84.09	54.55	29.55	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
136	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		В	С	4.00
137	90.91	84.09	6.82	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
138	93.18	47.73	45.45	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
139	100.00	100.00	0.00	BIOLOGY	DEMO	4.00	1.00		C	С	4.00
140	70.45	31.82	38.64	BIOLOGY	DEMO	4.00	1.00	D	C	W	-1.00
141	63.64	54.55	9.09	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
142	86.36	63.64	22.73	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
143	86.36	68.18	18.18	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
144	93.18	63.64	29.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
145	86.36		22.73	BIOLOGY	DEMO	4.00	1.00	C	С	R	
146	90.91	63.64 86.36	4.55	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
147				BIOLOGY	DEMO	4.00	1.00	D	A	R	
148	86.36	77.27	9.09	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
	90.91	65.91	25.00		DEMO						4.00
149	77.27	56.82	20.45	BIOLOGY		4.00	1.00	A	A	R	4.00
150	100.00	84.09	15.91	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
151	90.91	38.64	52.27	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
152	86.36	79.55	6.82	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
153	68.18	45.45	22.73	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
154	90.91	81.82	9.09	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
155	81.82	65.91	15.91	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
156	95.45	90.91	4.55	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
157	72.73	47.73	25.00	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
158	90.91	56.82	34.09	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
159	88.64	61.36	27.27	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
160	95.45	88.64	6.82	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
161	81.82	70.45	11.36	BIOLOGY	DEMO	4.00	1.00	Α	A	R	4.00
162	81.82	65.91	15.91	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
163	100.00	79.55	20.45	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
164	95.45	77.27	18.18	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
165	90.91	77.27	13.64	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
166	100.00	88.64	11.36	BIOLOGY	DEMO	4.00	1.00	А	A	R	4.00
167	100.00	88.64	11.36	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
168	93.18	93.18	0.00	BIOLOGY	DEMO	4.00	1.00	А	А	R	4.00
169	97.73	81.82	15.91	BIOLOGY	DEMO	4.00	1.00	С	С	R	4.00
170	84.09	72.73	11.36	BIOLOGY	DEMO	4.00	1.00	A	А	R	4.00
171	100.00	97.73	2.27	BIOLOGY	DEMO	4.00	1.00	А	А	R	4.00
172	84.09	70.45	13.64	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
173	86.36	72.73	13.64	BIOLOGY	DEMO	4.00	1.00	А	А	R	4.00
174	93.18	86.36	6.82	BIOLOGY	DEMO	4.00	1.00	A	Α	R	4.00
175	90.91	86.36	4.55	BIOLOGY	DEMO	4.00	1.00	D	D	R	4.00
176	95.45	29.55	65.91	BIOLOGY	DEMO	4.00	1.00	C	C	R	4.00
177	90.91	70.45	20.45	BIOLOGY	DEMO	4.00	1.00	A	A	R	4.00
178	77.27	54.55	22.73	BIOLOGY	DEMO	4.00	1.00	В	В	R	4.00
		77.27	20.45	BIOLOGY	DEMO			В			4.00
179	97.73	////				4.00	1.00		В	R	

Total Question: 180 Attempted: 177 (Correct: 158 Incorrect: 19) Score Rate: 0.00 Strike Rate: 0.00

Total Positive Marks: 644.00 Total Negative Marks: 19.00

QUESTION RESPONSE ANALYSIS

Percentile: 95.71

Avg Score: 369.07

NAME: Dhruvi Patel (ID No. 252018275) Your Score: 625.00/720.00 (86.81%) Max Score: 653.00 JW0A77N2ZW Rank: 2 **Min Score:** 94.00

TEST: NEET_Conquer-GUJ_Part Test-08_21092025 (**ID:** 150 **DT:**

	PHY	СНЕМ	BIOLOGY	Total
1	150.00	145.00	330.00	625.00