	Stop. This ites, the thin test, the test the tes	8
NR bTech.Co	STUDENT REPORT	<
NBP	Ticsel This to the state of the	TEMP
DE	STUDENT REPORT  STUDENT REPORT  LEMPH TECHLOSELOS TELMPH TECHLOS TELMPH TECHLOS TELMPH TECHLOS TELMPH TECHLOS TELMPH TECHLOS TE	0
EDOJ I	Name Reflect Catholy Tenter Street, James Jacob College College Catholy Catholic College Catholic Catholic College Catholic	CSEC
,,	S PRASHANTH	sch.
CS (	Roll Number Man Con Ten Ten Ten Ten Ten Ten Ten Ten Ten Te	
Tech	S PRASHANTH  Roll Number  TEMPBTech-CSE062	MPBT'
EX	(PÉRIMENT OF SECON	KEN.
Titl	le ricset tent technology by agreed the ricsets	
2	CHOCOLATE JAR CELOO TEMPHERITE CHICE COLOR TEMPHERITE CHICE COLOR TEMPHERITE CHICE COLOR TEMPHERITE CHICE CHICE COLOR TEMPHERITE CHICE CHI	CSEDOIL
6	TEMPBTech-CSE062  (PERIMENT 106)  LEMPBTECH CSELO6)  LEMPBTECH CSELO6)	,0
,ch. C5 & 0 E	Description NP CS AFFE ASSOCIATION ASSOCIA	5
s C.	You are given an integer array of size N, representing jars of chocolates. Three students A, B, and C respectively, will pick	MPBTect
٧6	is to fine and return an integer value representing the total number of chocolates that student A will have, after all the	
(EMPB18	chocolates have been picked from all the jars.	56062 16
		5£06 1
62	input Format :	
CSKOOL	input1: An integer value N representing the number of jars.	Biechic
	inputz. 7 th integer untry representing the quantity of onosolutes in easily an	8
MRBTech	Output Format:	
"NEB.	Return an integer value representing the total number of chocolates that student A will have, after all the chocolates are picked.	162 TEMP
4		,
,£062 [E]	Input:	SES
<sup>2</sup>	3	ech.
,C <sup>c</sup>	10 20 30	
STechice	Output:	NRET
	21	£7887
(EMP	Explanation:	
~ ~	Jar 1: 10 chocolates -> A-4, B-3,C-3	SKR
	Jar 2: 20 chocolates -> A-7, B-7, C-6	* Sec
	Jar 3: 30 chocolates -> A-10, B-10,C-10	Ž
	so A gets a total of 4+7+10=21 chocolates.	NEENE
S	Source Code: Store	¿ĩ
	so A gets a total of 4+7+10=21 chocolates.  Source Code:  Thing of the control of	SKESKI

```
def total_chocolates_for_A(chocolates):
       total_chocolates_A = 0
       # Iterate through each jar
        for jar in chocolates:
            # Full cycles where A gets 1 chocolate per cycle
            total_chocolates_A += jar // 3
            \mbox{\tt\#} If there are leftover chocolates and A gets 1 more
            if jar % 3 >= 1:
                total_chocolates_A += 1
        return total_chocolates_A
   jar=int(input())
   chocolates=list(map(int,input(). split ()))
   print(total_chocolates_for_A(chocolates))
RESULT
 5 / 5 Test Cases Passed | 100 %
```