



TECHNICAL DOCUMENTATION

# HealthEdu / Rog Care Hindi Web Application

A comprehensive technical reference covering all pages, menus, buttons, options, components, API routes, and data models of the HealthCare education platform.

---

14

PAGES / ROUTES

6

API GROUPS

5

COMPONENTS

7

ADMIN PANELS

Generated: September 18, 2026 | Stack: Next.js 16 · React 19 · MongoDB · TypeScript · Tailwind  
CSS v4



# Table of Contents

---

## PROJECT OVERVIEW

- 1 Project Overview & Technology Stack
- 2 Application Architecture
- 3 Folder & File Structure

## PUBLIC PAGES

- 4 Navigation Bar (Navbar)
- 5 Home Page
- 6 Disease A-Z Directory
- 7 Disease Category Page
- 8 Disease Detail Page
- 9 Health Library Page
- 10 Health Tips Page
- 11 FAQ Page
- 12 About Page
- 13 Donate Page
- 14 Feedback / Community Forum
- 15 Legal Pages (Privacy, Terms, Disclaimer)
- 16 Footer

## ADMIN PANEL

- 17 Admin Login Page
- 18 Admin Dashboard — Overview
- 19 Admin Dashboard — Live Access Logs
- 20 Admin Dashboard — Server Monitoring
- 21 Admin Dashboard — Content Manager

- 22** Admin Dashboard — Donation Settings
- 23** Admin Dashboard — Community Comments
- 24** Admin Dashboard — Appearance

#### COMPONENTS & API

- 25** Shared Components
- 26** API Routes Reference
- 27** Multi-Language System
- 28** Database Collections & Data Models
- 29** SEO & Performance Features



## Project Overview & Technology Stack

**Rog Care Hindi** (deployed as *HealthEdu* in the codebase) is a free, peer-reviewed healthcare education platform targeting Indian users in Hindi and English. It allows visitors to read about 100+ diseases, browse health tips, donate, and interact via a community forum — all without any paywalls or advertisements.

**Live URL:** <https://rogcarehindi.vercel.app> | **Deployment:** Vercel | **DB:** MongoDB Atlas

### Technology Stack

| Layer      | Technology                        | Version | Purpose                              |
|------------|-----------------------------------|---------|--------------------------------------|
| Framework  | Next.js                           | 16.2.9  | Full-stack SSR/SSG React framework   |
| UI Library | React                             | 19.2.4  | Component-based UI rendering         |
| Language   | TypeScript                        | 5.x     | Type-safe development                |
| Database   | MongoDB                           | 7.3.0   | NoSQL document store for all content |
| Styling    | Tailwind CSS                      | v4      | Utility-first CSS framework          |
| Fonts      | Google Fonts (Geist, Noto)        | —       | Multi-script typography              |
| Hosting    | Vercel                            | —       | Edge deployment & CDN                |
| Analytics  | Google Analytics 4                | —       | User behavior tracking               |
| SEO        | Next.js Metadata API + Schema.org | —       | Search engine optimization           |

### Key Functional Areas



### **Public Education Platform**

Disease directory (100+ articles), 15 categories, health library, tips, FAQ, About.



### **Donation System**

UPI/QR donation flow with configurable amounts, dynamic QR generation, modal confirmation.



### **Multi-Language Support**

Auto-detection of 20+ scripts (Hindi, Arabic, Bengali, Tamil etc.) with automatic Google Translate integration.



### **Admin Control Panel**

Secure admin with analytics dashboard, content editor, donation config, comments moderation, appearance theming.



## Request Flow



## Rendering Strategy

| Page                                   | Strategy                      | Cache / Revalidation                |
|----------------------------------------|-------------------------------|-------------------------------------|
| Home ( / )                             | Server Component (SSR)        | Revalidate every 3600s              |
| Disease Detail<br>( /diseases/[slug] ) | SSR +<br>generateStaticParams | Static at build, ISR<br>fallback    |
| Disease Directory<br>( /diseases )     | Server Component              | Dynamic (search<br>params)          |
| Admin Dashboard                        | Client Component              | No cache; 30-second<br>auto-refresh |
| Donate Page                            | Client Component              | Dynamic                             |
| Health Library                         | Server + Client<br>Component  | Dynamic                             |

## Context & State

### LanguageContext (Global)

Wraps the entire app in `src/context/LanguageContext.tsx`. Provides: current language code, `setLangByCode()`, `setLangFromText()`, `resetToEnglish()`, `isTranslating` boolean. Language preference is persisted to `localStorage` and applied to `<html lang>` and `<html dir>`.

/HealthCare (project root)

```

├── src/
│   ├── app/
│   │   ├── layout.tsx      ← Next.js App Router
│   │   ├── page.tsx       ← Root layout (Navbar, Footer, Context)
│   │   ├── globals.css    ← Global CSS design system (41 KB)
│   │   ├── robots.ts      ← robots.txt generator
│   │   ├── sitemap.ts     ← XML sitemap generator
│   │   └── not-found.tsx   ← 404 page
│   │
│   │   ├── diseases/
│   │   │   ├── page.tsx    ← Disease A-Z Directory
│   │   │   ├── category/[slug]/
│   │   │   │   └── [slug]/
│   │   │   │       ├── page.tsx      ← Disease Detail (SSR, SEO)
│   │   │   │       └── DiseaseDetailClient.tsx ← Client tab UI
│   │   │
│   │   ├── health-library/
│   │   │   ├── page.tsx      ← Health Library SSR
│   │   │   └── HealthLibraryClient.tsx ← Filter/expand UI
│   │   │
│   │   ├── health-tips/page.tsx ← Health Tips page
│   │   ├── faq/
│   │   │   ├── page.tsx      ← FAQ SSR page
│   │   │   └── FAQClient.tsx  ← Accordion UI
│   │   ├── about/page.tsx    ← About Us
│   │   ├── donate/
│   │   │   ├── page.tsx      ← Donate SSR wrapper
│   │   │   └── DonateClient.tsx ← Donation form & QR modal
│   │   ├── feedback/
│   │   │   ├── page.tsx      ← Community Forum
│   │   │   └── CommentsSection.tsx ← Comment threading UI
│   │   ├── privacy-policy/page.tsx ← Privacy Policy
│   │   ├── terms/page.tsx      ← Terms & Conditions
│   │   ├── disclaimer/page.tsx ← Medical Disclaimer
│   │   │
│   │   ├── admin/
│   │   │   ├── page.tsx      ← Admin entry (auth check)
│   │   │   ├── login/page.tsx ← Admin Login form
│   │   │   ├── DashboardClient.tsx ← Full dashboard UI (55 KB)
│   │   │   └── PostEditor.tsx  ← Rich content editor (133 KB)

```

- CommentsManager.tsx ← Comment moderation
    - DonationSettings.tsx ← Donation config form
    - ThemeSettings.tsx ← UI theme customiser
    - MiniRichEditor.tsx ← Inline rich text widget
  - api/
    - search/route.ts ← GET disease search
    - track/route.ts ← POST page view tracking
    - translate/route.ts ← GET translation proxy
    - feedback/route.ts ← GET/POST community comments
    - donation-settings/route.ts ← GET donation config
    - admin/
      - login/route.ts ← POST admin authentication
      - logout/route.ts ← POST session destroy
      - stats/route.ts ← GET analytics + DELETE clear
      - posts/route.ts ← CRUD for content posts
      - content/route.ts ← Manage diseases/categories
      - upload/route.ts ← Image/file upload
      - donation-settings/route.ts ← Admin donation config CRUD
- components/
  - Navbar.tsx ← Navigation bar
  - Footer.tsx ← Site footer
  - SearchBar.tsx ← Live search with autocomplete
  - Tracker.tsx ← Invisible analytics tracker
  - PageTranslator.tsx ← Auto-translate injector
- context/
  - LanguageContext.tsx ← Global language state
- hooks/
  - useTranslation.ts ← Translates string map via API
- lib/
  - db.ts ← MongoDB connection singleton
  - detectLanguage.ts ← Unicode-based language detector
  - env.ts ← Environment variable validation
  - seed.ts ← Database seeder (97 KB data)
- public/ ← Static assets (logo, images)
- next.config.ts ← Next.js config
- package.json ← Dependencies
- .env.local ← Environment secrets



## Navigation Bar (Navbar)

File: `src/components/Navbar.tsx` — Client Component. Renders on every page via `layout.tsx`.

### Desktop Layout (left → right)



**HealthEdu (Logo)**

Clickable link, navigates to `/` (Home). Always visible.



**Language Selector**

A `<select>` dropdown beside the logo. Lists 20+ languages (English, Hindi, Arabic, Bengali, Tamil, Telugu, etc.). Changing the selection calls `setLangByCode()` which triggers global page translation. Styled with primary-colored border.

**Home (nav link)**

Routes to `/`. Highlighted when active (current path matches).

**Diseases (nav link)**

Routes to `/diseases` — the A-Z directory.

**Health Library (nav link)**

Routes to `/health-library`.

**Health Tips (nav link)**

Routes to `/health-tips`.

**FAQ (nav link)**

Routes to `/faq`.

**About (nav link)**

Routes to `/about`.

**Donate ❤️ (CTA button)**

Highlighted accent button. Routes to `/donate`. Always visible; intentionally distinct styling.



**[Language] · Reset to English**

Conditionally rendered only when a non-English language is active. Pill-shaped button; clicking calls `resetToEnglish()`. Shows spinning loader SVG during translation.

### Mobile Layout

**Hamburger Icon (☰)**

Visible only on small screens. Clicking toggles `isOpen` state, revealing the side drawer.

**Mobile Drawer (Slide-in)**

Contains all navigation links + Donate button + Language selector + Reset button. Backdrop overlay closes drawer on click-outside.

**Close (✕) Icon**

Inside the drawer header; closes the mobile menu.



File: `src/app/page.tsx` — Server Component. Route: `/`. Cached for 3600 seconds (ISR).  
Contains JSON-LD structured data for WebSite + Organization schemas.

## Section 1 — Hero

### Hero Section

**Heading:** "Your Trusted Health Education Resource"

**Subtitle:** Description of the platform's mission.

**Explore Diseases button** Primary CTA button → navigates to `/diseases`.

**Donate ❤️ button** Accent glowing CTA button → navigates to `/donate`.

## Section 2 — Search

### Search Any Disease

Renders the shared `<SearchBar />` component (see §25). Provides live autocomplete suggestions with a 350ms debounce. Examples shown below: Cancer, Heart Attack, Diabetes, Asthma, Dengue.

## Section 3 — Disease Categories Grid

### Disease Categories (3-column grid)

Loaded dynamically from MongoDB `categories` collection. Falls back to 4 static entries if DB is unavailable. Each card shows: icon emoji, category name, description, and a "View Diseases →" link. Clicking routes to `/diseases/category/[slug]`.

Default categories: Cancer 🏥, Heart Diseases ❤️, Diabetes 🩺, Respiratory Diseases 🫁, Infectious Diseases 🦠, Neurological Disorders 🧠, Mental Health 🧑, Skin 🧴

Diseases , Kidney Diseases, Digestive Diseases, Eye Diseases , Bone & Joint Diseases , Blood Disorders , Autoimmune Diseases , Rare Diseases.

## Section 4 — Statistics Bar

### Live Stats (4 tiles)

- **X+ Medical Categories** (from DB count)
- **X+ Disease Articles** (from DB count)
- **X+ Library Guides** (from DB count)
- **100% Free & Accessible** (static)



File: `src/app/diseases/page.tsx` — Server Component. Route: `/diseases`. Accepts query params: `?search=` and `?letter=`. Includes BreadcrumbList JSON-LD.

## Page Elements

### Page Heading

"Disease A-Z Directory" with a description paragraph.

### SearchBar

Same shared component with custom placeholder: "Type to search... (e.g. Cancer, Dengue, Anemia)"

### Alphabet Filter Bar

A row of 27 buttons: "All" + A–Z. Active letter highlighted in primary color. Clicking sets `?letter=X` URL param and filters diseases by first letter.

### Disease Grid (3-column)

Each card shows: category badges (colored pills), disease name, 160-char overview snippet, and a "Read Article" button → navigates to `/diseases/[slug]`.

### Empty State

Shown when no diseases match — displays 🔍 emoji, "No diseases found" heading, and help text.

### Search Results Header

When `?search=` is set, shows "Search Results for '{query}' (N found)".

## Search Relevance Algorithm

Scoring: +100 for exact query in name, +50 in overview, +15 per word in name, +8 per category match, +5 per word in overview. Results sorted by score descending. Both diseases and blog posts are merged in results.



## Disease Category Page

File: `src/app/diseases/category/[slug]/page.tsx` . Route: `/diseases/category/[slug]` (e.g. `/diseases/category/cancer` ).

Lists all diseases belonging to the selected category. Each disease card links to its detail page. Includes breadcrumb navigation: Home → Diseases → [Category Name].

**Category Hero**

Icon + category name + description from MongoDB.

**Disease Grid**

3-column card grid. Each card: name + overview excerpt + "Read More" link.

**Breadcrumb**

← Back to All Diseases link with JSON-LD BreadcrumbList structured data.



Files: `src/app/diseases/[slug]/page.tsx` (SSR) + `DiseaseDetailClient.tsx` (Client).

Route: `/diseases/[slug]`.

## Layout: Two-Column (Sidebar + Content)

### LEFT SIDEBAR — TAB NAVIGATION

Sticky sidebar on desktop; scrolls to top as tabs on mobile. Seven tabs:

| Tab                  | Icon | Content                                                                |
|----------------------|------|------------------------------------------------------------------------|
| Overview             |      | Disease description (HTML), key details paragraph                      |
| Symptoms             |      | Symptom list (HTML or bullet array) + "When to see a doctor" amber box |
| Causes & Development |      | Causes (HTML/list) + Risk Factors subsection                           |
| Diagnosis & Tests    |      | Diagnosis text in a primary-bordered box                               |
| Treatments           |      | Treatment options (HTML/list with  icons)                              |
| Prevention           |      | Prevention guide in a primary-light background box                     |
| FAQs                 |      | Accordion: click question to expand/collapse answer                    |

### CONTENT PANEL — ADDITIONAL ELEMENTS

#### ← Back to Directory

Navigation link at the top returning to `/diseases`.

#### Sources & References

Bulleted list of reference strings at bottom of content panel.

#### Share Article

4 share buttons: Facebook (f), WhatsApp (W), LinkedIn (in), Twitter/X (X). Each opens a popup window to native share URL.

#### Related Diseases

Card grid below the main layout showing related conditions as clickable links to their own detail pages.

## SEO Elements (Server Component)

- ✓ Dynamic `<title>` and `<meta description>` per disease
- ✓ OpenGraph and Twitter card metadata
- ✓ JSON-LD MedicalCondition schema
- ✓ JSON-LD BreadcrumbList schema
- ✓ Canonical URL



Files: `src/app/health-library/page.tsx` + `HealthLibraryClient.tsx` . Route: `/health-library` .

## Filter Tab Bar

| Filter Button    | Icon | Shows                              |
|------------------|------|------------------------------------|
| All Resources    |      | All library items                  |
| Symptoms Guides  |      | <code>type === "symptoms"</code>   |
| Medical Tests    |      | <code>type === "tests"</code>      |
| Treatment Guides |      | <code>type === "treatments"</code> |

## Library Cards (3-column Grid)

**Type Emoji + Tag Badge** Shows category icon and type label (e.g. "symptoms", "tests").

**Title & Description** Card title and short description text.

**Read Full Guide / Hide Details** Toggle button. Expands the card to show full content in-place. Only one card can be expanded at a time.

Example library entries include: Chest Pain guide (symptoms), CBC Blood Test (tests), Chemotherapy overview (treatments), MRI Scan guide (tests), Physical Therapy guide (treatments).



Route: `/health-tips` . Server Component. Content loaded from MongoDB `health-tips` collection.

Displays educational health tips cards organized by categories: Nutrition, Fitness, Mental Wellness, Sleep Hygiene, Disease Prevention, Hydration. Each tip card includes a headline, body text, and relevant icon/emoji. SEO metadata includes tips-specific keywords in Hindi and English.

Topics covered in seeded content: whole grains, healthy fats, omega-3, sodium intake, walking 10,000 steps, strength training, aerobic exercise, gratitude journaling, social connections, digital detox, sleep schedule, circadian rhythm, annual health checkups, quit smoking, handwashing, sunscreen.

Files: `src/app/faq/page.tsx` + `FAQClient.tsx` . Route: `/faq` .

Frequently asked questions are loaded from MongoDB and displayed as an accordion. Each question is a clickable row — clicking expands/collapses the answer. Includes JSON-LD FAQPage schema for Google rich results.

**FAQ accordion item**

Question row with +/– toggle indicator. Answer area expands below with smooth animation. Only one FAQ can be open at a time (tracked by `openIndex` state).



## About Page

---

File: `src/app/about/page.tsx` . Route: `/about` . Server Component.

Describes the platform's mission, editorial team, peer-review process, and commitment to free education. Sections include: Mission Statement, Why We Exist, Editorial Standards, and a call-to-action linking to Donate and Feedback pages.

Contains JSON-LD Organization schema with logo and social media profile links.



Files: `src/app/donate/page.tsx` + `DonateClient.tsx` . Route: `/donate` . Donation configuration is loaded from `/api/donation-settings` on mount.

## Page Hero

### Support Free Healthcare Education

Heading + subtitle describing where donations go. "Support Us" badge tag.

## Donation Form Card

### Preset Amount Buttons

5 pre-defined amounts: ₹5, ₹11, ₹21, ₹51, ₹101. Clicking sets the amount and deselects custom input. Active button highlighted.

### Custom Amount Input

Number input with ₹ symbol prefix. Entering a value deselects preset buttons.

### Payment Method Selector

Currently shows "UPI / QR Code (GPay, PhonePe, Paytm)" — one option available, styled as active. Expandable for future methods.

### Donate ₹X Now (Submit Button)

Full-width accent button. On submit: validates amount, generates UPI URL, fetches QR from qrserver.com API, shows modal.

## Donation Confirmation Modal

### Thank You Modal

**Trigger:** On successful form submit. Overlay darkens background.

**Contents:** Animated  emoji (bounce), "Thank you for donating" heading,  pulsing emoji, QR code image (360×360px), Close button.

**Dismiss:** Click overlay background OR click "Close" button.

### Transparency Card (Right Column)

- ✓ Create Educational Content
- ✓ Maintain Web Infrastructure
- ✓ Improve User Performance
- ✓ Zero Advertisement Model

### Donation Config (from DB)

| Field         | Type   | Purpose                   |
|---------------|--------|---------------------------|
| bankName      | string | Bank name for display     |
| accountHolder | string | Recipient name in UPI URL |
| accountNumber | string | Bank account number       |
| ifscCode      | string | IFSC code                 |
| upiId         | string | UPI ID for QR generation  |
| qrCodeBase64  | string | Static QR fallback        |



Files: `src/app/feedback/page.tsx` + `CommentsSection.tsx` . Route: `/feedback` .

## Comment Submission Form

**Name Input**

Text input for commenter's name.

**Comment Textarea**

Multi-line text area for comment body.

**Submit Comment Button**

POSTs to `/api/feedback` . Shows loading state. On success, refreshes comment list.

## Comment Thread Display

**Comment Card**

Shows: commenter name, date, comment text, reply count, Like button (POST to toggle like), Reply button (expands inline reply form).

**Inline Reply Form**

Appears below comment on "Reply" click. Same name + message inputs. POSTs with parent comment ID.

**Nested Replies**

Replies shown indented under their parent comment with collapsible "View N Replies" toggle.



### Privacy Policy

Route: `/privacy-policy`

Covers: data collection, cookies, analytics, MongoDB storage, user rights, GDPR notes.

### Terms & Conditions

Route: `/terms`

Usage terms, intellectual property, donation conditions, prohibited conduct.

### Medical Disclaimer

Route: `/disclaimer`

States content is educational only, not medical advice. Directs users to qualified physicians.

### 404 Not Found

File: `src/app/not-found.tsx`

Custom styled error page with a link back to Home.



File: `src/components/Footer.tsx` — Client Component. Renders on every page. 4-column grid layout.

## Column 1 — Brand & Social

**HealthEdu**

Brand logo/name + description tagline text.

**Instagram icon**External link → `instagram.com` (placeholder).**Facebook icon**External link → `facebook.com` (placeholder).**LinkedIn icon**External link → `linkedin.com` (placeholder).**YouTube icon**External link → `youtube.com` (placeholder).

## Column 2 — Quick Links

Home, Disease Index ( `/diseases` ), Health Library, Health Tips, FAQs, Donate ❤️

## Column 3 — Legal Links

Privacy Policy, Terms & Conditions, Medical Disclaimer, 🛡 Admin Portal

## Column 4 — Contact Us

**Comment / Feedback  
button**Primary button → `/feedback` . Includes speech-bubble SVG icon.

## Disease Categories Sitemap Strip

Row of links: Cancer (कैंसर), Heart Diseases (हृदय रोग), Diabetes (मधुमेह), Respiratory Diseases (श्वास रोग), Health Tips (स्वास्थ्य सुझाव), Health Library (चिकित्सा संदर्भ), Community Forum (प्रतिक्रिया और चर्चा).

## Medical Disclaimer Bar

Full legal disclaimer text: "Content is for educational purposes only..." + copyright line.



## Admin Login Page

File: `src/app/admin/login/page.tsx` . Route: `/admin/login` . Client Component.

### Username Input

Text input field for admin username.

### Password Input

Password type input; characters masked.

### Login Button

POSTs credentials to `/api/admin/login` . On success, sets HTTP-only session cookie and redirects to `/admin` . Shows error message on failure.

**Auth:** Session-based (HTTP-only cookie). Unauthenticated requests to `/admin` redirect to `/admin/login` . API returns 401 if cookie is missing/invalid.



## Admin Dashboard — Overview Tab

File: `src/app/admin/DashboardClient.tsx` . Route: `/admin` . Auto-refreshes every 30 seconds via `setInterval` .

### Sidebar Navigation

| Button             | Icon | Tab ID     |
|--------------------|------|------------|
| Dashboard Overview |      | overview   |
| Live Access Logs   |      | logs       |
| Server Monitoring  |      | system     |
| Content Manager    |      | posts      |
| Donation Settings  |      | donation   |
| Community Comments |      | comments   |
| Appearance         |      | appearance |



#### Language Settings

Language dropdown in sidebar. Changes global app language. Saved to localStorage site-wide.



#### Logout Session

POSTs to `/api/admin/logout` . Clears session cookie, redirects to login page.

### Header Buttons



#### Refresh Logs

Manually triggers `fetchStats()` to reload all dashboard data.



#### Clear Database

Shows browser confirm dialog. On confirm, sends DELETE to `/api/admin/stats` permanently erasing visitor analytics. Disabled during operation.

### KPI Cards (always visible, 4 tiles)

### TOTAL PAGE VIEWS

All-time total views from tracker collection.

### UNIQUE VISITORS

Count of unique daily sessions.

### GUI SERVER PING

MongoDB ping latency in ms. Shows Online/Offline pulse badge.

### SERVER UPTIME

Node.js process uptime formatted as Xd Xh Xm.

## Chart Panel — Visitor Frequency

### Period Selector

Dropdown with: 1 Day (24 Hours), 7 Days, Monthly, Half Yearly, Yearly. Changing re-fetches data.

SVG line chart with: multi-color gradient fill, smooth bezier curve stroke, multi-color data point dots with glow filters, value labels above each point, date labels below. Color legend: Start=green, Mid=blue, Latest=amber.

## Top Visited Pages Panel

Multi-color horizontal progress bars showing top pages by view count. Rank badges: 🏆 🥈 🥉 for top 3, then #N. Each bar labeled with page path and view count.

## Top Geolocations Panel

Country + Region cards. Each card shows: rank badge, country name, region name, visit count, mini horizontal bar. Each card color-coded uniquely.

## Server Memory Status

Circular SVG progress gauge showing MB Used / Allocated Heap. Shows Node.js version and server status.



## Admin Dashboard — Live Access Logs

Shows a scrollable table of the latest 50 visitor requests from the `tracker` MongoDB collection.

| Column             | Data                         |
|--------------------|------------------------------|
| Timestamp          | Time (HH:MM:SS) + Date below |
| IP Address         | Visitor's IP (monospace)     |
| Country / State    | Country bold + Region · City |
| Visited Path       | URL path in green monospace  |
| Referrer Source    | HTTP Referer header value    |
| User Agent Details | First 45 chars of UA string  |



System health information from the `/api/admin/stats` endpoint.

### MongoDB Infrastructure

Status: ONLINE badge, latency ping in ms, database name.

### Server Environment

Node.js version, server uptime in seconds, host platform.

### Client Reachability Tracker

API endpoint path, collector script status, current local time.



File: `src/app/admin/PostEditor.tsx` (133 KB). A feature-complete rich content management system.

## Content Types Managed

- ✓ Disease articles (name, slug, categories, overview, symptoms, causes, riskFactors, whenToSeeDoctor, diagnosis, treatmentOptions, prevention, FAQ, references, relatedDiseases)
- ✓ Blog/article posts (title, slug, category, content)
- ✓ Disease categories (name, slug, icon, description)
- ✓ Health Library items (title, type, description, content)

## Editor Features

### Rich Text Editor

WYSIWYG editor with bold, italic, lists, headings, images, links, code blocks.

### Content Type Tabs

Switch between: Diseases, Posts, Categories, Library.

### Search/Filter

Search bar within content lists.

### Create New

Opens blank editor form for new content entry.

### Edit Button

Loads existing record into editor.

### Delete Button

Confirms then DELETE-requests `/api/admin/content` or `/api/admin/posts`.

### Image Upload

File picker POSTs to `/api/admin/upload`; returns URL inserted into editor.

### Save/Publish

PUT/POST to relevant API endpoint.

**FAQ Builder**

Dynamic list — add/remove Q&A pairs for disease FAQs.

**Related Diseases**

Multi-select or comma-separated slug list.



File: `src/app/admin/DonationSettings.tsx` . Manages donation configuration stored in MongoDB.

| Field               | Input Type    | Purpose                      |
|---------------------|---------------|------------------------------|
| Bank Name           | Text          | Bank name shown to donor     |
| Account Holder Name | Text          | Recipient name in UPI string |
| Account Number      | Text          | Bank account number          |
| IFSC Code           | Text          | IFSC routing code            |
| UPI ID              | Text          | pa= parameter in UPI URL     |
| QR Code Upload      | File / Base64 | Static QR fallback image     |

**Save Settings Button**

PUTs updated donation config to `/api/admin/donation-settings` .

**Preview Panel**

Shows live preview of the donation page as the config is edited.



File: `src/app/admin/CommentsManager.tsx` (20 KB). Moderate all community comments from one interface.

**Comment List Table**

Shows: date, commenter name, comment excerpt, likes count, reply count, status.

**Approve / Reject buttons**

Change comment status; updates displayed on public Feedback page.

**Delete button**

Permanently removes comment and all its replies from MongoDB.

**Search/Filter bar**

Filter comments by keyword or status.

**View Thread**

Expand to see full comment + all nested replies.



## Admin Dashboard — Appearance

File: `src/app/admin/ThemeSettings.tsx` (29 KB). Customizes the admin panel UI theme.  
Settings saved to `localStorage` under key `admin_panel_theme`.

| Setting              | Input           | CSS Variable                        |
|----------------------|-----------------|-------------------------------------|
| Background Color     | Color picker    | <code>--admin-bg</code>             |
| Sidebar Color        | Color picker    | <code>--admin-sidebar-bg</code>     |
| Card Color           | Color picker    | <code>--admin-card-bg</code>        |
| Accent Color         | Color picker    | <code>--admin-accent</code>         |
| Primary Text Color   | Color picker    | <code>--admin-text-primary</code>   |
| Secondary Text Color | Color picker    | <code>--admin-text-secondary</code> |
| Font Family          | Select dropdown | <code>--admin-font-family</code>    |
| Font Size            | Range slider    | <code>--admin-font-size</code>      |

The system auto-detects if the background is light or dark (via luminance calculation) and adjusts border, hover, input, and shadow variables accordingly.

### Reset to Defaults

Resets all theme values to `DEFAULT_THEME` and clears `localStorage`.

### Live Preview

Theme changes apply instantly to the admin panel without page reload.



### SearchBar — src/components/SearchBar.tsx

Props: `placeholder?` string. Used on Home and Disease Directory pages.

- ✓ 350ms debounced search — fetches `/api/search?q=`
- ✓ Language auto-detection from typed text
- ✓ Autocomplete dropdown (up to 10 suggestions)
- ✓ Enter key submits → navigates to `/diseases?search=`
- ✓ Example searches: Cancer, Heart Attack, Diabetes, Asthma, Dengue (clickable)
- ✓ Spinner shown while loading or translating
- ✓ "🌐 [Language] detected" badge when non-English is typed
- ✓ Click-outside closes dropdown

### Tracker — src/components/Tracker.tsx

Invisible component. On each route change, POSTs to `/api/track` with: current path, referrer, user agent. Server enriches with IP geolocation (country, region, city) and stores in MongoDB `tracker` collection.

### PageTranslator — src/components/PageTranslator.tsx

Monitors `LanguageContext`. When language changes to non-English, traverses DOM text nodes and calls `/api/translate` to translate visible text. Skips elements with `data-no-translate` attribute (e.g. the language selector itself). Loads appropriate Google Font for the target script.

### MiniRichEditor — src/app/admin/MiniRichEditor.tsx

Inline rich text editor widget (67 KB). Used within the admin PostEditor for individual field editing. Supports: bold, italic, underline, headings H1–H3, ordered/unordered lists, blockquote, code block, image insertion, link insertion, horizontal rule, undo/redo.



## Public APIs

**GET** /api/search?q={query}

Returns up to 10 disease name/slug/categories matches. Searches name and categories fields case-insensitively. Used by SearchBar autocomplete.

**POST** /api/track

Body: {path, referrer, userAgent} . Resolves IP from headers, performs geolocation lookup, stores tracking record in tracker collection.

**GET** /api/translate?text={text}&target={lang}

Proxies translation request to Google Translate API. Returns translated text string.

**GET** /api/feedback **POST**

GET: Returns all approved comments with nested replies. POST body: {name, message, parentId?} . Creates new comment or reply. Returns created document.

**GET** /api/donation-settings

Returns donation configuration document (UPI ID, bank details, QR code). Public endpoint.

## Admin APIs (require auth cookie)

**POST** /api/admin/login

Body: {username, password} . Validates against env vars. Sets HTTP-only session cookie on success. Returns 401 on failure.

**POST** /api/admin/logout

Clears session cookie. Returns 200.

**GET** /api/admin/stats?period={1d|7d|monthly|half-yearly|yearly} **DELETE**

GET: Returns summary KPIs, daily view chart data, top pages, top countries, top regions, recent 50 visitor logs, system health. DELETE: Clears all tracker records from MongoDB.

**GET** /api/admin/posts **POST** **PUT** **DELETE**

Full CRUD for blog posts collection. GET with `?id=` returns single post. DELETE with `?id=` removes post.

**GET** /api/admin/content **POST** **PUT** **DELETE**

CRUD for diseases, categories, library items. Query param `?collection=diseases|categories|library` selects target.

**POST** /api/admin/upload

Accepts multipart form file. Stores and returns CDN/public URL for use in content editor.

**GET** /api/admin/donation-settings **PUT**

GET returns full donation config. PUT updates donation config document in MongoDB.




The application supports 20+ languages via a two-mechanism system: automatic Unicode script detection for input language inference, and Google Translate API proxy for UI translation.

## Supported Languages

|                           |                          |                          |
|---------------------------|--------------------------|--------------------------|
| <b>HI</b> Hindi (LTR)     | <b>AR</b> Arabic (RTL)   | <b>UR</b> Urdu (RTL)     |
| <b>ZH</b> Chinese (LTR)   | <b>JA</b> Japanese (LTR) | <b>KO</b> Korean (LTR)   |
| <b>BN</b> Bengali (LTR)   | <b>TA</b> Tamil (LTR)    | <b>TE</b> Telugu (LTR)   |
| <b>KN</b> Kannada (LTR)   | <b>GU</b> Gujarati (LTR) | <b>PA</b> Punjabi (LTR)  |
| <b>ML</b> Malayalam (LTR) | <b>TH</b> Thai (LTR)     | <b>RU</b> Russian (LTR)  |
| <b>HE</b> Hebrew (RTL)    | <b>MR</b> Marathi (LTR)  | <b>AS</b> Assamese (LTR) |
| <b>OR</b> Odia (LTR)      | <b>DE</b> German (LTR)   | <b>EN</b> English (LTR)  |

## How It Works



**Note:** RTL languages (Arabic, Urdu, Hebrew) automatically set `dir="rtl"` on the `<html>` element. Each language loads its appropriate Google Font (Noto family) dynamically.



Database name: `healthcare` (MongoDB Atlas). Connection managed by singleton in `src/lib/db.ts`.

## diseases

| Field                         | Type                     | Description                                              |
|-------------------------------|--------------------------|----------------------------------------------------------|
| <code>name</code>             | string                   | Disease name (e.g. "Lung Cancer")                        |
| <code>slug</code>             | string                   | URL-safe identifier (e.g. "lung-cancer")                 |
| <code>categories</code>       | string[]                 | Category slugs (e.g. ["cancer", "respiratory-diseases"]) |
| <code>overview</code>         | HTML string              | Full disease overview content                            |
| <code>symptoms</code>         | HTML string   string[]   | Symptoms list or rich text                               |
| <code>causes</code>           | HTML string   string[]   | Causes and contributing factors                          |
| <code>riskFactors</code>      | HTML string   string[]   | Risk factor items                                        |
| <code>whenToSeeDoctor</code>  | HTML string              | Warning signs for urgent care                            |
| <code>diagnosis</code>        | HTML string              | Diagnostic procedures description                        |
| <code>treatmentOptions</code> | HTML string   string[]   | Available treatments                                     |
| <code>prevention</code>       | HTML string              | Prevention strategies                                    |
| <code>faq</code>              | {q: string, a: string}[] | Frequently asked questions                               |
| <code>references</code>       | string[]                 | Medical reference sources                                |

|                              |          |                                     |
|------------------------------|----------|-------------------------------------|
| <code>relatedDiseases</code> | string[] | Slug references to related diseases |
|------------------------------|----------|-------------------------------------|

## categories

| Field                    | Type   | Description          |
|--------------------------|--------|----------------------|
| <code>slug</code>        | string | URL-safe identifier  |
| <code>name</code>        | string | Display name         |
| <code>icon</code>        | string | Emoji icon           |
| <code>description</code> | string | Category description |

## library

| Field                    | Type                            | Description         |
|--------------------------|---------------------------------|---------------------|
| <code>type</code>        | "symptoms" "tests" "treatments" | Resource type       |
| <code>slug</code>        | string                          | URL-safe identifier |
| <code>title</code>       | string                          | Guide title         |
| <code>description</code> | string                          | Short description   |
| <code>content</code>     | string                          | Full guide content  |

## posts

| Field                 | Type        | Description              |
|-----------------------|-------------|--------------------------|
| <code>title</code>    | string      | Article title            |
| <code>slug</code>     | string      | URL slug                 |
| <code>category</code> | string      | Category label or letter |
| <code>content</code>  | HTML string | Rich text article body   |

## tracker

| Field                  | Type   | Description             |
|------------------------|--------|-------------------------|
| <code>path</code>      | string | Visited URL path        |
| <code>referrer</code>  | string | HTTP Referer header     |
| <code>ip</code>        | string | Visitor IP address      |
| <code>userAgent</code> | string | Browser user agent      |
| <code>country</code>   | string | Geolocated country      |
| <code>region</code>    | string | Geolocated state/region |
| <code>city</code>      | string | Geolocated city         |
| <code>timestamp</code> | Date   | Visit date/time (UTC)   |

## comments (feedback)

| Field                  | Type                            | Description                       |
|------------------------|---------------------------------|-----------------------------------|
| <code>name</code>      | string                          | Commenter's display name          |
| <code>message</code>   | string                          | Comment text                      |
| <code>parentId</code>  | ObjectId   null                 | null for top-level, ref for reply |
| <code>likes</code>     | number                          | Like count                        |
| <code>status</code>    | "approved" "pending" "rejected" | Moderation status                 |
| <code>createdAt</code> | Date                            | Creation timestamp                |

## donation\_settings

Single document collection storing: bankName, accountHolder, accountNumber, ifscCode, upid, qrCodeBase64.



## SEO Implementations

- ✓ Next.js Metadata API — dynamic title/description per page using template `%s | Rog`  
`Care Hindi`
- ✓ OpenGraph meta tags for all pages (image: /logo.png, 1200×630)
- ✓ Twitter Card meta tags (summary\_large\_image)
- ✓ Canonical URLs via `alternates.canonical`
- ✓ Bilingual hreflang tags: `en-US` and `hi-IN`
- ✓ 250+ keywords in root layout metadata (English + Hindi)
- ✓ JSON-LD structured data: WebSite, Organization, MedicalCondition, BreadcrumbList, FAQPage
- ✓ Robots.txt via `src/app/robots.ts`
- ✓ Dynamic XML sitemap via `src/app/sitemap.ts`
- ✓ Google Search Console verification via env variable
- ✓ Bing Webmaster Tools verification via env variable

## Performance Features

- ✓ ISR (Incremental Static Regeneration) — Home page cached 3600s
- ✓ Static params pre-generation for disease detail pages
- ✓ MongoDB connection singleton (reused across requests in same process)
- ✓ Google Analytics 4 loaded `afterInteractive` (non-blocking)
- ✓ Google Fonts loaded dynamically only for active language
- ✓ Image optimization via Next.js Image component
- ✓ Edge-compatible deployment on Vercel

## Environment Variables

| Variable | Purpose |
|----------|---------|
|----------|---------|

|                               |                                    |
|-------------------------------|------------------------------------|
| MONGODB_URI                   | MongoDB Atlas connection string    |
| NEXT_PUBLIC_GA_ID             | Google Analytics measurement ID    |
| NEXT_PUBLIC_GSC_VERIFICATION  | Google Search Console verify token |
| NEXT_PUBLIC_BING_VERIFICATION | Bing Webmaster verify token        |
| ADMIN_USERNAME                | Admin panel username               |
| ADMIN_PASSWORD                | Admin panel password               |
| SESSION_SECRET                | Cookie signing secret              |