```javascript
import Vue from 'vue';
import VueRouter from 'vue-router';

import Main from '@/pages/Main.vue';
import Other from '@/pages/Other.vue';

Vue.use(VueRouter);

const router = new VueRouter({
    mode: 'history',
    routes: [
        {
            path: '/',
            name: 'main',
            component: Main,
        },
        {
            path: '/other',
            name: 'other',
            component: Other,
        },
    ],
});

export default router;
```

```javascript
import Vue from 'vue';
import VueRouter from 'vue-router';

import Main from '@/pages/Main.vue';
const Other = () => import('@/pages/Other.vue');

Vue.use(VueRouter);

const router = new VueRouter({
    mode: 'history',
    routes: [
        {
            path: '/',
            name: 'main',
            component: Main,
        },
        {
            path: '/other',
            name: 'other',
            component: Other,
        },
    ],
});

export default router;
```

```javascript
import Vue from 'vue';
import VueRouter from 'vue-router';

import Main from '@/pages/Main.vue';
const Other = () => import('@/pages/Other.vue');

Vue.use(VueRouter);

const router = new VueRouter({
    mode: 'history',
    routes: [
        {
            path: '/',
            name: 'main',
            component: Main,
        },
        {
            path: '/other',
            name: 'other',
            component: Other,
        },
    ],
});

export default router;
```

```html
<template>
  <div class="page">
    <modal v-if="showModal">
      <advanced-form/>
    </modal>
  </div>
</template>

<script>
import AdvancedForm from "@/components/AdvancedForm";

export default {
  components: { AdvancedForm }
};
</script>
```