



Certificate of Analysis

1.00014.2500 Acetone for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Batch K53771014

	Spec. Values		Batch Values	
Assay (GC)	≥ 99.8	%	99.9	%
Identity (IR)	conforms		conforms	
Identity B (Ph Eur)	conforms		conforms	
Identity C (Ph Eur)	conforms		conforms	
Appearance of solution	conforms		conforms	
Solubility in water	conforms		conforms	
Water-insoluble substances	conforms		conforms	
Color	≤ 10	Hazen	< 5	Hazen
Density (d 20 °C/20 °C)	0.790 - 0.793		0.791	
Acidity or alkalinity	conforms		conforms	
Titration acid	≤ 0.0002	meq/g	0.0001	meq/g
Titration base	≤ 0.0002	meq/g	< 0.0002	meq/g
Related substances (GC) (Methanol (Impurity A))	≤ 0.05	%	0.03	%
Related substances (GC) (2-Propanol (Impurity B))	≤ 0.05	%	< 0.01	%
Related substances (GC) (Benzene (Impurity C))	≤ 2	ppm	< 1	ppm
Related substances (GC) (other impurity)	≤ 0.05	%	< 0.05	%
Cyclohexane (residual solvent) (GC)	≤ 0.01	%	< 0.01	%
Diacetone (GC)	≤ 0.02	%	< 0.01	%
Ethanol (GC)	≤ 0.01	%	< 0.01	%
Aldehydes (as formaldehyde)	≤ 0.001	%	≤ 0.001	%
Substances reducing potassium permanganate (as O)	≤ 0.00025	%	≤ 0.00025	%
Reducing substances	conforms		conforms	
Chloride (Cl)	≤ 100	ppb	< 20	ppb
Nitrate (NO ₃)	≤ 100	ppb	< 20	ppb
Phosphate (PO ₄)	≤ 100	ppb	< 20	ppb
Sulfate (SO ₄)	≤ 100	ppb	< 20	ppb
Ag (Silver)	≤ 0.000002	%	≤ 0.000002	%
Al (Aluminium)	≤ 0.00005	%	≤ 0.00005	%
As (Arsenic)	≤ 0.000002	%	≤ 0.000002	%
Au (Gold)	≤ 0.000002	%	≤ 0.000002	%
B (Boron)	≤ 0.000002	%	≤ 0.000002	%
Ba (Barium)	≤ 0.00001	%	≤ 0.00001	%
Be (Beryllium)	≤ 0.000002	%	≤ 0.000002	%
Bi (Bismuth)	≤ 0.000002	%	≤ 0.000002	%
Ca (Calcium)	≤ 0.00005	%	≤ 0.00005	%
Cd (Cadmium)	≤ 0.000005	%	≤ 0.000005	%
Co (Cobalt)	≤ 0.000002	%	≤ 0.000002	%
Cr (Chromium)	≤ 0.000002	%	≤ 0.000002	%

Certificate of Analysis

1.00014.2500 Acetone for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Batch K53771014

Cu (Copper)	≤ 0.000002	%	≤ 0.000002	%
Fe (Iron)	≤ 0.00001	%	≤ 0.00001	%
Ga (Gallium)	≤ 0.000002	%	≤ 0.000002	%
Ge (Germanium)	≤ 0.000002	%	≤ 0.000002	%
In (Indium)	≤ 0.000002	%	≤ 0.000002	%
Li (Lithium)	≤ 0.000005	%	≤ 0.000005	%
Mg (Magnesium)	≤ 0.00001	%	≤ 0.00001	%
Mn (Manganese)	≤ 0.000002	%	≤ 0.000002	%
Mo (Molybdenum)	≤ 0.000002	%	≤ 0.000002	%
Ni (Nickel)	≤ 0.000002	%	≤ 0.000002	%
Pb (Lead)	≤ 0.00001	%	≤ 0.00001	%
Sb (Antimony)	≤ 0.000002	%	≤ 0.000002	%
Sn (Tin)	≤ 0.00001	%	≤ 0.00001	%
Ti (Titanium)	≤ 0.000002	%	≤ 0.000002	%
Tl (Thallium)	≤ 0.000002	%	≤ 0.000002	%
V (Vanadium)	≤ 0.000002	%	≤ 0.000002	%
Zn (Zinc)	≤ 0.00001	%	≤ 0.00001	%
Zr (Zirconium)	≤ 0.000002	%	≤ 0.000002	%
Evaporation residue	≤ 0.0005	%	< 0.0001	%
Water	≤ 0.05	%	0.02	%

Date of release (DD.MM.YYYY) 08.10.2021
Minimum shelf life (DD.MM.YYYY) 30.09.2026

Jeannette David
Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.