



Certificate of Analysis

1.01217.0100 Ammonium sulfate for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Batch AM1417517

	Spec. Values		Batch Values	
Assay (alkalimetric)	≥ 99.5	%	100.0	%
Insoluble matter	≤ 0.001	%	≤ 0.001	%
pH-value (5 %; water, 25 °C)	5.0 - 6.0		5.7	
Chloride (Cl)	≤ 0.0003	%	≤ 0.0003	%
Nitrate (NO ₃)	≤ 0.001	%	≤ 0.001	%
Phosphate (PO ₄)	≤ 0.0005	%	≤ 0.0005	%
Heavy metals (ACS)	≤ 0.0005	%	≤ 0.0005	%
Heavy metals (as Pb)	≤ 0.0005	%	≤ 0.0005	%
Al (Aluminium)	≤ 0.000075	%	≤ 0.000075	%
As (Arsenic)	≤ 0.00002	%	≤ 0.00002	%
Ca (Calcium)	≤ 0.001	%	≤ 0.001	%
Cd (Cadmium)	≤ 0.0001	%	≤ 0.0001	%
Cr (Chromium)	≤ 0.000075	%	≤ 0.000075	%
Cu (Copper)	≤ 0.0002	%	≤ 0.0002	%
Fe (Iron)	≤ 0.0002	%	≤ 0.0002	%
Mg (Magnesium)	≤ 0.0005	%	≤ 0.0005	%
Pb (Lead)	≤ 0.0002	%	≤ 0.0002	%
Zn (Zinc)	≤ 0.0001	%	≤ 0.0001	%
Residue on ignition (as sulfate)	≤ 0.005	%	≤ 0.005	%
Loss on Drying (105 °C)	≤ 0.1	%	≤ 0.1	%

Corresponds to ACS,ISO,Reag. Ph Eur

Date of release (DD.MM.YYYY) 09.05.2019
Minimum shelf life (DD.MM.YYYY) 31.03.2024

Claudia Wiegand
Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.