



Certificate of Analysis

1.00495.0100 Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Batch A1765395

	Spec. Values.		Batch Values	
Assay (manganometric)	99.5 - 102.0	%	100.5	%
Insoluble matter	≤ 50	ppm	≤ 50	ppm
Chloride (Cl)	≤ 5	ppm	≤ 5	ppm
Sulfate (SO ₄)	≤ 50	ppm	≤ 50	ppm
Total nitrogen (N)	≤ 10	ppm	≤ 10	ppm
Heavy metals (as Pb)	≤ 5	ppm	≤ 5	ppm
Heavy metals (ACS)	≤ 5	ppm	≤ 5	ppm
Ca (Calcium)	≤ 10	ppm	≤ 10	ppm
Fe (Iron)	≤ 2	ppm	≤ 2	ppm
Readily carbonisable substance	passes test		passes test	
Residue on ignition (as sulfate)	≤ 100	ppm	< 25	ppm

Corresponds to ACS,ISO,Reag. Ph Eur

Date of release (DD.MM.YYYY) 23.08.2021
Minimum shelf life (DD.MM.YYYY) 30.06.2024

Claudia Wiegand
Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.