

Test taker's answer

a

Correct

r

Incorrect

=

Partial Credit

- a** 1) Which of these field declaration are legal within the body of an interface?
- a) private final static int a=10
 - b) public static int a=10**
 - c) final static a=10
 - d) None of above
- a** 2) what is return type of hashCode() method?
- a) Boolean
 - b) int**
 - c) String
 - d) double
- a** 3) What is correct about final method?
- a) We can't call it
 - b) We can call it using class name
 - c) We can't override it**
 - d) Execute before object creation
- a** 4) parseInt() method belongs to Which class?
- a) String
 - b) Object
 - c) Integer**
 - d) Thread
- a** 5) A method within a class is only accessible by classes that are defined within the same package as the class of the method. Which one of the following is used to enforce such restriction?
- a) Declare the method with keyword public
 - b) Declare the method with keyword private
 - c) Declare the method with keyword protected
 - d) Do not declare the method with any accessibility modifier**
- a** 6) Which one of the following is not true?
- a) A class containing abstract methods is called an abstract class.
 - b) An abstract class cannot have non-abstract method.**
 - c) Abstract methods should be implemented in the derived class.
 - d) A class must be qualified as 'abstract' class, if it contains one abstract method.

- a 7) The compares the characters inside a string object whereas compares two objects references to see whether they refer to the same instance?
- a) == operator, hashCode() method
 - b) equals() method, == operator**
 - c) equals() method, === operator
 - d) == operator, compare() method
- a 8) Can we write only try block without catch and finally blocks?
- a) Yes, catch block java will provide automatically
 - b) No, it is not possible**
 - c) Yes, with the help of throws keyword
 - d) No, because try block is for handling the exception
- a 9) Which access specifiers can be used for a class so that it's members can be accessed by a different class in the different package?
- a) private
 - b) public**
 - c) default
 - d) none of above
- a 10) Which block contains a block of program statements where an exception might occur?
- a) try**
 - b) catch
 - c) finally
 - d) none of above
- a 11) Which of the following statements are incorrect?
- a) static methods can call other static methods only
 - b) static methods must only access static data
 - c) static methods can not refer to this or super in any way
 - d) when object of class is declared, each object contains its own copy of static variables**
- a 12) If class B is subclass from class A then which is the correct syntax ?
- a) class B:A{ }
 - b) class B extends A{ }**
 - c) class B extends class A{ }
 - d) class B implements A{ }

- 13) Which of the keywords is used to refer to member of base class from subclass?
- a) **super**
 - b) this
 - c) boat a and b
 - d) none of these
- 14) Which among the following best describes polymorphism?
- a) It is the ability for a message/data to be processed in only 1 form
 - b) It is the ability for undefined message/data to be processed in at least one way
 - c) **It is the ability for a message/data to be processed in more than one form**
 - d) None
- 15) Which of these cannot be declared static?
- a) global variable
 - b) method
 - c) block
 - d) **local variable**
- 16) What is the process of defining two or more methods within same class that have same name but different parameters declaration?
- a) **Method Overloading**
 - b) Method Overriding
 - c) Both of above
 - d) None of Above
- 17) Which of the following is true about inheritance in Java?
1. Private methods are can not inherit.
 2. Protected members are accessible within a package and inherited classes outside the package.
 3. public methods can inherited.
- a) 1 only
 - b) 1,2 Only
 - c) 1 and 3 Only
 - d) **All of above**
- 18) Which among the following is called first, automatically, whenever an object is created?
- a) Method
 - b) class,variable
 - c) Both Options are correct
 - d) **Constructor**

- a 19) Which of the following is not a Java features?
- a) Dynamic
 - b) Architecture Neutral
 - c) Use of pointers**
 - d) Object-oriented
- a 20) Which of the following is a valid declaration of a char?
- a) char ch = \utea;
 - b) char ca = 't';**
 - c) char cr = "u0223";
 - d) char cc = tea;
- a 21) Which package contains the Random class?
- a) java.util package**
 - b) java.lang package
 - c) java.awt package
 - d) java.io package
- a 22) Which of these classes are the direct subclasses of the Throwable class?
- a) RuntimeException and Error class
 - b) Exception and VirtualMachineError class
 - c) Error and Exception class**
 - d) IOException and VirtualMachineError class
- a 23) What is the use of the intern() method?
- a) It returns the existing string from memory**
 - b) It creates a new string in the database
 - c) It modifies the existing string in the database
 - d) None of the above
- a 24) Which keyword is used for accessing the features of a package?
- a) package
 - b) import**
 - c) extends
 - d) export

- a** 25) Which of the given methods are of Object class?
- a) notify(), wait(long msec), and synchronized()
 - b) wait(long msec), interrupt(), and notifyAll()
 - c) notify(), notifyAll(), and wait()**
 - d) sleep(long msec), wait(), and notify()
- a** 26) What will be the output of the following program?
- ```
abstract class MyFirstClass {
 abstract num (int a, int b) { }
}
```
- a) No error
  - b) Method is not defined properly**
  - c) Constructor is not defined properly
  - d) Extra parentheses
- a** 27) Abstract method can be in
- a) normal class
  - b) abstract class**
  - c) sub class
  - d) parent class
- r** 28) Who invented Java Programming?
- a) Guido van Rossum
  - b) James Gosling**
  - c) Dennis Ritchie**
  - d) Bjarne Stroustrup
- a** 29) Which component is used to compile, debug and execute the java programs?
- a) JRE
  - b) JIT
  - c) JDK**
  - d) JVM
- a** 30) Which of the following is not an OOPS concept in Java?
- a) Polymorphism
  - b) Inheritance
  - c) Compilation**
  - d) Encapsulation

- a 31) What is the extension of compiled java classes?
- a) .txt
  - b) .js
  - c) .class**
  - d) .java
- a 32) Which of the following is a superclass of every class in Java?
- a) ArrayList
  - b) Abstract class
  - c) Object class**
  - d) String
- a 33) Which one of the following is not an access modifier?
- a) Protected
  - b) Void**
  - c) Public
  - d) Private
- a 34) When does method overloading is determined?
- a) At run time
  - b) At compile time**
  - c) At coding time
  - d) At execution time
- a 35) Which method can be defined only once in a program?
- a) main method**
  - b) finalize method
  - c) static method
  - d) private method
- a 36) What happens when a constructor is defined as an interface?
- a) Compilation failure**
  - b) Runtime Exception
  - c) The interface compiles successfully
  - d) The implementing class will throw exception

- a 37) What is true about constructor?
- a) It can contain return type
  - b) *It can take any number of parameters***
  - c) It can have any non access modifiers
  - d) Constructor cannot throw an exception
- a 38) What is default accessibility modifier of a default constructor
- a) default
  - b) private
  - c) public
  - d) *Same as class accessibility modifier***
- a 39) Super keyword in java is used to...?
- a) Refer immediate parent class instance variables.
  - b) Invoke immediate parent class methods.
  - c) Invoke immediate parent class constructor.
  - d) *All of above***
- a 40) Which of these keywords is not a part of exception handling?
- a) try
  - b) catch
  - c) *thrown***
  - d) throw
- a 41) Which of these method of Object class is used to obtain class of an object at run time?
- a) get()
  - b) void getClass()
  - c) *Class getClass()***
  - d) None of the mentioned
- a 42) Which of these keywords can be used to prevent inheritance of a class?
- a) super
  - b) constant
  - c) class
  - d) *final***

- a 43) Which of this access specifies can be used for a class so that its members can be accessed by a different class in the same package?
- a) Public
  - b) Protected
  - c) No Modifier
  - d) All of the mentioned**
- a 44) Which of the following is an incorrect statement about packages?
- a) Package defines a namespace in which classes are stored
  - b) A package can contain other package within it
  - c) Java uses file system directories to store packages
  - d) A package can be renamed without renaming the directory in which the classes are stored**
- a 45) Which of these is not a correct statement?
- a) Every class containing abstract method must be declared abstract
  - b) Abstract class defines only the structure of the class not its implementation
  - c) Abstract class can be initiated by new operator**
  - d) Abstract class can be inherited
- a 46) What is not type of inheritance?
- a) Single inheritance
  - b) Double inheritance**
  - c) Hierarchical inheritance
  - d) Multiple inheritance
- a 47) In order to restrict a variable of a class from inheriting to subclass, how variable should be declared?
- a) Protected
  - b) Private**
  - c) Public
  - d) Static
- a 48) Which of these method of class String is used to remove leading and trailing white spaces?
- a) startsWith()
  - b) trim()**
  - c) Trim()
  - d) doTrim()



- r** 49) Which of these access specifiers can be used for an interface?
- a) Public**
  - b) Protected
  - c) private
  - d) All of the mentioned**
- a** 50) Which of the following is the correct way of implementing an interface salary by class manager?
- a) class manager extends salary {}
  - b) class manager implements salary {}**
  - c) class manager imports salary {}
  - d) none of the mentioned
- a** 51) Which statement is true about java?
- a) Platform independent programming language**
  - b) Platform dependent programming language
  - c) Code dependent programming language
  - d) Sequence dependent programming language
- a** 52) Which of the following is used for implementing inheritance through an interface?
- a) inherited
  - b) using
  - c) extends
  - d) implements**
- a** 53) Which of these method of class String is used to compare two String objects for their equality?
- a) equals()**
  - b) Equals()
  - c) isequal()
  - d) Isequal()
- r** 54) Which component is responsible to run java program?
- a) JVM**
  - b) JDK
  - c) JIT
  - d) JRE**

- r** 55) When Overloading does not occur?
- a) More than one method with same name but different method signature and different number or type of parameters.
  - b) More than one method with same name, same signature but different number of signature.
  - c)** More than one method with same name, same signature, same number of parameters but different type.
  - d) More than one method with same name, same number of parameters and type but different signature.**
- a** 56) Which concept of Java is a way of converting real world objects in terms of class?
- a) Polymorphism
  - b) Encapsulation
  - c) Abstraction**
  - d) Inheritance
- a** 57) Which of these operators can be used to concatenate two or more String objects?
- a) +**
  - b) +=
  - c) &
  - d) ||
- r** 58) What will be the output of the following Java code?
- ```
class Output {  
    public static void main(String args[]) {  
        Object obj = new Object();  
        System.out.print(obj.getClass());  
    }  
}
```
- a) Object
 - b) class Object
 - c) class java.lang.Object**
 - d)** Compilation Error

- r** 59) What will be the output of the following Java program?

```
class exception_handling {  
    public static void main(String args[]) {  
        try {  
            System.out.print("Hello" + " " + 1 / 0);  
        }  
        catch(ArithmeticException e)  
        { System.out.print("World"); }  
    }  
}
```

- a) Hello
- b) World**
- c) HelloWorld
- d) Hello World**

- a** 60) What will s2 contain after following lines of Java code?

```
String s1 = "one";  
String s2 = s1.concat("two");
```

- a) one
- b) two
- c) onetwo**
- d) twoone

- r** 61) What will be the output of the following Java program?

```
class output {  
    public static void main(String args[]) {  
        String s1 = "Hello";  
        String s2 = s1.replace('l','w');  
        System.out.println(s2);  
    }  
}
```

- a) hello
- b) helwo
- c) hewlo**
- d) hewwo**

- a 62) What will be the output of the following Java program?

```
class Output{  
    public static void main(String args[]){  
        final int a=10,b=20;  
        while(a<b){  
            System.out.println("Hello");  
        }  
        System.out.println("World");  
    }  
}
```

- a) Hello
- b) run time error
- c) Hello world

d) compile time error

- a 63) What will be the output of the following Java code?

```
class Output {  
    public static void main(String args[]) {  
        try { int a = 0;  
            int b = 5;  
            int c = b / a;  
            System.out.print("Hello");  
        }  
    }  
}
```

- a) Hello
- b) World
- c) HelloWOrld

d) Compilation Error

- a 64) In try block we handle the exception.

- a) True

b) False

- a 65) Return can be same in method overriding?

a) True

- b) False

- a 66) Runtime polymorphism can be achieve by data members?

- a) True

b) False

- a** 67) Method overriding is combination of inheritance and polymorphism?

 - a) True**
 - b) False

- a** 68) Can “abstract” keyword be used with constructor, Initialization Block, Instance Initialization and Static Initialization Block.

 - a) True
 - b) False**

- a** 69) Abstract class can extends another abstract class?

 - a) True**
 - b) False

- a** 70) To use super keyword we need to use inheritance concept.

 - a) True**
 - b) False

- a** 71) Static members are not inherited to subclass.

 - a) True
 - b) False**

- r** 72) Does Java support multiple level inheritance?

 - a) True**
 - b) False**

- r** 73) Can we have two main methods in a java class?

 - a) True**
 - b) False**

- a** 74) We can override a constructor?

 - a) True
 - b) False**

- a** 75) In java String class is mutable ?

 - a) True
 - b) False**

- a** 76) We can access default members from other package?

 - a) True
 - b) False**

- a** 77) We can declare local variable as a static?
a) True
b) False
- r** 78) new keyword creates stack memory.
a) True
b) False
- a** 79) Which method we need to override after implementing the Runnable Interface ?
a) start()
b) run()
c) stop()
d) begin()
- r** 80) Which method is used to give priority to Thread
a) givePriority()
b) getPriority()
c) setPriority()
d) none
- r** 81) In Java we can achieve Multi-Threading by
a) Thread Class
b) Runnable Interface
c) Both of above
d) Object Class

- r** 82) What will be the output of following code?

```
public class Test extends Thread implements Runnable
{
    public void run()
    {
        System.out.println("JBS ");
    }
    public static void main(String[] args) throws InterruptedException
    {
        Test obj = new Test();
        obj.run();
        obj.start();
    }
}
```

- a) JBS
- b) JBS JBS**
- c) CompileTimeError**
- d) RunTimeError

- a** 83) By using sleep() , we can suspend a thread for some period of time

- a) True**
- b) False

- a** 84) What is true about threading?

- a) run() method calls start() method and runs the code
- b) run() method creates new thread
- c) run() method can be called directly without start() method being called
- d) start method creates new thread and calls code written in run() method**

- a** 85) start() method creates new thread

- a) True**
- b) False

- r** 86) Garbage Collector is the example of Daemon Thread

- a) True**
- b) False**

a 87)

What is true about private constructor?

- a) **Private constructor ensures only one instance of a class exist at any point of time**
- b) Private constructor ensures multiple instances of a class exist at any point of time
- c) Private constructor eases the instantiation of a class
- d) Private constructor allows creating objects in other classes

a 88)

clone() method of Object class is?

- a) public
- b) **protected**
- c) private
- d) none of the above

a 89)

Which of these class contains the methods used to write in a file?

- a) FileStream
- b) **FileOutputStream**
- c) BufferedOutputStream
- d) FileBufferStream

a 90)

Which of these exception is thrown in cases when the file specified for writing is not found?

- a) IOException
- b) FileNotFoundException
- c) **FileNotFoundException**
- d) FileInputException

r 91)

Which of these methods are used to read in from file?

a) get()

b) read()

c) scan()

d) readfileInput()

r 92) what is the default name of main method thread ?

a) main

b) thread - 0

c) thread - main

d) None of there

r 93)

Which annotation is used to declare a functional interface in Java 8?

a) @FunctionalInterface

b) @Interface

c) @Lambda

d) @Functional

r 94)

Who invented Java Programming?

a) Guido van Rossum

b) James Gosling

c) Dennis Ritchie

d) Bjarne Stroustrup

a 95)

What is the size of a char data type in Java?

a) 4 bytes

b) 2 bytes

c) 1 byte

d) 6 bytes

r 96)

Which of these method of class String is used to extract a single character from a String object?

a) charAt()

b) char()

c) indexOf()

d) none of the above

r 97)

Decrement operator, --, decreases the value of variable by what number?

a) 1

b) 2

c) 3

d) 4

a 98)

Which of these keywords is used to prevent content of a variable from being modified?

a) static

b) super

c) final

d) this

r 99)

What is the value stored in x in the following lines of Java code?

```
int x, y, z;  
x = 0;  
y = 1;  
x = y = z = 8;
```

a) 6

b) 7

c) 8

d) 0

r 100)

Which of the following is a valid declaration of an object of class Box?

a) *Box obj = new Box();*

b) Box obj = new Box;

c) obj = new Box();

d) new Box obj;