

Dr Lal PathLabs

L42 - FPSC VAISHALI-3 PLOT NO-8,FS-2,IIIA VAISHALI GHAZIABD 201010

Name : Ms. PRIYANKA NEGI

Lab No. : 324821357 Age: 26 Years Gender: Fem

Ref By: parul agarwal

Collected : 19/1/2022 12:33:00PM

Received : 19/1/2022 12:59:09PM Reported : 20/1/2022 1:10:13AM

Report Status : Final

Web: www.lalpathlabs.com, CIN No.: L74899DL1995PLC065388

Test Name Results

SARS-CoV-2 (COVID-19) QUALITATIVE REAL TIME RT-PCR

(Real Time PCR)

A/c Status : P

Type of Specimen Nasopharyngeal /

Oropharyngeal Swabs

Result Positive

N- Gene ct value 22 ORF1ab 22

## Note

- ICMR Registration number for Covid -19 is DRLAL001. Please scan the QR code given at end of this
  report to check the authenticity of the report.
- 2. Negative result does not rule out the possibility of Covid-19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.
- 3. Covid-19 Test conducted as per kits approved by ICMR / CE-IVD / USFDA.
- 4. Kindly consult referring Physician / Authorized hospitals for appropriate follow up.
- 5. This is a qualitative test. The Ct values do not provide a measure of viral load due to inherent variability in sampling and kits. According to ICMR guidelines Ct values should not be used to gauge the severity of the disease.
  <a href="https://www.icmr.gov.in/pdf/covid/techdoc/Advisory">https://www.icmr.gov.in/pdf/covid/techdoc/Advisory</a> on correlation of COVID severity with Ct val
  - <a href="mailto:covid/techdoc/Advisory">— correlation of COVID severity with Ct values.pdf</a>)
- 6. It is recommended that RTPCR test not be repeated in any individual who has tested positive once either by RAT or RTPCR (ICMR guidelines).
- No testing is required for COVID-19 recovered individuals at the time of hospital discharge in accordance with the discharge policy of MoH&FW (<a href="https://www.mohfw.gov.in/">https://www.mohfw.gov.in/</a> pdf/ ReviseddischargePolicyforCOV/019.pdf).

## Comments

Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV). Coronavirus disease (COVID-19) is a new strain that was discovered in 2019 and has not been previously identified in humans. Common signs of infection include respiratory symptoms, fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome and kidney failure.



Page 1 of 3



Regd. Office/National Reference Lab: Dr Lal PathLabs Ltd, Block-E, Sector-18, Rohini, New Delhi-110085 Web: www.lalpathlabs.com, CIN No.: L74899DL1995PLC065388

L42 - FPSC VAISHALI-3 PLOT NO-8,FS-2,IIIA VAISHALI GHAZIABD 201010

Name : Ms. PRIYANKA NEGI Collected

: 19/1/2022 12:33:00PM

Lab No. 324821357

Age: 26 Years Gender:

Ref By: parul agarwal

Received Reported

: 19/1/2022 12:59:09PM : 20/1/2022 1:10:13AM

A/c Status : P

Report Status : Final

If you are an international traveller & want clarifications on your report, please dial our 24x7 dedicated help desk 011 3500 3500. This Helpdesk phone number is for international travel purposes only.

For any other query, please call 011 4988 5050

Please note, this test is not a part of CAP scope

Alter The live

Dr Atul Thatai PhD, Biotechnology Technical Director - Molecular Diagnostics and R&D NRL - Dr Lal PathLabs Ltd

Shalath Molik

Dr Shalabh Malik MD, Microbiology Technical Director - Microbiology, Infectious Disease Serology and Clinical Pathology

-End of report



Test conducted under NABL scope MC-2113,LPL-NATIONAL REFERENCE LAB at NEW DELHI



Page 2 of 3



Regd. Office/National Reference Lab: Dr Lal PathLabs Ltd, Block-E, Sector-18, Rohini, New Delhi-110085 Web: www.lalpathlabs.com, CIN No.: L74899DL1995PLC065388

L42 - FPSC VAISHALI-3 PLOT NO-8,FS-2,IIIA VAISHALI GHAZIABD 201010

Name : Ms. PRIYANKA NEGI

Collected : 19/1/2022 12:33:00PM

Lab No. 324821357 Age: 26 Years

Received **Female** Reported

: 19/1/2022 12:59:09PM : 20/1/2022 1:10:13AM

A/c Status : P Ref By: parul agarwal

Report Status : Final

## **IMPORTANT INSTRUCTIONS**

Gender:

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory •Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. Sample repeats are accepted on request of Referring Physician within 7 days post reporting. Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. • Certain tests may require further testing at additional cost for derivation of exact value Kindly submit request within 72 hours post reporting. Test results may show interlaboratory variations • The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). Test results are not valid for medico legal purposes. •Contact customer care Tel No. +91-11-39885050 for all queries related to test results. (#) Sample drawn from outside source.

