

Concomitant Medications
- Concomitant medications refer to any other prescription drugs, over-the-counter medications, or supplements that participants are using during the trial. - In clinical trials, concomitant medication information is collected to understand the effects and interactions of other medications that participants may be taking alongside the investigational drug being studied. - By collecting this information, researchers can evaluate how these concomitant medications may influence the safety and effectiveness of the study drug. - This helps to ensure that any observed effects are attributable to the investigational drug and not influenced by other medications. - Additionally, studying concomitant medications can provide valuable insights into potential drug interactions, side effects, and overall treatment strategies. - Ultimately, collecting information about concomitant medications helps to paint a comprehensive picture of how the investigational drug behaves in real-world scenarios, improving the overall understanding of its benefits and risks.
ATC classification of drugs
- The Anatomical Therapeutic Chemical (ATC) classification system is a widely used system for categorizing drugs based on their therapeutic properties and anatomical target. - It was developed by the World Health Organization (WHO) in collaboration with various drug regulatory agencies. - The ATC system provides a standardized and internationally recognized framework that allows for the systematic classification and comparison of drugs. - It assigns a unique code to each drug, organizing them into different levels of classification, including - anatomical main groups, - therapeutic subgroups, and - pharmacological subgroups. - This classification system helps healthcare professionals, researchers, and regulatory agencies in identifying, tracking, and analyzing drugs based on their intended use and therapeutic effects.
Examples of ATC classification
1. Paracetamol (acetaminophen): - ATC code: N02BE01 - Anatomical main group: Nervous system - Therapeutic subgroup: Analgesics - Pharmacological subgroup: Anilides 2. Omeprazole: - ATC code: A02BC01 - Anatomical main group: Alimentary tract and metabolism - Therapeutic subgroup: Drugs for acid-related disorders - Pharmacological subgroup: Proton pump inhibitors 3. Metformin: - ATC code: A10BA02 - Anatomical main group: Alimentary tract and metabolism - Therapeutic subgroup: Drugs used in diabetes - Pharmacological subgroup: Biguanides 4. Insulin: - ATC code: A10AB - Anatomical main group: Alimentary tract and metabolism - Therapeutic subgroup: Drugs used in diabetes - Pharmacological subgroup: Insulins and analogues These examples demonstrate how the ATC system assigns specific codes to drugs based on their therapeutic properties, anatomical target, and pharmacological classification. The ATC codes provide a standardized way of identifying and categorizing drugs, allowing for easy comparison and analysis across different medications.