

25 entries per page

Search:

ROWORDER	VARIABLE_NAME	VARIABLE_LABEL	DERIVATION
001	ADT	Analysis Date	Extract the date portion from VSDTC and convert it to numeric value
002	PARAM	Parameter	Set to propcase(VSPOS) VSTEST (" VSSTRESU ") for the records with VSTESTCD in ("SYSBP" "DIABP"). Set to VSTEST (" VSSTRESU ") for the records with VSTESTCD in ("WEIGHT")
003	PARAMCD	Parameter Code	If VSPOS="SITTING" and VSTESTCD="SYSBP" then set to "STSBP", Else if VSPOS="SITTING" and vSTESTCD="DIABP" then set to "STDBP" Else if VSTESTCD="WEIGHT" then set to "WEIGHT".
004	PARAMN	Parameter (N)	If PARAMCD="STSBP" then set to 1, Else if PARAMCD="STDBP" then set to 2, Else if PARAMCD="WEIGHT" then set to 3.
005	AVAL	Analysis Value	Set to VSSTRESN
006	AVISIT	Analysis Visit	A. For the souce records: If VS.VISIT="SCREEN" then set to "Screening", Else set to propcase(VS.VISIT) B. For the record with ABLFL="Y" set to "Baseline"
007	AVISITN	Analysis Visit (N)	A. For the souce records: If VS.VISIT="SCREEN" then set to -1, Else Set to VS.VISITNUM B. For the record with ABLFL="Y" set to 0
008	ABLFL	Baseline Record Flag	A.For SYSBP: Set to "Y" on the record with minimum non-missing result on or before treatment start date for each parameter within a subject If there exists multiple records with minimum value, pick the latest record. B.For DIABP: Set to "Y" on the record with maximum non-missing result on or before treatment start date for each parameter within a subject If there exists multiple records with maximum value, pick the latest record. C. For WEIGHT: Set to "Y" on the record with latest record with non-missing result on or before treatment start date.
009	BASE	Baseline Value	Populate the AVAL from the record where ABLFL="Y" across all records of parmeter within a subject
010	CHG	Change from Baseline	Set to AVAL-BASE on the records where ADT>TRTSDT>.