

myCSG © 2026 | Area: ADaM | Concept: C1010 - ADaM BDS - Data Imputation | Lesson: ADaM_C1010_L151 - mBOCF and LOCF combined |

Concept Description

Lesson Description

Spec

SAS Program

R Program

ADVERTISEMENT	<table><thead><tr><th>Variable</th><th>Label</th><th>Derivation</th></tr></thead><tbody><tr><td>AVAL</td><td>Analysis Value</td><td>If DCSREAS in ('ADVERSE EVENT') and AVAL is missing, then set to BASE. Otherwise, if AVAL is missing, set to the last non-missing post-baseline value (LOCF) within the subject and parameter.</td></tr><tr><td>DTYPE</td><td>Derivation Type</td><td>Set to 'MBOCF' on all records where AVAL is imputed using the Modified Baseline Observation Carried Forward logic. Set to 'LOCF' on the records where AVAL is imputed using LOCF concept.</td></tr></tbody></table>	Variable	Label	Derivation	AVAL	Analysis Value	If DCSREAS in ('ADVERSE EVENT') and AVAL is missing, then set to BASE. Otherwise, if AVAL is missing, set to the last non-missing post-baseline value (LOCF) within the subject and parameter.	DTYPE	Derivation Type	Set to 'MBOCF' on all records where AVAL is imputed using the Modified Baseline Observation Carried Forward logic. Set to 'LOCF' on the records where AVAL is imputed using LOCF concept.	ADVERTISEMENT
Variable	Label	Derivation									
AVAL	Analysis Value	If DCSREAS in ('ADVERSE EVENT') and AVAL is missing, then set to BASE. Otherwise, if AVAL is missing, set to the last non-missing post-baseline value (LOCF) within the subject and parameter.									
DTYPE	Derivation Type	Set to 'MBOCF' on all records where AVAL is imputed using the Modified Baseline Observation Carried Forward logic. Set to 'LOCF' on the records where AVAL is imputed using LOCF concept.									