

Spec

SAS Video

SAS Program

R Program

ADVERTISEMENT

25▼ entries per page

Search:

ROWORDER	VARIABLE_NAME	VARIABLE_LABEL	DERIVATION
001	STARTDT	Time-to-Event Origin Date for Subject	Set to TRTSDT
002	PARAM	Parameter	Create a parameter named 'Time to Death (Days)' for all safety subjects present in ADSL. See AVAL for derivation logic.
003	PARAMCD	Parameter Code	Set to 'T2DEATH' when PARAM="Time to Death (Days)"
004	ADT	Analysis Date	For PARAM="Time to Death (Days)" A. For subjects who died on the study(ADSL.DTHDT not null) after treatment start: Populate using ADSL.DTHDT B. For subjects who did not die on the study (ADSL.DTHDT is null) Populate with ADSL.EOSDT.
005	CNSR	Censor	For PARAM="Time to Death (Days)" A. For subjects who died on the study(ADSL.DTHDT not null) after treatment start: Set to 0 B. For subjects who did not die on the study (ADSL.DTHDT is null) Set to 1
006	AVAL	Analysis Value	Set to ADT-STARTDT+1.
007	EVNTDESC	Event or Censoring Description	For PARAM="Time to Death (Days)" A. For subjects who died on the study(ADSL.DTHDT not null) after treatment start: Set to "Death" B. For subjects who did not die on the study (ADSL.DTHDT is null) Set to the end of study reason (ADSL.DCSREAS).

Showing 1 to 7 of 7 entries

«

<

1

>

»

ADVERTISEMENT