

Overview of Treatment-Emergent Adverse Events Safety Analysis Set					
	Dose level 1 (N=XX) n (%) m	Dose level 2 (N=XX) n (%) m	Dose level 3 (N=XX) n (%) m	Total (N=XX) n (%) m	
Adverse Events	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	
Drug-Related [1] Adverse Events	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	AEREL in c("POSSIBLE","PROBABLE")
Deaths	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	AESDTH="Y"
Serious Adverse Events [2]	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	AESER="Y"
Drug-Related [1] Serious Adverse Events [2]	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	AEREL, AESER
Adverse Events Leading to Permanent Discontinuation of Study Drug	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	AEACN="DRUG WITHDRAWN"
Drug-Related [1] Adverse Events Leading to Permanent Discontinuation of Study Drug	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	xx (xx.x) xx	AEREL, AEACN

Percentages are calculated based on number of subjects in each treatment of the population specified.

N = total number of subjects in the treatment in safety analysis set
n = number of subjects with at least one with adverse event.
E = number of events
[1] Events with relationship recorded on CRF as "POSSIBLE" "PROBABLE"
[2] Events with seriousness recorded on CRF as "YES"

Programming notes:
Display all the rows presented in the shell even when there are no events reported in that category
Do not present percentages when subject count is 0