

ADVERTISEMENT

Treatment-Emergent Adverse Events			
Safety Analysis Set			
Copyright @ www.mycsg.in			
System Organ Class Preferred Term	Placebo (N=5) n (%)	Low Dose (N=5) n (%)	High Dose (N=5) n (%)
Overall	4 (80.0%)	4 (80.0%)	5 (100.0%)
CARDIAC DISORDERS	2 (40.0%)	0	0
ATRIOVENTRICULAR BLOCK SECOND DEGREE	1 (20.0%)	0	0
BUNDLE BRANCH BLOCK LEFT	1 (20.0%)	0	0
EYE DISORDERS	1 (20.0%)	0	0
EYE ALLERGY	1 (20.0%)	0	0
EYE PRURITUS	1 (20.0%)	0	0
EYE SWELLING	1 (20.0%)	0	0
GASTROINTESTINAL DISORDERS	2 (40.0%)	0	0
DIARRHOEA	1 (20.0%)	0	0
HIATUS HERNIA	1 (20.0%)	0	0
GENERAL DISORDERS AND ADMINISTRATION SITE CONDITIONS	2 (40.0%)	3 (60.0%)	5 (100.0%)
APPLICATION SITE DERMATITIS	0	1 (20.0%)	0
APPLICATION SITE ERYTHEMA	1 (20.0%)	1 (20.0%)	4 (80.0%)
APPLICATION SITE IRRITATION	0	1 (20.0%)	1 (20.0%)
APPLICATION SITE PAIN	0	0	1 (20.0%)
APPLICATION SITE PRURITUS	1 (20.0%)	2 (40.0%)	5 (100.0%)
APPLICATION SITE URTICARIA	0	1 (20.0%)	0
APPLICATION SITE VESICLES	0	1 (20.0%)	1 (20.0%)
FATIGUE	0	1 (20.0%)	2 (40.0%)
PYREXIA	1 (20.0%)	0	0
INFECTIONS AND INFESTATIONS	2 (40.0%)	1 (20.0%)	1 (20.0%)
CELLULITIS	0	1 (20.0%)	0
LOWER RESPIRATORY TRACT INFECTION	0	0	1 (20.0%)
UPPER RESPIRATORY TRACT INFECTION	1 (20.0%)	0	0
URINARY TRACT INFECTION	1 (20.0%)	0	0
MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDERS	0	1 (20.0%)	1 (20.0%)

ADVERTISEMENT