

ADVERTISEMENT

TEAE by PT - with chisq/fisher exact test p-value			
Safety Analysis Set			
Copyright @ www.mycsg.in			
Preferred Term	Placebo (N=15) n (%)	Active (N=15) n (%)	Active vs Placebo p-value [1]
Overall	11 (73.3%)	13 (86.7%)	0.6513
APPLICATION SITE DERMATITIS	0	1 (6.7%)	1.0000
APPLICATION SITE ERYTHEMA	1 (6.7%)	7 (46.7%)	0.0352
APPLICATION SITE IRRITATION	0	5 (33.3%)	0.0421
APPLICATION SITE PRURITUS	2 (13.3%)	9 (60.0%)	0.0080
APPLICATION SITE URTICARIA	0	2 (13.3%)	0.4828
APPLICATION SITE VESICLES	0	2 (13.3%)	0.4828
ARTHRALGIA	0	1 (6.7%)	1.0000
ATRIOVENTRICULAR BLOCK SECOND DEGREE	1 (6.7%)	0	1.0000
BACK PAIN	1 (6.7%)	0	1.0000
BUNDLE BRANCH BLOCK LEFT	1 (6.7%)	0	1.0000
CELLULITIS	0	1 (6.7%)	1.0000
CHILLS	0	1 (6.7%)	1.0000
CONFUSIONAL STATE	0	1 (6.7%)	1.0000
DEPRESSED MOOD	0	1 (6.7%)	1.0000
DIARRHOEA	4 (26.7%)	0	0.0996
DYSPHONIA	0	1 (6.7%)	1.0000
DYSPNOEA	0	1 (6.7%)	1.0000
ERYTHEMA	1 (6.7%)	3 (20.0%)	0.5977
EYE ALLERGY	1 (6.7%)	0	1.0000
EYE LASER SURGERY	1 (6.7%)	0	1.0000
EYE PRURITUS	1 (6.7%)	0	1.0000
EYE SWELLING	1 (6.7%)	0	1.0000
FATIGUE	0	2 (13.3%)	0.4828
HIATUS HERNIA	1 (6.7%)	0	1.0000
HYPERHIDROSIS	1 (6.7%)	0	1.0000
INCONTINENCE	0	1 (6.7%)	1.0000
INCREASED APPETITE	1 (6.7%)	0	1.0000
INSOMNIA	1 (6.7%)	0	1.0000
JOINT DISLOCATION	0	1 (6.7%)	1.0000
MICTURITION URGENCY	1 (6.7%)	1 (6.7%)	1.0000
MUSCULAR WEAKNESS	0	1 (6.7%)	1.0000

ADVERTISEMENT