

ADVERTISEMENT

ADVERTISEMENT

Interpretation of ECG Results				
Safety Analysis Set				
Copyright @ www.mycsg.in				
Time	Assessment	Placebo (N=19)	Active (N=22)	Total (N=41)
Baseline	n	18	20	38
	Normal	6 (33.3%)	8 (40.0%)	14 (36.8%)
	Abnormal - NCS	10 (55.6%)	12 (60.0%)	22 (57.9%)
	Abnormal - CS	2 (11.1%)	0	2 (5.3%)
Week 4	n	17	18	35
	Normal	6 (35.3%)	6 (33.3%)	12 (34.3%)
	Abnormal - NCS	9 (52.9%)	12 (66.7%)	21 (60.0%)
	Abnormal - CS	2 (11.8%)	0	2 (5.7%)
Week 12	n	11	14	25
	Normal	3 (27.3%)	8 (57.1%)	11 (44.0%)
	Abnormal - NCS	7 (63.6%)	6 (42.9%)	13 (52.0%)
	Abnormal - CS	1 (9.1%)	0	1 (4.0%)
Week 16	n	10	12	22
	Normal	3 (30.0%)	6 (50.0%)	9 (40.9%)
	Abnormal - NCS	5 (50.0%)	6 (50.0%)	11 (50.0%)
	Abnormal - CS	2 (20.0%)	0	2 (9.1%)