

ADVERTISEMENT

ADVERTISEMENT

Shift Table for ECG Interpretation Safety Analysis Set Copyright @ www.mycsg.in							
Timepoint	Postbaseline Result	Baseline Result					
		Placebo (N=19)			Active (N=22)		
		Normal	Abnormal - NCS	Abnormal - CS	Normal	Abnormal - NCS	Abnormal - CS
Week 4	Normal	4 (21.1%)	1 (5.3%)	0 (0.0%)	5 (22.7%)	1 (4.5%)	0 (0.0%)
	Abnormal - NCS	0 (0.0%)	9 (47.4%)	0 (0.0%)	2 (9.1%)	9 (40.9%)	0 (0.0%)
	Abnormal - CS	0 (0.0%)	0 (0.0%)	2 (10.5%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
Week 12	Normal	1 (5.3%)	1 (5.3%)	0 (0.0%)	5 (22.7%)	2 (9.1%)	0 (0.0%)
	Abnormal - NCS	0 (0.0%)	7 (36.8%)	0 (0.0%)	2 (9.1%)	4 (18.2%)	0 (0.0%)
	Abnormal - CS	0 (0.0%)	0 (0.0%)	1 (5.3%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
Week 16	Normal	1 (5.3%)	1 (5.3%)	0 (0.0%)	4 (18.2%)	1 (4.5%)	0 (0.0%)
	Abnormal - NCS	0 (0.0%)	5 (26.3%)	0 (0.0%)	1 (4.5%)	5 (22.7%)	0 (0.0%)
	Abnormal - CS	0 (0.0%)	1 (5.3%)	1 (5.3%)	0 (0.0%)	0 (0.0%)	0 (0.0%)