------USER SERVICE APIS------

```
1.) Create User
       Request: POST '/users'
       Request Body:
{
   "email id": "email@xyz.com",
   "password": "abcd",(optional)
  "gender": "male/female"(optional),
  "address"(optional): {
     "line1": "180, some building",
     "line2": "someother road",
     "landmark": "near that",
     "city": "moholla",
     "state": "rajya",
     "county": "desh",
     "pincode": 1299468,
    "name":"naam",
    "phone_number":"9898989898"
}
       Response: 201 created/ 302 Found
{
  "user_id": "123",
  "new user":true
       Response(failure due to unserviecability: 400
 "message": "This address is currently not serviceable"
```

2.) Forgot Password

NOTE: This need not be implemented if we are going only with google login. We need this only if we are implementing custom signup

Request: PUT '/users/:user_id/forgot_password'

Response: 204

```
3.) Sign In
       Request: POST '/users/login'
       Request Body:
{
  "email_id": "email@xyz.com",
  "password": "abcd"
       Response: 200
  "session_id": "randomtoken",
  "user_id": 1,
4.) Add address
       Request: PUT '/users/:user_id/address'
       Request_body:
     "line1": "180, some building",
     "line2": "someother road",
     "landmark": "near that",
     "city": "moholla",
     "state": "rajya",
     "county": "desh",
     "pincode": 1299468,
    "name":"naam",
    "phone_number":"9898989898"
       Response:
     "id": 2
5.) Logout
       Request: PUT '/users/:user_id/logout'
6.) Get address
       Request: GET '/users/:user_id/address'
       Response:
  "addresses": [
       "id": 29,
```

```
"line1": "180, somebuilding",
       "line2": "someotherroad",
       "landmark": "nearthat",
       "city": "moholla",
       "state": "rajya",
       "county": "desh",
       "pincode": 1299468,
       "name":"naam",
       "phone_number":"9898989898"
       "id": 30,
       "line1": "180, someotherbuilding",
       "line2": "yetanotherroad",
       "landmark": "nearthat",
       "city": "moholla2",
       "state": "rajya",
       "county": "desh",
       "pincode": 1299468,
       "name":"naam",
       "phone_number":"9898989898"
7.) Update address
       Request: PUT '/users/:user_id/update_address'
       Request_body
                           Response:
{
    all_addresses
}
8.) Remove address
returns rest of addresses
9.)
           ------ SERVICES APIs ------
```

1.) Get slots

Request: GET '/services/:service_id/get_slots'

```
Request_body:
 "date": "2015-04-05"
}
        Response:
 "service_id":1,
 "start_times":[{"start_time": "8:00:00", "available": true},{"start_time": "8:15:00", "available":
false}, ,{"start_time": "8:30:00", "available": false}]
}
    1.) VERSION 2 Get slots
        Request: GET '/services/:service_id/get_slots'
        Request_body:
        Response:
<u>[{</u>
  "date": "2015-04-05",
 "service id":1,
 "start_times":[{"start_time": "8:00:00", "available": true},{"start_time": "8:15:00", "available":
false}, {"start_time": "8:30:00", "available": false}]
},
 "date":"2015-04-06",
 "service_id":1,
 "start_times":[{"start_time": "8:00:00", "available": true},{"start_time": "8:15:00", "available":
false}, {"start_time": "8:30:00", "available": false}]
}]
2.) Get services
        Request: Get '/services'
        Response:
[{
       "service_id": 1,
       "name": "Maid",
       "image": "http://image-url.png",
       "price_per_hour":800.00
}]
3.) Get service start times
        Request: Get '/services/:service_id/start_times'
        Response:
[{
 "date": "2014-08-02",
```

```
"day": "Mon",
 "min_start_time": "08:00:00",,
 "min_start_time": "18:00:00",
},
 "date":"2014-08-03",
 "day": "Tuesday",
 "min_start_time": "10:00:00",,
 "min_start_time": "18:00:00",
},
 "date": "2014-08-04",
 "day": "Wednesday",
 "min_start_time": "08:00:00",,
 "min_start_time": "18:00:00",
}]
          ----- OMS APIs ------
   1.) Create Order
       Request: POST '/orders'
       Request_body:
  "service_id": 1,
  "address_id": 2,
  "start_time": "2015-08-01 17:15:00"
       Response:
 "order_id":1,
   2.) Update Order
 3.) Get orders
 Request: get '/orders?user_id=xyz'
  Response body:
[{
"order_id"
"slot_start_time"
"status"
"service_name"
```

```
}]
4.)
 Request: get '/orders/:id'
Response:
  "order_id": "1234",
  "slot_start_time": "2015-04-04 09:00:00",
  "status": "completed",
  "service_name": "maid",
  "total_price": 1024,
  "actual_start_time": "2015-04-04 09:05:00",
  "actual_end_time": "2015-04-04 10:05:00",
  "address": {
     "line1": "180, some building",
     "line2": "someother road",
     "landmark": "near that",
     "city": "moholla",
     "state": "rajya",
     "county": "desh",
     "pincode": 1299468,
     "name": "naam",
     "phone_number": "9898989898"
 }
5.) Request Post: '/orders/:order_id/feedback'
Request:{"rating": 3, "feedback_text": "accha tha"}
```