

## SPOJ Problem Set (partial)

### 1486. The Ants in a Tree

#### Problem code: PT07I

In Amber's childhood, he usually liked to observe some little things for tickling his little curiosity. He often found it interesting to climb up a tree, sit on a branch and watch the movement of a group of lovely ants on the branches of the tree.

Amber finds there are  $n$  ant holes and  $m$  ants in the tree now. Because of his careful observation, he knows all ants' behaviors, the  $i$ -th ant wanna travel from one hole  $s_i$  to another hole  $t_i$  at the speed  $v_i$ .

During the ant's travel, if two ants arrive at the same position (meet or chase), they will touch their feelers for exchanging the information about food or danger. Even at the moment that the travel starts or finishes, the ant can also touch other's feelers. But after the travel finishes, the ant will enter into the hole and never touch feelers. What amber wonders is to count the times of touchings during the whole traveling process.

Consider there are  $n - 1$  branches in the tree. Each branch connects the adjacent ant holes and has a particular length. Assume there is always a path that consists of branches between any two ant holes. Assume that no two ants have the same speeds and the touching doesn't cost any time.

#### Input

Input consists of multiple testcases. The first line contains one integer  $t$  ( $1 \leq t \leq 20$ ). For each testcase, the input format is following.

The first line contains one integer  $n$  ( $1 \leq n \leq 10^6$ ). In next  $n - 1$  line, the  $i$ -th line contains an integer triple  $(u_i, v_i, w_i)$  ( $1 \leq u_i, v_i \leq n, u_i \neq v_i, 1 \leq w_i \leq 10^3$ ). The triple means there is a branch with the length  $w_i$  between node  $u_i$  and node  $v_i$ .

The next line contains one integer  $m$  ( $1 \leq m \leq 10^3$ ). In next  $m$  line, the  $i$ -th line contains an integer triple  $(s_i, t_i, v_i)$  ( $1 \leq s_i, t_i \leq n, 1 \leq v_i \leq 10^6$ ). The triple means that the  $i$ -th ant's travel is from  $s_i$  to  $t_i$  at the speed  $v_i$ .

#### Output

For each testcase, print a line that consists of an integer that means the times of the feeler touchings.

#### Example

Input :

```
1
3
1 2 1
2 3 1
3
1 3 1
3 1 1
```

1 2 3

**Output :**

2

**Note: It's a partly correct problem, so score is set for each case. When you pass all cases, you'll get 300 points**

---

Added by: Thanh-Vy Hua

Date: 2007-04-07

Time limit: 8s-15s

Source limit:50000B

Languages: All

Resource: Co-author Amber

## SPOJ Problem Set ()

### 3077. Copier Reduction

#### Problem code: REDUCT

What do you do if you need to copy a 560x400mm image onto a standard sheet of US letter-size paper (which is about 216x280mm), while keeping the image as large as possible? You can rotate the image 90 degrees (so that it is in landscape mode), then reduce it to 50% of its original size so that it is 200x280mm. Then it will fit on the paper without overlapping any edges. Your job is to solve this problem in general.

#### Input

The input consists of one or more test cases, each of which is a single line containing four positive integers  $A$ ,  $B$ ,  $C$ , and  $D$ , separated by a space, representing an  $A \times B$ mm image and a  $C \times D$ mm piece of paper. All inputs will be less than one thousand. Following the test cases is a line containing four zeros that signals the end of the input.

#### Output

For each test case, if the image fits on the sheet of paper without changing its size (but rotating it if necessary), then the output is 100%. If the image must be reduced in order to fit, the output is the largest *integer* percentage of its original size that will fit (rotating it if necessary). Output the percentage exactly as shown in the examples below. You can assume that no image will need to be reduced to less than 1% of its original size, so the answer will always be an integer percentage between 1% and 100%, inclusive.

#### Example

**Input :**

```
560 400 218 280
10 25 88 10
8 13 5 1
9 13 10 6
199 333 40 2
75 90 218 280
999 99 1 10
0 0 0 0
```

**Output :**

```
50%
100%
12%
66%
1%
100%
1%
```

---

Added by: Nikola P Borisov

Date: 2008-10-01

Time limit: 5s

Source limit:50000B

Languages: All

Resource: ICPC North America Mid-Central Regional Contest 2005

## SPOJ Problem Set ()

### 3079. Consecutive Digits

#### Problem code: CONDIG

As a recruiting ploy, Google once posted billboards in Harvard Square and in the Silicon Valley area just stating "{first 10-digit prime found in consecutive digits of e}.com". In other words, find that 10-digit sequence and then connect to the web site -- and find out that Google is trying to hire people who can solve a particular kind of problem.

Not to be outdone, Gaggle (a loopy-goopy fuzzy logic search firm), has devised its own recruiting problem. Consider the *base 7* expansion of a rational number. For example, the first few digits of the base 7 expansion of  $1/5_{10} = 0.12541..._7$ ,  $33/4_{10} = 11.15151..._7$ , and  $6/49_{10} = 0.06000..._7$ . From this expansion, find the digits in a particular range of positions to the right of the "decimal" point.

#### Input

The input file begins with a line containing a single integer specifying the number of problem sets in the file. Each problem set is specified by four base 10 numbers on a single line,  $n\ d\ b\ e$ , where  $n$  and  $d$  are the numerator and denominator of the rational number and  $0 \leq n \leq 5,000$  and  $1 \leq d \leq 5,000$ .  $b$  and  $e$  are the beginning and ending positions for the desired range of digits, with  $0 \leq b, e \leq 250$  and  $0 \leq (e-b) \leq 20$ . Note that 0 is the position immediately to the right of the decimal point.

#### Output

Each problem set will be numbered (beginning at one) and will generate a single line: Problem set  $k$ :  $n / d$ , base 7 digits  $b$  through  $e$ : result where  $k$  is replaced by the problem set number, result is your computed result, and the other values are the corresponding input values.

#### Example

##### Input :

```
4
1 5 0 0
6 49 1 3
33 4 2 7
511 977 122 126
```

##### Output :

```
Problem set 1: 1 / 5, base 7 digits 0 through 0: 1
Problem set 2: 6 / 49, base 7 digits 1 through 3: 600
Problem set 3: 33 / 4, base 7 digits 2 through 7: 151515
Problem set 4: 511 / 977, base 7 digits 122 through 126: 12425
```

---

Added by: Nikola P Borisov

Date: 2008-10-01

Time limit: 5s

Source limit:50000B

Languages: All

Resource: ICPC North America Mid-Central Regional Contest 2005

## SPOJ Problem Set (partial)

### 3080. Painter

#### Problem code: PAINTER

The local toy store sells small fingerpainting kits with between three and twelve 50ml bottles of paint, each a different color. The paints are bright and fun to work with, and have the useful property that if you mix  $X$  ml each of any three different colors, you get  $X$  ml of gray. (The paints are thick and "airy", almost like cake frosting, and when you mix them together the volume doesn't increase, the paint just gets more dense.) None of the individual colors are gray; the only way to get gray is by mixing exactly three distinct colors, but it doesn't matter which three. Your friend Emily is an elementary school teacher and every Friday she does a fingerpainting project with her class. Given the number of different colors needed, the amount of each color, and the amount of gray, your job is to calculate the number of kits needed for her class.

#### Input

The input consists of one or more test cases, followed by a line containing only zero that signals the end of the input. Each test case consists of a single line of five or more integers, which are separated by a space. The first integer  $N$  is the number of different colors ( $3 \leq N \leq 12$ ). Following that are  $N$  different nonnegative integers, each at most 1,000, that specify the amount of each color needed. Last is a nonnegative integer  $G \leq 1,000$  that specifies the amount of gray needed. All quantities are in ml.

#### Output

For each test case, output the smallest number of fingerpainting kits sufficient to provide the required amounts of all the colors and gray. Note that all grays are considered equal, so in order to find the minimum number of kits for a test case you may need to make grays using different combinations of three distinct colors.

#### Example

**Input :**

```
3 40 95 21 0
7 25 60 400 250 0 60 0 500
4 90 95 75 95 10
4 90 95 75 95 11
5 0 0 0 0 0 333
0
```

**Output :**

```
2
8
2
3
4
```

---

Added by: Nikola P Borisov

Date: 2008-10-01

Time limit: 1s

Source limit:50000B

Languages: All

Resource: ICPC North America Mid-Central Regional Contest 2005



## SPOJ Problem Set (partial)

### 3082. Primary X-Subfactor Series

#### Problem code: PRIMESUB

Let  $n$  be any positive integer. A *factor* of  $n$  is any number that divides evenly into  $n$ , without leaving a remainder. For example, 13 is a factor of 52, since  $52/13 = 4$ . A *subsequence* of  $n$  is a number without a leading zero that can be obtained from  $n$  by discarding one or more of its digits. For example, 2, 13, 801, 882, and 1324 are subsequences of 8013824, but 214 is not (you can't rearrange digits), 8334 is not (you can't have more occurrences of a digit than appear in the original number), 8013824 is not (you must discard at least one digit), and 01 is not (you can't have a leading zero). A *subfactor* of  $n$  is an integer greater than 1 that is both a factor and a subsequence of  $n$ . 8013824 has subfactors 8, 13, and 14. Some numbers do not have a subfactor; for example, 6341 is not divisible by 6, 3, 4, 63, 64, 61, 34, 31, 41, 634, 631, 641, or 341.

An *x-subfactor series* of  $n$  is a decreasing series of integers  $n_1, \dots, n_k$ , in which (1)  $n = n_1$ , (2)  $k \geq 1$ , (3) for all  $1 \leq i < k$ ,  $n_{i+1}$  is obtained from  $n_i$  by first discarding the digits of a subfactor of  $n_i$ , and then discarding leading zeros, if any, and (4)  $n_k$  has no subfactor. The term "x-subfactor" is meant to suggest that a subfactor gets x'ed, or discarded, as you go from one number to the next. For example, 2004 has two distinct x-subfactor series, the second of which can be obtained in two distinct ways. The highlighted digits show the subfactor that was removed to produce the next number in the series.

```
2004 4
2004 200 0
2004 200 0
```

The *primary* x-subfactor series has maximal length (the largest  $k$  possible, using the notation above). If there are two or more maximal-length series, then the one with the smallest second number is primary; if all maximal-length series have the same first and second numbers, then the one with the smallest third number is primary; and so on. Every positive integer has a unique primary x-subfactor series, although it may be possible to obtain it in more than one way, as is the case with 2004.

#### Input

The input consists of one or more positive integers, each less than one billion, without leading zeroes, and on a line by itself. Following is a line containing only "0" that signals the end of the input.

#### Output

For each positive integer, output its primary x-subfactor series using the exact format shown in the examples below.

## Example

### Input :

```
123456789
7
2004
6341
8013824
0
```

### Output :

```
123456789 12345678 1245678 124568 12456 1245 124 12 1
7
2004 200 0
6341
8013824 13824 1324 132 12 1
```

---

Added by: Nikola P Borisov

Date: 2008-10-01

Time limit: 5s

Source limit:50000B

Languages: All

Resource: ICPC North America Mid-Central Regional Contest 2005

## SPOJ Problem Set (partial)

### 3088. Packing

#### Problem code: PACK1

In the future the delivery services will be fully automated. A robot will come to your home to pick the boxes and leaves them in the central processing office where boxes for the same address are packed together. There is a machine that can pack two boxes into a one new box containing the previous two. If we want  $N$  boxes delivered to a certain city then this machine with  $N-1$  operation will be able to consolidate them into single box.

Each box has its size and a price for packing it equal to this size. The size of the box resulting from the machine packing two boxes together is simply equal to the sum of the two boxes that are packed together. Your goal is to find out the minimum price for packing  $N$  boxes into a single one using the packing machine.

#### Input

On the first line there will be one number  $N$  ( $1 < N < 5000001$ ) - the number of boxes.  $N$  lines follow each line with one number representing the size of  $N$ -th box. The size will be less then 1 000 000. In 50% of the test cases the size will be less then 4000.

#### Output

Your program should output a single integer - the minum price that have to be paid for packing the  $N$  boxes into a single one using  $N-1$  operations of the machine.

#### Example

**Input :**

```
4
1
1
1
1
```

**Output :**

```
8
```

---

Added by: Nikola P Borisov

Date: 2008-10-01

Time limit: 1s-25s

Source limit:50000B

Languages: All

Resource: Bulgarian National Olympiad Selection Contest 4 2005

## SPOJ Problem Set (partial)

### 3095. Symmetric Order

#### Problem code: SYMORD

In your job at Albatross Circus Management (yes, it's run by a bunch of clowns), you have just finished writing a program whose output is a list of names in nondescending order by length (so that each name is at least as long as the one preceding it). However, your boss does not like the way the output looks, and instead wants the output to appear more symmetric, with the shorter strings at the top and bottom and the longer strings in the middle. His rule is that each pair of names belongs on opposite ends of the list, and the first name in the pair is always in the top part of the list. In the first example set below, Bo and Pat are the first pair, Jean and Kevin the second pair, etc.

#### Input

The input consists of one or more sets of strings, followed by a final line containing only the value 0. Each set starts with a line containing an integer,  $n$ , which is the number of strings in the set, followed by  $n$  strings, one per line, sorted in nondescending order by length. None of the strings contain spaces. There is at least one and no more than 15 strings per set. Each string is at most 25 characters long.

#### Output

For each input set print "SET n" on a line, where n starts at 1, followed by the output set as shown in the sample output.

#### Example

**Input :**

```
7
Bo
Pat
Jean
Kevin
Claude
William
Marybeth
6
Jim
Ben
Zoe
Joey
Frederick
Annabelle
5
John
Bill
Fran
Stan
Cece
0
```

**Output :**

SET 1  
Bo  
Jean  
Claude  
Marybeth  
William  
Kevin  
Pat  
SET 2  
Jim  
Zoe  
Frederick  
Annabelle  
Joey  
Ben  
SET 3  
John  
Fran  
Cece  
Stan  
Bill

---

Added by: Nikola P Borisov

Date: 2008-10-01

Time limit: 1s

Source limit:50000B

Languages: All

Resource: ICPC North America Mid-Central Regional Contest 2004

## SPOJ Problem Set (partial)

### 3096. Overflowing Bookshelf

#### Problem code: BOOKSH

Agnes C. Mulligan is a fanatical bibliophile - she is constantly buying new books, and trying to find space for those books. In particular, she has a shelf for her "to be read" books, where she puts her newest books. When she decides to read one of these books, she removes it from the shelf, making space for more books. Sometimes, however, she buys a new book and puts it on the shelf, but because of limited space, this pushes one or more books off the shelf at the other end. She always adds books on the left side of the shelf, making books fall off the right side. Of course, she can remove a book from any location on the shelf when she wants to read one.

Your task will be to write a simulator that will keep track of books added and removed from a shelf. At the end of the simulation, display the books remaining on the shelf, in order from left to right. Books in each simulation will be identified by a unique, positive integer,  $0 < I \leq 100$ . There are three types of events in the simulation:

- Add: A new book is pushed on the left end of the shelf, pushing other books to the right as needed. No book moves to the right unless it is pushed by an adjacent (touching) book on its left. Any book that is not entirely on the shelf falls off the right edge. No single book will ever be wider than the given shelf. No book that is currently on the shelf will be added again.
- Remove: If the book is on the shelf, then the book is removed from the shelf, leaving a hole. If the book isn't on the shelf, the operation is ignored.
- End: End the simulation for this case and print the contents of the shelf.

#### Input

The input file will contain data for one or more simulations. The end of the input is signalled by a line containing -1. Each simulation will begin with the integer width of the shelf,  $s$ ,  $5 \leq s \leq 100$ , followed by a series of add and remove events. An add event is a single line beginning with an upper case 'A' followed by the book ID, followed by the integer width of the book,  $w$ ,  $0 < w \leq s$ . A remove event is a single line beginning with an upper case 'R' followed by the the book ID. Finally, the end event is a line containing only a single upper case 'E'. Each number in an event is preceded by a single blank.

#### Output

For each simulation case, print a single line containing a label (as shown in the output sample), followed by the list of IDs of books remaining on the shelf, in order from left to right.

##### Input :

```
10
R 3
A 6 5
A 42 3
A 3 5
A 16 2
A 15 1
```

```
R 16
E
7
A 49 6
A 48 2
R 48
E
5
A 1 1
A 2 1
A 3 1
R 2
A 4 1
A 5 1
R 5
R 4
A 6 1
A 7 4
E
-1
```

**Output :**

```
PROBLEM 1: 15 3
PROBLEM 2:
PROBLEM 3: 7 6
```

---

Added by: Nikola P Borisov

Date: 2008-10-01

Time limit: 1s

Source limit:50000B

Languages: All

Resource: ICPC North America Mid-Central Regional Contest 2005

## SPOJ Problem Set (partial)

### 3097. Flow Layout

#### Problem code: FLOWLAY

A flow layout manager takes rectangular objects and places them in a rectangular window from left to right. If there isn't enough room in one row for an object, it is placed completely below all the objects in the first row at the left edge, where the order continues from left to right again. Given a set of rectangular dimensions and a maximum window width, you are to write a program that computes the dimensions of the final window after all the rectangles have been placed in it.

For example, given a window that can be at most 35 units wide, and three rectangles with dimensions 10 x 5, 20 x 12, and 8 x 13, the flow layout manager would create a window that looked like the figures below after each rectangle was added.

insert 10x5 rectangle   insert 20x12 rectangle   insert 8x13 rectangle

The final dimensions of the resulting window are 30 x 25, since the width of the first row is 10+20 = 30 and the combined height of the first and second rows is 12+13 = 25.

#### Input

The input consists of one or more sets of data, followed by a final line containing only the value 0. Each data set starts with a line containing an integer,  $m$ ,  $1 \leq m \leq 80$ , which is the maximum width of the resulting window. This is followed by at least one and at most 15 lines, each containing the dimensions of one rectangle, width first, then height. The end of the list of rectangles is signaled by the pair -1 -1, which is not counted as the dimensions of an actual rectangle. Each rectangle is between 1 and 80 units wide (inclusive) and between 1 and 100 units high (inclusive).

#### Output

For each input set print the width of the resulting window, followed by a space, then the lowercase letter "x", followed by a space, then the height of the resulting window.

#### Example

**Input :**

```
35
10 5
20 12
8 13
-1 -1
25
10 5
20 13
3 12
-1 -1
15
5 17
5 17
```



```
5 17
7 9
7 20
2 10
-1 -1
0
```

**Output :**

```
30 x 25
23 x 18
15 x 47
```

---

Added by: Nikola P Borisov

Date: 2008-10-01

Time limit: 1s

Source limit:50000B

Languages: All

Resource: ICPC North America Mid-Central Regional Contest 2004

## SPOJ Problem Set (partial)

### 3098. Tree Grafting

#### Problem code: GRAFT

Trees have many applications in computer science. Perhaps the most commonly used trees are rooted binary trees, but there are other types of rooted trees that may be useful as well. One example is ordered trees, in which the subtrees for any given node are ordered. The number of children of each node is variable, and there is no limit on the number. Formally, an ordered tree consists of a finite set of nodes  $T$  such that

- there is one node designated as the root, denoted  $\text{root}(T)$ ;
- the remaining nodes are partitioned into subsets  $T_1, T_2, \dots, T_m$ , each of which is also a tree (subtrees).

Also, define  $\text{root}(T_1), \dots, \text{root}(T_m)$  to be the children of  $\text{root}(T)$ , with  $\text{root}(T_i)$  being the  $i$ -th child. The nodes  $\text{root}(T_1), \dots, \text{root}(T_m)$  are siblings.

It is often more convenient to represent an ordered tree as a rooted binary tree, so that each node can be stored in the same amount of memory. The conversion is performed by the following steps:

1. remove all edges from each node to its children;
2. for each node, add an edge to its first child in  $T$  (if any) as the left child;
3. for each node, add an edge to its next sibling in  $T$  (if any) as the right child.

This is illustrated by the following:



In most cases, the height of the tree (the number of edges in the longest root-to-leaf path) increases after the conversion. This is undesirable because the complexity of many algorithms on trees depends on its height.

You are asked to write a program that computes the height of the tree before and after the conversion.

#### Input

The input is given by a number of lines giving the directions taken in a depth-first traversal of the trees. There is one line for each tree. For example, the tree above would give dudduduudu, meaning 0 down to 1, 1 up to 0, 0 down to 2, etc. The input is terminated by a line whose first character is #. You may assume that each tree has at least 2 and no more than 10000 nodes.

## Output

For each tree, print the heights of the tree before and after the conversion specified above. Use the format:

```
Tree t: h1 => h2
```

where t is the case number (starting from 1), h1 is the height of the tree before the conversion, and h2 is the height of the tree after the conversion.

## Example

### Input :

```
dudduduudu
dddduuuuuu
ddduduuuuu
ddduduuuuu
#
```

### Output :

```
Tree 1: 2 => 4
Tree 2: 5 => 5
Tree 3: 4 => 5
Tree 4: 4 => 4
```

---

Added by: Nikola P Borisov

Date: 2008-10-01

Time limit: 3s

Source limit:50000B

Languages: All

Resource: ICPC North America Rocky Mountain Regional Contest 2007

## SPOJ Problem Set (partial)

### 3132. Server Relocation

#### Problem code: UPTIME

Michael has a powerful computer server that has hundreds of parallel processors and terabytes of main memory and disk space. Many important computations run continuously on this server, and power must be supplied to the server without interruption.

Michael's server must be moved to accommodate new servers that have been purchased recently. Fortunately, Michael's server has two redundant power supplies---as long as at least one of the two power supplies is connected to an electrical outlet, the server can continue to run. When the server is connected to an electrical outlet, it can be moved to any location which is not further away from the outlet than the length of the cord used to connect to the outlet.

Given which outlet Michael's server is plugged into initially and finally, and the locations of outlets in the server room, you should determine the smallest number of times you need to plug a cord into an electrical outlet in order to move the server while keeping the server running at all times. Note that, in the initial and final configuration, only one cord is connected to the power outlet.

#### Input

The first line of input is an integer giving the number of cases to follow. For each case, the first line is of the form

OUTLETS OUTLET\_INITIAL OUTLET\_FINAL LENGTH1 LENGTH2

where

- OUTLETS is the number of outlets in the server room ( $2 \leq \text{OUTLETS} \leq 1000$ ).
- OUTLET\_INITIAL is the index (starting from 1) of the outlet the server is initially connected to.
- OUTLET\_FINAL is the index (starting from 1) of the outlet the server is finally connected to.
- LENGTH1 and LENGTH2 are the positive lengths of the two power cords, with at most three digits of precision after the decimal point ( $0 < \text{LENGTH1}, \text{LENGTH2} \leq 30000$ ).

These are followed by OUTLETS lines giving the integer coordinates of the wall outlets, one per line, with the k-th line giving the location of the k-th outlet. All coordinates are specified as two integers (x- and y-coordinates) separated by a space, with absolute values at most 30000. You may assume that all coordinates are distinct, and that the initial outlet and the final outlet are different.

#### Output

For each case, print the minimum number of times you need to plug a cord into an electrical outlet in order to move the server to the final location while keeping the server running at all times. If this is not possible, print "Impossible".

## Example

### Input :

```
2
4 1 4 2.000 1.000
0 0
0 4
4 0
4 4
9 1 4 2.000 3.000
0 7
-6 2
-3 3
6 2
-6 -3
3 -3
6 -3
-3 -7
0 -7
```

### Output :

```
Impossible
8
```

---

Added by: Nikola P Borisov

Date: 2008-10-11

Time limit: 5s-15s

Source limit:50000B

Languages: All

Resource: Rocky Mountain Regional ACM-ICPC Contest 2007

## SPOJ Problem Set (partial)

### 3185. Linear Pachinko

#### Problem code: LINEARPA

This problem is inspired by Pachinko, a popular game in Japan. A traditional Pachinko machine is a cross between a vertical pinball machine and a slot machine. The player launches small steel balls to the top of the machine using a plunger as in pinball. A ball drops through a maze of pins that deflect the ball, and eventually the ball either exits at a hole in the bottom and is lost, or lands in one of many gates scattered throughout the machine which reward the player with more balls in varying amounts. Players who collect enough balls can trade them in for prizes.

For the purposes of this problem, a linear Pachinko machine is a sequence of one or more of the following: holes (‘.’), floor tiles (‘\_’), walls (‘|’), and mountains (‘/\’). A wall or mountain will never be adjacent to another wall or mountain. To play the game, a ball is dropped at random over some character within a machine. A ball dropped into a hole falls through. A ball dropped onto a floor tile stops immediately. A ball dropped onto the left side of a mountain rolls to the left across any number of consecutive floor tiles until it falls into a hole, falls off the left end of the machine, or stops by hitting a wall or mountain. A ball dropped onto the right side of a mountain behaves similarly. A ball dropped onto a wall behaves as if it were dropped onto the left or right side of a mountain, with a 50% chance for each. If a ball is dropped at random over the machine, with all starting positions being equally likely, what is the probability that the ball will fall either through a hole or off an end? For example, consider the following machine, where the numbers just indicate character positions and are not part of the machine itself:

```
123456789
/\.|_/_/\.
```

The probabilities that a ball will fall through a hole or off the end of the machine are as follows, by position: 1 = 100%, 2 = 100%, 3 = 100%, 4 = 50%, 5 = 0%, 6 = 0%, 7 = 0%, 8 = 100%, 9 = 100%. The combined probability for the whole machine is just the average, which is approximately 61.111%.

#### Input

The input consists of one or more linear Pachinko machines, each 1â€”79 characters long and on a line by itself, followed by a line containing only “#” that signals the end of the input.

#### Output

For each machine, compute as accurately as possible the probability that a ball will fall through a hole or off the end when dropped at random, then output a single line containing that percentage truncated to an integer by dropping any fractional part.

## Example

### Input :

```
/\.|_|/\.  
_./\_|.|_|/\./\_  
...  
_____  
./\.  
_/\_  
_|.|_|.|_|.|_|_|  
_____|_____  
#
```

### Output :

```
61  
53  
100  
0  
100  
50  
53  
10
```

---

Added by: Nikola P Borisov

Date: 2008-10-20

Time limit: 5s

Source limit:50000B

Languages: All

Resource: Mid-Central Regional ACM-ICPC Contest 2006

## SPOJ Problem Set (partial)

### 3186. Frugal Search

#### Problem code: FRSEARCH

For this problem you will write a search engine that takes a query, searches a collection of words, and finds the lexicographically smallest word that matches the query (i.e., the matching word that would appear first in an English dictionary). A query is a sequence of one or more terms separated by single vertical bars ("|"). A term is one or more letters followed by zero or more signed letters. A signed letter is either +*s* ('positive' *s*) or -*s* ('negative' *s*), where *s* is a single letter. All letters are lowercase, and no letter will appear more than once within a term. A query will not contain spaces. A term matches a word if the word contains at least one of the unsigned letters, all of the positive letters, and none of the negative letters; a query matches a word if at least one of its terms matches the word.

#### Input

The input consists of one or more test cases followed by a line containing only "#" that signals the end of the input. Each test case consists of 100 words, each on a line by itself, followed by a line containing only "\*" that marks the end of the word list, followed by one or more queries, each on a line by itself, followed by a line containing only "\* \*" that marks the end of the test case. Each word will consist of 1-20 lowercase letters. All words within a test case will be unique. Each query will be as defined above and will be 1-79 characters long.

#### Output

For each query, output a single line containing the lexicographically smallest word within that test case that matches the query, or the word NONE if there is no matching word. At the end of each test case, output a dollar sign on a line by itself.

#### Example

**Input :**

```
elk
cow
bat
*
ea
acm+e
nm+o|jk+l
**
debian
slackware
gentoo
ubuntu
suse
fedora
mepis
*
yts
cab-e+n
r-e|zjq|i+t|vs-p+e-u-c
```



\* \*

#

**Output :**

bat

NONE

elk

\$

gentoo

ubuntu

NONE

\$

---

Added by: Nikola P Borisov

Date: 2008-10-20

Time limit: 5s

Source limit:50000B

Languages: All

Resource: Mid-Central Regional ACM-ICPC Contest 2006

## SPOJ Problem Set (partial)

### 3187. Go Go Gorelians

#### Problem code: GOGOGORE

The Gorelians travel through space using warp links. Travel through a warp link is instantaneous, but for safety reasons, an individual can only warp once every 10 hours. Also, the cost of creating a warp link increases directly with the linear distance between the link endpoints.

The Gorelians, being the dominant force in the known universe, are often bored, so they frequently conquer new regions of space in the following manner.

1. The initial invasion force finds a suitable planet and conquers it, establishing a Regional Gorelian Galactic Government, hereafter referred to as the RGGG, that will govern all Gorelian matters in this region of space.
2. When the next planet is conquered, a single warp link is constructed between the new planet and the RGGG planet. Planets connected via warp links in this manner are said to be part of the Regional Gorelian Planetary Network, that is, the RGPN.
3. As additional planets are conquered, each new planet is connected with a single warp link to the nearest planet already in the RGPN, thus keeping the cost of connecting new planets to the network to a minimum. If two or more planets are equidistant from the new planet, the new planet is connected to whichever of them was conquered first.

This causes a problem however. Since planets are conquered in a more-or-less random fashion, after a while, the RGGG will probably not be in an ideal location. Some Gorelians needing to consult with the RGGG might only have to make one or two warps, but others might require dozens--very inconvenient when one considers the 10-hour waiting period between warps.

So, once each Gorelian year, the RGGG analyzes the RGPN and relocates itself to an optimal location. The optimal location is defined as a planet that minimizes the maximum number of warps required to reach the RGGG from any planet in the RGPN. As it turns out, there is always exactly one or two such planets. When there are two, they are always directly adjacent via a warp link, and the RGGG divides itself evenly between the two planets.

Your job is to write a program that finds the optimal planets for the RGGG. For the purposes of this problem, the region of space conquered by the Gorelians is defined as a cube that ranges from (0,0,0) to (1000,1000,1000).

#### Input

The input consists of a set of scenarios where the Gorelians conquer a region of space. Each scenario is independent. The first line of the scenario is an integer  $N$  that specifies the total number of planets conquered by the Gorelians. The next  $N$  lines of the input specify, in the order conquered, the  $ID$ s and coordinates of the conquered planets to be added to the RGPN, in the format  $IDXYZ$ . An  $ID$  is an integer from 1 to 1000.  $X$ ,  $Y$ , and  $Z$  are integers from 0 to 1000. A single space separates the numbers. A value of  $N = 0$  marks the end of the input.

## Output

For each input scenario, output the *IDs* of the optimal planet or planets where the RGGG should relocate. For a single planet, simply output the planet *ID*. For two planets, output the planet *IDs*, smallest *ID* first, separated by a single space.

## Example

**Input :**

```
5
1 0 0 0
2 0 0 1
3 0 0 2
4 0 0 3
5 0 0 4
5
1 0 0 0
2 1 1 0
3 3 2 0
4 2 1 0
5 3 0 0
10
21 71 76 4
97 32 5 69
70 33 19 35
3 79 81 8
31 91 17 67
52 31 48 75
48 90 14 4
41 73 2 21
83 74 41 69
26 32 30 24
0
```

**Output :**

```
3
2 4
31 97
```

---

Added by: Nikola P Borisov

Date: 2008-10-20

Time limit: 10s

Source limit: 50000B

Languages: All

Resource: Mid-Central Regional ACM-ICPC Contest 2006

## SPOJ Problem Set (partial)

### 3188. Minimum Spanning Tree

#### Problem code: MST

Find the minimum spanning tree of the graph.

#### Input

On the first line there will be two integers N - the number of nodes and M - the number of edges. ( $1 \leq N \leq 10000$ ), ( $1 \leq M \leq 100000$ )  
> M lines follow with three integers i j k on each line representing an edge between node i and j with weight k. The IDs of the nodes are between 1 and n inclusive. The weight of each edge will be  $\leq 1000000$ .

#### Output

Single number representing the total weight of the minimum spanning tree on this graph. There will be only one possible MST.

#### Example

##### Input :

```
4 5
1 2 10
2 3 15
1 3 5
4 2 2
4 3 40
```

##### Output :

```
17
```

---

Added by: Nikola P  
Borisov  
Date: 2008-10-20  
Time limit: 5s-10s  
Source  
limit: 50000B  
Languages: All

## SPOJ Problem Set (partial)

### 3448. Connect

#### Problem code: CONNECT2

Your task is to decide if a specified sequence of moves in the board game Connect ends with a winning move.

\epsfbox{p3381.eps}

In this version of the game, different board sizes may be specified. Pegs are placed on a board at integer coordinates in the range  $[0, N]$ . Players Black and White use pegs of their own color. Black always starts and then alternates with White, placing a peg at one unoccupied position  $(x, y)$ . Black's endzones are where  $x$  equals 0 or  $N$ , and White's endzones are where  $y$  equals 0 or  $N$ . Neither player may place a peg in the other player's endzones. After each play, the latest position is connected by a segment to every position with a peg of the same color that is a chess knight's move away (2 away in one coordinate and 1 away in the other), provided that a new segment will touch no segment already added, except at an endpoint. Play stops after a winning move, which is when a player's segments complete a connected path between the player's endzones.

For example, Figure 1 shows a board with  $N = 4$  after the moves (0,2), (2,4), and (4,2). Figure 2 adds the next move (3,2). Figure 3a shows a poor next move of Black to (2,3). Figure 3b shows an alternate move for Black to (2,1) which would win the game.

Figure 4 shows the board with  $N = 7$  after Black wins in 11 moves:

(0, 3), (6, 5), (3, 2), (5, 7), (7, 2), (4, 4), (5, 3), (5, 2), (4, 5), (4, 0), (2, 4)

#### Input

The input contains from 1 to 20 datasets followed by a line containing only two zeroes, '0 0'. The first line of each dataset contains the maximum coordinate  $N$  ( $3 < N < 21$ ) and the number of total moves,  $M$  ( $4 < M < 250$ ), with  $M$  odd, so Black will always be the last player. The dataset ends with one or more lines each containing two or more coordinate pairs, with a total of  $M$  coordinate pairs. All numbers on any line will be separated by blanks. All data will be legal. There will never be a winning move before the last move.

#### Output

The output contains one line for each data set: 'yes' if the last move is a winning move and 'no' otherwise.

#### Example

Input :

```
4 5
0 2 2 4 4 2 3 2 2 3
4 5
0 2 2 4 4 2 3 2 2 1
```

```
7 11
0 3 6 5 3 2 5 7 7 2 4 4
5 3 5 2 4 5 4 0 2 4
0 0
```

**Output :**

```
no
yes
yes
```

---

Added by: Nikola P Borisov

Date: 2008-12-04

Time limit: 2s

Source limit:50000B

Languages: All

Resource: ICPC North America Pacific Northwest Region

## SPOJ Problem Set (partial)

### 3449. Sum of Squares

#### Problem code: SUMSQ

We are interested in how many different sequences of  $N$  non negative integers there are that have the sum of their squares less than  $S$ . Note that the sequence  $(1, 2)$  is different from the sequence  $(2, 1)$ .

#### Input

The input consists of only one line with two integers  $N$  ( $0 < N < 30$ ) and  $S$  ( $S < 100$ ).

#### Output

A single integer representing the number of different sequences that have the sum of their squares less than  $S$ .

#### Example

**Input :**

1 4

**Output :**

2

---

Added by: Nikola P Borisov

Date: 2008-12-04

Time limit: 1s

Source limit: 50000B

Languages: All

Resource: Bulgarian Winter Competition 2003

## SPOJ Problem Set (partial)

### 3450. Fast Width

#### Problem code: FASTW

When you want to get quick to some place in the city you don't often look for the shortest distance to there. Sometimes what is important is how width the street is. We will say that a route in the city had width is the width of the smallest street you will have to pass through. Now you are give the city network of streets and intersections and the width of each street and you are asked to provide the width of the widest path between intersection with number 1 and intersection with number N.

#### Input

On the first line of the input you will find two integers N ( $2 < N < 10000$ ) the number of intersections in the city and M ( $1 < M < 100000$ ) the number of streets in the city. On each of the next M lines you will get information about one street in the form of 3 integers I, J, W ( $1 < W < 65000$ ) which will mean that intersections I and J are connected via street with width W.

#### Output

A single integer representing the width of the path between 1 and N with maximum width. If no path exists between 1 and N output 0

#### Example

**Input :**

```
5 6
1 2 1
1 3 3
1 4 9
2 5 10
3 5 4
4 5 2
```

**Output :**

```
3
```

---

Added by: Nikola P Borisov

Date: 2008-12-04

Time limit: 20s

Source limit: 50000B

Languages: All

Resource: Bulgarian National Olympiad Round 2 2004 Group A



## SPOJ Problem Set (main)

### 3610. BOI 97 - Factorial

#### Problem code: BOIFAC

For a positive integer number  $N$ , find all positive integer numbers  $X$  (if any such number exists) with the property that the number  $1*2*3*...*X$  has exactly  $N$  decimal digits. Assume that  $N$  is at most 150,000.

#### Input

A single line which contains a positive integer number denoting the number  $N$ .

#### Output

The first line should contain the string "NO", if such a number does not exist. Otherwise, the first line should contain a positive integer denoting how many  $X$  numbers exist. Then print all the  $X$  numbers, one number per line.

#### Example

Input :  
5

Output :  
1  
8

---

Added by: Mir Wasi Ahmed  
Date: 2008-12-31  
Time limit: 1s  
Source limit: 50000B  
Languages: C C99 strict C++ PAS gpc PAS fpc JAVA  
Resource: Balkan Olympiad of Informatics 1997

## SPOJ Problem Set (main)

### 4108. BOI 97 - Street Network

#### Problem code: BOI97SN

The street network of a city is composed of streets and nodes. In a node, two or more streets can meet. All streets are one-way streets. Note also that, two nodes can be connected directly by more than one street, and one node can have a street that loops back to itself. Write a computer program in order to address the following issues: 1. Is it possible to start from at least one node A and visit ALL streets exactly once ? 2. How many nodes can serve as starting points in order to satisfy the property of the previous case ? 3. For each node X, how many paths of length S exist starting from X and ending to X, where any street or node can be visited more than once ?

#### Input

In the first line in the input is a positive integer number N ( $N \leq 50$ ), denoting the number of nodes in the city street network. The second line contains a positive integer number S ( $S \leq 3$ ) denoting the path length. The next N lines contain the network description in matrix form. More precisely, the element in row I and column J is the number of streets from node I to node J.

#### Output

The first line contains the string "YES" if you can start from a node, travel through all streets exactly once, and arrive either at the starting point, or at another node. Otherwise, the string "NO" should appear in the output. If the answer is "YES", the next line of the output file should contain a positive integer number denoting how many nodes can serve as starting points. Finally, the last line of the output file should contain N positive integers (separated by a space) that show for each node how many different paths with length S exist such that each path leads from the node back to itself. These numbers should be sorted in increasing order.

#### Example

**Input 1:**

```
3
2
1 1 0
1 1 1
0 1 1
```

**Output:**

```
YES
3
2 2 3
```

**Input 2:**

```
3
2
1 1 0
1 1 2
0 0 1
```

**Output :**

NO

1 2 2

---

Added by: Mir Wasi Ahmed

Date: 2009-03-24

Time limit: 1s

Source limit:50000B

Languages: All

Resource: Balkan Olympiad of Informatics 1997

## SPOJ Problem Set (partial)

### 5167. Quadratics

#### Problem code: BRHQUADR

Butch needs help with checking his math homework. He is studying quadratic equations, which are in the form

$$y = ax^2 + bx + c$$

He wants to give you a, b, c, and x ( $1 \leq a, b, c, x \leq 10$ ), and asks you to find y.

#### Input

Line 1: Three space-separated integers, a, b, and c.

Line 2: A single integer, x.

#### Output

Line 1: A single integer, y

#### Example

**Input:** 2 5 3 -4  
**Output:**  
15

---

Added by: Damon Doucet

Date: 2009-11-02

Time limit: 5s

Source limit: 50000B

Languages: All

## SPOJ Problem Set (partial)

### 5201. Stacks of Bricks

**Problem code: SBRICKS**

#### Problem statement

You are given a sequence of  $n$  ( $n < 100$ ) integers. Each number denotes the height of a stack of bricks. If we put the stacks in a line as in the illustration below, we would see stacks of uneven heights. Suppose a "move" is made by picking up one brick from one stack and putting it on another, compute the minimum number of moves to rearrange the bricks such that all stacks have the same height.

Read the input from standard input. The first line of the input is the integer  $n$ , followed by  $n$  lines of integers denoting the height of the  $n$  stacks. The total number of bricks will be divisible by the number of stacks. Thus, it is always possible to rearrange the bricks such that all stacks have the same height. Your output to standard output should consist of exactly one integer denoting the minimum number of moves.

#### Sample input

6524175

#### Sample output

5

---

Added by: Zhang Zhiyong Melvin  
Date: 2009-11-04  
Time limit: 1s  
Source limit: 50000B  
Languages: All

## SPOJ Problem Set (partial)

### 5202. Stacks of Bricks 2

**Problem code: SBRICKS2**

#### Summary

This is similar to "Stacks of Bricks" except that for each move you are only allowed to move a brick to a stack on its immediate left or right.

#### Problem statement

You are given a sequence of  $n$  ( $n < 100$ ) integers. Each number denotes the height of a stack of bricks. If we put the stacks in a line as in the illustration below, we would see stacks of uneven heights. Suppose a "move" is made by picking up one brick from one stack and putting it on *stack to its immediate left or right*, compute the minimum number of moves to rearrange the bricks such that all stacks have the same height.

Read the input from standard input. The first line of the input is the integer  $n$ , followed by  $n$  lines of integers denoting the height of the  $n$  stacks. The total number of bricks will be divisible by the number of stacks. Thus, it is always possible to rearrange the bricks such that all stacks have the same height. Your output to standard output should consist of exactly one integer denoting the minimum number of moves.

#### Sample input

```
6
5
2
4
1
7
5
```

#### Sample output

```
8
```

---

Added by: Zhang Zhiyong Melvin

Date: 2009-11-04

Time limit: 1s

Source limit: 50000B

Languages: All

## SPOJ Problem Set (partial)

### 6409. Suffix Array

#### Problem code: SARRAY

Given a string of length at most 100,000 consist of alphabets and numbers. Output the suffix array of the string.

A suffix array is an array of integers giving the starting positions (0-based) of suffixes of a string in lexicographical order. Consider a string "abracadabra0AbRa4Cad14abra". The size of the suffix array is equal to the length of the string. Below is the list of 26 suffixes of the string along with its starting position sorted in lexicographical order:

```
POS SUFFIX 11 0AbRa4Cad14abra
20 14abra
16 4Cad14abra
21 4abra
12 AbRa4Cad14abra
17 Cad14abra
14 Ra4Cad14abra
25 a
10 a0AbRa4Cad14abra
15 a4Cad14abra
22 abra
7 abra0AbRa4Cad14abra
0 abracadabra0AbRa4Cad14abra
3 acadabra0AbRa4Cad14abra
18 ad14abra
5 adabra0AbRa4Cad14abra
13 bRa4Cad14abra
23 bra
8 bra0AbRa4Cad14abra
1 bracadabra0AbRa4Cad14abra
4 cadabra0AbRa4Cad14abra
19 d14abra
6 dabra0AbRa4Cad14abra
24 ra
9 ra0AbRa4Cad14abra
2 racadabra0AbRa4Cad14abra
```

**Note:** this is a partial score problem.

$O(n^2 \log(n))$  is expected to score about 20-30. (Naive sorting all suffixes)

$O(n \log^2(n))$  is expected to score about 40. (OK for most programming contest problems)

$O(n \log n)$  is expected to score about 60-70. (Use counting sort for small alphabet size)

$O(n)$  without tweaks is expected to score about 80-90.

$O(n)$  with tweaks is expected to score 100. (This is meant for fun only :)

#### Input

A single line containing the string.

## Output

The suffix array of the string.

## Example

**Input :**

abracadabra0AbRa4Cad14abra

**Output :**

11  
20  
16  
21  
12  
17  
14  
25  
10  
15  
22  
7  
0  
3  
18  
5  
13  
23  
8  
1  
4  
19  
6  
24  
9  
2

---

Added by: Felix Halim

Date: 2010-03-26

Time limit: 0.25s

Source limit: 50000B

Languages: All except: PERL 6



## SPOJ Problem Set (oi)

### 6610. Cắt ba?ng

#### Problem code: CUTBOARD

SNAD muốn cắt một ba?ng hình chu+~ nhât kích thu+o+'c  $M \times N$  thành các hình chu+~ nhât con chie^'u dài hoặc chie^'u rộng là 1. Mỗi lần cắt như+ vậy SNAD chỉ? có the^? cắt trên rìa cu?a ba?ng hình chu+~ nhât đó, có nghĩa là có the^? cho.n 1 trong 4 phu+o+ng án: cắt dọc đầu tiên, cắt dọc cuối cùng, cắt cột đầu tiên, cắt cột cuối cùng. Tuy nhiên tổng các số trong hình chu+~ nhât con như+ vậy không đu+o+.c vu+o+'t quá P. Ba.n hãy giúp SNAD tìm cách cắt ba?ng ban đầu thành ít hình chu+~ nhât con nhât có the^?

#### Input

Dòng đầu gồm 3 số P, N, M ( $P < 2000000000$ ,  $0 < M, N < 2001$ )

M dòng sau mô tả? ma trận hình chu+~ nhât kích thu+o+'c  $M \times N$ , các số trên ma trận nhỏ? ho+n 100000

#### Output

Ghi số duy nhât là ke^'t quả? nhỏ? nhât có the^?

#### Example

**Input:** 12 6 46 0 4 8 0 50 4 5 4 6 00 5 6 5 6 05 4 0 0 5 4 **Output:** 8

---

Added by: Tran Hai Dang

Date: 2010-05-04

Time limit: 5s

Source limit: 50000B

Languages: All except: TCL SCALA ERL TECS JS

Resource: POI 2005

## SPOJ Problem Set (oi)

### 6652. Tru+o+.t tuye^'t phien ba?n 1

#### Problem code: SKIVER1

Vu+o+ng quốc no. có N thanh phô, bie^'t rằng thanh phô 1 chi? có the^? đe^'n đu+o+.c các thanh phô khác ma không thanh phô nao đe^'n đu+o+.c thanh phô 1, thanh phô N không đe^'n đu+o+.c thanh phô nao khác ma chi? có thanh phô khác đe^'n thanh phô nay. Trong vu+o+ng quốc 2 thanh phô bất kì đu+o+.c nối vo+^'i nhau thông qua không quá 1 con đu+o+^'ng một chie^'u. Quanh năm vu+o+ng quốc ngập trong tuye^'t, nha vua muôn tuye^'n một đôi tru+o+.t tuye^'t gồm ít ngu+o+^'i nhất sao cho mỗi ngu+o+^'i đe^'u xuất phát tu+^' thanh phô 1, qua các thanh phô trung gian rồi du+^'ng la.i ta.i thanh phô N tho?a man các con đu+o+^'ng một chie^'u đu+o+.c thăm bo+^'i ít nhất 1 thanh viên trong đôi.

#### Du+~ lie^'.u

- Dong đầu ghi số nguyên du+o+ng N, số thanh phô ( $N < 1001$ ).
- N -1 dong sau mỗi dong mô ta? thông tin ve^' mỗi thanh phô tu+^' 1 đe^'n N - 1, số đầu tien cu?a mỗi dong ghi số K la lu+o+.ng thanh phô ma thanh phô đó có the^? đi to+^'i, K số tie^'p theo la chi? số các thanh phô đó.

#### Ke^'t qu?a

Ghi ra số nho? nhất các thanh viên trong đôi.

#### Ví dụ.

Du+~ lie^'.u:

```
15
5 3 5 9 2 4
1 9
2 7 5
2 6 8
1 7
1 10
2 14 11
2 10 12
2 13 10
3 13 15 12
2 14 15
1 15
1 15
1 15
```

Ke^'t qu?a

```
8
```

Added by: Tran Hai Dang  
Date: 2010-05-15  
Time limit: 1s  
Source limit: 50000B  
Languages: All except: TCL SCALA ERL TECS JS  
Resource: Chút thay đổi tu+ bài POI 2001

## SPOJ Problem Set (oi)

### 6671. Xe buýt

#### Problem code: MBUS

Tren mặt phẳng to.a đồ cho N điể<sup>m</sup> la N tra.m xe buýt, o+? tra.m thu+<sup>'</sup> i có to.a đồ (xi, yi) va có zi ngu+o+<sup>'</sup>i đang cho+<sup>'</sup> o+? đó. Cần đi xe buýt tu+<sup>'</sup> (1, 1) đē<sup>'</sup>n (X, Y) sao cho đōn đū+o+.c nhie<sup>'</sup>u ngu+o+<sup>'</sup>i nhất có the<sup>'</sup>?, bie<sup>'</sup>t rằng xe buýt chỉ? có the<sup>'</sup>? đi len tren hoặc sang pha<sup>'</sup>i.

#### Du+~ lie<sup>'</sup>.u

- Dong đầu ghi 3 số nguyên du+o+ng X, Y, N ( $X, Y < 1000000001$ ,  $N < 100001$ )
- N dong sau mỗi dong ghi 3 số xi, yi, zi ( $xi \leq X$ ,  $yi \leq Y$ ,  $zi < 1000001$ ).

#### Ke<sup>'</sup>t qu?a

Ghi tren một dong số duy nhất la số khách lo+<sup>'</sup>n nhất có the<sup>'</sup>? đōn đū+o+.c.

#### Ví dụ.

```
Du+~ lie'.u:
8 7 11
4 3 4
6 2 4
2 3 2
5 6 1
2 5 2
1 5 5
2 1 1
3 1 1
7 7 1
7 4 2
8 6 2Ke't qu?a
11
```

---

Added by: Tran Hai Dang

Date: 2010-05-21

Time limit: 1s

Source limit: 50000B

Languages: All except: TCL SCALA ERL TECS JS

Resource: POI 2005

## SPOJ Problem Set (partial)

### 8760. Salesman

#### Problem code: SALESMAN

Một thu+o+ng nhân vu+‘a quye^t đi.nh mua một con tau mo+‘i phu.c vu. cho các cuộc trao đổi hàng hóa do.c bo+‘ sông Danube. Con tau cu?a anh ta có tốc độ rất tuye^t vo+‘i, nó có the^? đu+a anh ta đe^‘n bất kì vị. trí nào trên sông trong không quá một tích tắc, nhu+ng, đó la.i la một con tau rất tôn nhen lie^‘u. Con tau tôn U dollar cho 1 mét đi ngu+o+.c dong, và mât D dollar cho 1 mét đi xuôi dong.

Có tất cả? N hoi cho+. sắp su+?a die^~n ra trên khắp bo+‘ sông Danube. Mỗi hoi cho+. chi? die^~n ra trong 1 ngày. Vo+‘i mỗi hoi cho+. x, thu+o+ng nhân bie^t hoi cho+. bắt đầu vào ngày T[x] (tính tu+‘ khi mua tau), ta.i vị. trí cách thu+o+.ng nguồn L[x] mét, và ne^‘u tham gia, thu+o+ng nhân se~ kie^‘m đu+o+.c M[x] dollar. Anh ta se~ pha?i bắt đầu và ke^t thúc chuye^‘n đi cu?a mình ta.i một vị. trí cách thu+o+.ng nguồn S mét.

Lu+u ý rằng, các hoi cho+. bắt đầu theo thu+‘ tu+. tho+‘i gian, nen ne^‘u nhu+ hoi cho+. A đu+o+.c bắt đầu so+‘m ho+n hoi cho+. B, thu+o+ng nhân không the^? tham gia hoi cho+. B tru+o+‘c hoi cho+. A. Tuy nhiên, ne^‘u nhu+ có nhie^‘u hoi cho+. die^~n ra trong cùng 1 ngày, thu+o+ng nhân có the^? tham gia bất kì hoi cho+. nao theo bất kì thu+‘ tu+. nao anh ta muôn. Thu+o+ng nhân có the^? đi qua 1 hoi cho+. nhie^‘u lần trong ngày, nhu+ng dĩ nhiên, anh ta se~ chi? kie^‘m đu+o+.c tie^‘n trong lần đầu tiên ghé qua hoi cho+. đó.

Nhie^‘m vụ. cu?a ba.n, la hay vie^t chu+o+ng trình giúp thu+o+ng nhân tính đu+o+.c số tie^‘n nhie^‘u nhất thu đu+o+.c, khi tham gia các hoi cho+. theo phu+o+ng án tối ưu. Số tie^‘n kie^‘m đu+o+.c, bằng tổng lo+.i nhuân đạ.t đu+o+.c tu+‘ nhu+~ng hoi cho+. anh ta tham gia, tru+‘ đi chi phí đi chuye^‘n trên sông.

Input:

- Dòng đầu tiên gồm 4 số nguyên N,U,D,S

- N dòng tie^p theo, mỗi gồm 3 số T[k], L[k], M[k] mô tả? hoi cho+. k: hoi cho+. bắt đầu vào ngày T[k], cách thu+o+.ng nguồn L[k] mét, và lo+.i nhuân đạ.t đu+o+.c ne^‘u tham gia là M[k]

- Các số trên cùng 1 dòng cách nhau bo+‘i ít nhất 1 dấu cách

Output

- Gồm 1 số nguyên duy nhất, la số tie^‘n lo+‘n nhất mà thu+o+ng nhân có the^? kie^‘m đu+o+.c (giá trị. này có the^? bằng 0).

Gio+‘i ha.n:

-  $1 \leq N \leq 500000$ , số hoi cho+.

-  $1 \leq D \leq U \leq 10$ , chi phí đi chuye^‘n 1 mét ngu+o+.c dong (U), và xuôi dong (D)

-  $1 \leq S \leq 500001$ , vị. trí xuất phát cu?a thu+o+ng nhân

-  $1 \leq T[k] \leq 500000$ , ngày die^~n ra hoi cho+. thu+‘ k

-  $1 \leq L[k] \leq 500001$ , vị. trí cu?a hoi cho+. thu+‘ k

-  $1 \leq M[k] \leq 4000$ , số tie^‘n thu+o+ng nhân có the^? kie^‘m đu+o+.c ne^‘u tham gia hoi cho+. thu+‘ k

- Không có hai hoi cho+. nao đu+o+.c mo+? o+? cùng vị. trí, cùng nhu+ không có hoi cho+. nao đu+o+.c mo+? ta.i nha cu?a thu+o+ng nhân

Example:

Input

4 5 3 100

2 80 100

20 125 130

10 75 150

5 120 110

Output

50

Gia?i thích:

Phu+o+ng án tôi u+u cu?a thu+o+ng nhân se~ la tham gia hôi cho+. 1 va 3, theo thu+' tu+. nhu+ sau

- Đi ngu+o+.c dong 20 mét, chi phí 100 dollar. Lo+.i nhuân hie^.n ta.i: -100

- Tham gia hôi cho+. 1, kie^'m đu+o+.c 100 dollar. Lo+.i nhuân hie^.n ta.i: 0

- Đi ngu+o+.c dong 5 mét, chi phí 25 dollar. Lo+.i nhuân hie^.n ta.i: -25

- Tham gia hôi cho+. 3, kie^'m đu+o+.c 150 dollar. Lo+.i nhuân hie^.n ta.i: 125

- Đi xuôi dong 25 mét va tro+? ve^' nha, chi phí 75 dollar. Lo+.i nhuân cuối cung: 50 dollar

---

Added by: sieunhan

Date: 2011-04-21

Time limit: 12s

Source limit:50000B

Languages: All

Resource: IOI 2009, day 2

## SPOJ Problem Set (oi)

### 9027. KAMION

#### Problem code: KAMION

Mirko là tài xế xe tải. Công việc hàng ngày của anh là chuyên chở hàng hoá đến các thành phố. Chiều xe tải của anh có thể chở được một lượng hàng tùy ý, tuy nhiên, nó chỉ cho phép Mirko mỗi lần chở được ra khỏi hàng năm trên cùng (có thể coi xe tải của Mirko như 1 stack). Có 26 loại hàng hoá khác nhau, chúng được kí hiệu bằng các chữ cái trong bảng kí tự alphabet.

Thành phố của Mirko gồm các con đường 1 chiều dài mỗi con đường là 1km. Ở thành phố này, Mirko chỉ đi chuyển trên 3 loại đường sau:

- Loại 1: mỗi lần Mirko lái xe qua con đường này, anh ta phải chở thêm đúng 1 lượng hàng vào con đường đó
- Loại 2: mỗi lần Mirko lái xe qua con đường này, anh ta phải chở xuống khỏi hàng trên cùng của xe, và phải chở lượng hàng yêu cầu trên đường này
- Loại 3: mỗi lần Mirko lái xe qua con đường này, anh ta không cần chở thêm/cho bớt bất kì lượng hàng nào

Lưu ý, ngoài các thao tác trên, Mirko không được phép lấy thêm hàng bất kì chỗ nào khác, cũng như không được chở quá lượng hàng của con đường.

Hàng ngày, Mirko sẽ xuất phát thành phố 1, đi chuyển qua các con đường, và kết thúc chuyển đến thành phố N. Ban đầu, xe Mirko không chở hàng, và khi kết thúc, các lượng hàng có thể vẫn còn trên xe của Mirko.

Yêu cầu: cho biết mà lượng của các con đường trong thành phố, hay viết chương trình để mô phỏng cách Mirko có thể lái xe tải trên đường không quá K km. Mirko có thể đi qua 1 thành phố nhiều lần, miễn sao thỏa mãn các yêu cầu đã cho.

Input

- Dòng đầu tiên của input gồm 3 số nguyên N,M,K ( $2 \leq N \leq 50$ ,  $0 < M < 2450$ ,  $0 < K \leq 50$ )
- M dòng tiếp theo mô tả các con đường trong thành phố. Mỗi dòng sẽ có dạng như sau:
  - + Loại 1: "x y C", với  $1 \leq x, y \leq N$  và C là 1 kí tự in hoa ('A'..'Z') mô tả có 1 con đường từ x đến y, và Mirko cần chở thêm 1 lượng hàng C lên xe
  - + Loại 2: "x y c", với  $1 \leq x, y \leq N$  và c là 1 kí tự in hoa ('A'..'Z') mô tả có 1 con đường từ x đến y, và Mirko cần chở bớt 1 lượng hàng c ra khỏi xe
  - + Loại 3: "x y", với  $1 \leq x, y \leq N$ , mô tả có 1 con đường từ x đến y.
- Đừng quên rằng mỗi con đường, x khác y, và không có 2 con đường nào nối cùng 1 cặp thành phố theo cùng 1 hướng

Output:

- Trên dòng duy nhất, in ra số cách Mirko có thể thu được lượng hàng chuyển đến thành phố N, lấy modulo 10007

Example:

Input

2 1 10

1 2 a

Output

0

Input

7 9 5

1 2 A  
2 3 B  
2 5  
5 3 C  
3 4 b  
3 6 c  
3 7  
4 7 a  
6 7 a  
Output  
4

---

Added by: sieunhan

Date: 2011-06-13

Time limit: 5s-20s

Source limit:50000B

Languages: All except: CLOJ ERL F# GO PERL 6 PYTH 3.1.2 SCALA TCL

Resource: Croatian Olympiad in Informatics 2011



## SPOJ Problem Set ()

### 9028. DIEULINH

#### Problem code: NTKM

Minh has  $n$  piles of pebbles. The  $i$ -th pile has  $a[i]$  pebbles. The cost to merge 2 piles is the total of pebbles in this 2 piles. Calculate the cost to merge all these piles so that the cost is lowest.

#### Input

\_ The first line is number  $N$ .

\_ Next are  $n$  integers which is the number of pebbles in  $N$  piles.

#### Output

Result: write down the lowest cost

#### Example

**Input :**

5

4 1 2 7 5

**Output :**

41

$n < 1000, a[i] < 1000000000$

Note: sorry about my english ^^

---

Added by: cao thu?\_buôn ngu?[C11]

Date: 2011-06-13

Time limit: 0.5s-2.5s

Source limit: 50000B

Languages: All except: CLOJ ERL F# GO PERL 6 PYTH 3.1.2 SCALA TCL

Resource: [C11]